


# List 462BN, 464BN

2 or 4 Flute, Long Length, Ball End

SPEED FEED P1269-1271	CARBIDE	TiAlN	TiCN	BR	LONG		30°
Milling Diameter Tolerance							
1/8 ≤ D ≤ 1				+0 / -0.002"			



Units: Inch

EDP Number					Mill Diameter	Overall Length	Length of Cut	Shank Diameter
List 462BN (2 Flute)		List 464BN (4 Flute)						
Bright	TiCN	Bright	TiCN	TiAlN	D	L	Lc	d
462-1250-BN	-	464-1250-BN	-	464-1250-BN11	1/8	2-1/4	3/4	1/8
462-1875-BN	-	464-1875-BN	-	464-1875-BN11	3/16	2-1/4	3/4	3/16
462-2500-BN	462-2500-BN08	464-2500-BN	-	464-2500-BN11	1/4	3	1-1/8	1/4
462-3125-BN	-	464-3125-BN	-	-	5/16	3	1-1/8	5/16
462-3750-BN	-	464-3750-BN	-	464-3750-BN11	3/8	3	1-1/8	3/8
462-4375-BN	-	464-4375-BN	-	-	7/16	4	2	7/16
462-5000-BN	-	464-5000-BN	464-5000-BN08	464-5000-BN11	1/2	4	2	1/2
462-6250-BN	-	464-6250-BN	-	-	5/8	5	2-1/4	5/8
462-7500-BN	-	464-7500-BN	-	-	3/4	5	2-1/4	3/4
462-1000-BN	-	464-1000-BN	-	-	1	5	2-1/4	1



Packed: 1 pc.  
EDP's listed above are stocked standard, other coatings available upon request.  
Specify treatment at time of order.



# List 462BN, 464BN

2 or 4 Flute, Long Length, Ball End

SPEED FEED P1269-1271	CARBIDE	BR	LONG		30°
Milling Diameter Tolerance					
3 ≤ D ≤ 25			+0 / -0.05mm		



Units: mm

EDP Number		Mill Diameter	Overall Length	Length of Cut	Shank Diameter
List 462BN (2 Flute)	List 464BN (4 Flute)				
Bright	Bright	D	L	Lc	d
462-1181-BN	464-1181-BN	3	57	19	3
462-1575-BN	464-1575-BN	4	57	19	4
462-1968-BN	464-1968-BN	5	64	25	5
462-2362-BN	464-2362-BN	6	76	28	6
462-3150-BN	464-3150-BN	8	76	29	8
462-3937-BN	464-3937-BN	10	76	32	10
462-4724-BN	464-4724-BN	12	102	51	12
462-5512-BN	464-5512-BN	14	127	57	14
462-6299-BN	464-6299-BN	16	127	57	16
462-7087-BN	464-7087-BN	18	127	57	18
462-7874-BN	464-7874-BN	20	127	57	20
462-9843-BN	464-9843-BN	25	127	57	25

Packed: 1 pc.  
EDP's listed above are stocked standard, other coatings available upon request.  
Specify treatment at time of order.



List No.	Work Material															
	P					M			K	N		S	H			
	Carbon Steels			Alloy Steels	Die Steels	Stainless Steels			Cast Iron	Aluminum		Nickel Alloy	Titanium	Hardened Steels		
	Low	Med.	High	4140 4340		300	400	17-4 PH			6061 7075	Casting	Inconel	6Al4V (30 HRC)	~35 HRC	35-45 HRC
462BN	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
464BN	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

good  best

