3M Industrial Adhesives and Tapes

C:NI

51

3M

Industrial Strength.

Conveniently packaged.

NOW Big industrial strength ... easy to choose packaging

Whether your customers need highly specialized tape for fingerprint lifting or the most versatile duct tape, you can put the quality of product and information they need at their fingertips. 3M industrial products, the most trusted name in tapes and adhesive products, are now wrapped for added protection and packaging featuring informative content so you KNOW you're selecting the best option for the application.



Benefits of 3M[™] Industrial Strength, **Conveniently Packaged Products**

What's in it for your customers?

- A better brand experience
- A+ supporting content
- Protected inventory
- · Clear identification

What's in it for you?

- Bar codes on the inner packs for better inventory tracking
- Improved presentation/identification and less contamination of "broken case" units
- · Customer-preferred identification and content
- · Simple "go to" product line with clarified product positioning for easy representation
- "Ready to promote" sales tools and rewards

Opportunity to keep pace with transformational trends shaping the future of industrial buying

General Use

Performance

performance you can trust

· Great for paint masking and other applications

Industrial-strength

· Light and medium duty use

Paint Lines

Strength

Conformability

Rubber-based adhesive

Good

Good

Good

Temp. (30 minutes)

	Great paint lines							
	Best	Good	Paint Lines	Best				
	Best	Good	Strength	Best				
,	Best	Good	Conformability	/ Best				
200°	F/93°C	Temp. (3	0 minutes)	225°F/107°C				

High Performance

- Industrial-strength performance you can trust
- Super sharp paint lines
- Proprietary 3M adhesive sticks and removes cleanly

ecia		1.01

- Industrial-strength high temperature performance
- Super sharp paint lines
- Proprietary 3M adhesive sticks and removes cleanly

Good	Paint Lines	Best	Good	Paint Lines	Best
Good	Strength	Best	Good	Strength	Best
Good	Conformability	Best	Good	Conformability	Best
Temp. (3	30 minutes) 2	250°F/121°C	Temp. (3	30 minutes) 30	00°F/149°C



Table of Contents

Packaging Tapes	
Box Sealing Tapes	
High Performance	
Performance	
General Use	4
Specialty Gold	5
Security Tapes	
Specialty Gold	5
Specialty Packaging Tapes	
Specialty Packaging Tapes	
High Performance	
Performance	6
General Use	6
Specialty Gold	7

Filament & Strapping Tapes

ïlament Tapes	
High Performance	. 8
Performance	. 8
ilament & Strapping Tapes	
General Use	. 9
Specialty Gold	. 9

Tapes to Mark, Identify, Seal & Protect

/inyl Tapes	
High Performance	10
Sealing Tapes	
Specialty Gold	11

Duct Tapes

Duct Ta	,
High	formance
Perfo	ance
Gene	Purpose
Spec	y Gold

Masking Tapes

0 1	
Masking Tapes	
High Performance	4
Performance	4
General Purpose	4
Specialty Gold	4

Hang Tabs, Tags, Carry Handles & Pads

Hang Tabs, Marking & Identification Tags
Performance
Carry Handles
High Performance
Performance
Tape Sheets & Fingerprint Lifting Tape
High Performance
Performance
Specialty Gold
Packaging List Envelopes & Label Protection Tapes
Packaging List Envelopes
Performance
Label Protection Tapes
Performance
General Use



NOW Big industrial strength ... easy to choose packaging

1

Popular Choices for Heavy-Duty Packaging

These high performance Scotch[®] Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance and the very best performance in Scotch brand packaging tapes.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch [®] Box Sealing Tape 375						
	• •		•	verpacked, double or triple-v		
Scotchi 375	 Sturdy polypropylerie i 2.0 mil backing and 3. 	• •	DDer auflesive res	ists abrasions, moisture and	scurring for lasting no	JIU
	Conformable backing t					
Scotch 375	051115-68762-4	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68764-8	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
El mari Sili dago	051115-68763-1	72mm x 50m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68765-5	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
cotch [®] Box Sealing Tape 373						
	 High performance, ide 	al for shipping heavy pac	kages and double	walled boxes		
ST DEE				ists abrasions, moisture and	scuffing for lasting ho	old
	 1.6 mil backing and 2. 		neavy-duty packag	ging applications		
Scotch 3/3	Conformable backing		01	In the data of the Manager and	40	Delle
	051115-68782-2	36mm x 50m	Clear	Individually Wrapped	48 rolls/case	Rolls
and the second second	051115-68791-4	48mm x 50m	White	Individually Wrapped	36 rolls/case	Rolls
Scotch At which the At a second secon	051115-68795-2	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68786-0	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
and the second second	051115-68790-7	48mm x 50m	Red	Individually Wrapped	36 rolls/case	Rolls
	051115-68792-1	48mm x 50m	Blue	Individually Wrapped	36 rolls/case	Rolls
	051115-68789-1 051115-68794-5	48mm x 50m 48mm x 50m	Orange	Individually Wrapped Individually Wrapped	36 rolls/case 36 rolls/case	Rolls
	051115-68793-8	48mm x 50m	Green Yellow	Individually Wrapped	36 rolls/case	Rolls
	051115-68796-9	72mm x 50m	White		24 rolls/case	Rolls
	051115-68780-8	72mm x 50m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68781-5	72mm x 50m	Clear	Individually Wrapped Individually Wrapped	24 rolls/case	Rolls
	051115-68788-4	48mm x 100m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68783-9	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68787-7	72mm x 100m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68785-3	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls
cotch [®] Recycled Corrugate Box		7211111 X 100111	Glear		24 10115/0030	nolis
COLCIT [®] NECYCIEU COTTUYALE DOX		orrugatal Panda instantlu	with requeled cor	rugated cartons. The strong (oonformable booking	combined with a big
ALC: MARK	performance adhesive h				comormable backing	combined with a mg
		n on hard-to-seal corrug	• • • • •			
Scottch 3073				ists abrasions, moisture and	scuffing for lasting ho	bld
		on regular slotted conta				
	 1.6 mil backing and 2. Made with 10% bio-bio-bio-bio-bio-bio-bio-bio-bio-bio-	6 mil total thickness for l ased materials in the adh		ging applications		
	051115-68767-9	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68766-2	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls
cotch® Box Sealing Tape 372	001110 00700 2	72mm x room	oloui	manuadany mapped	241010/0000	1010
boton Box obtaining rapo or 2	 High performance, ide 	al for shinning heavy nac	kanes			
68 m				ists abrasions, moisture and	scuffing for lasting ho	old
	 1.4 mil backing and 2. 	2 mil total thickness for I			6 6	
Scotch 3/2	 Conformable backing 	flexes under stress				
	051115-68761-7	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
Scotch 372	051115-68757-0	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68758-7	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
	051115-68758-7 051115-68760-0	72mm x 50m 48mm x 100m	Clear Clear	Individually Wrapped Individually Wrapped	24 rolls/case 36 rolls/case	Rolls Rolls

Polyester Backed Tapes for Heavy-Duty, Hard-to-Seal Boxes

These high tack, high performance Scotch[®] Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance and 3M's very best performance in packaging tapes.

	UPC	Size	Color	Packaging	Quantity	Billing Unit	
Scotch [®] Box Sealing Tape 355							
	 Super strong, super tacky tape great for use on hard-to-seal surfaces, high humidity environments and double or triple walled boxes High performance, abrasion-resistant tape ideal for shipping heavy packages Extra sturdy polyester backing with a synthetic rubber adhesive 2.0 mil backing and 3.43 mil total thickness for heavy-duty packaging applications 						
Scotch 355	051115-68752-5	36mm x 50m	Clear	Individually Wrapped	48 rolls/case	Rolls	
	051115-68755-6	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls	
a di super l'alla super	051115-68756-3	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls	
	051115-68754-9	72mm x 50m	Tan	Individually Wrapped	24 rolls/case	Rolls	
	051115-68751-8	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls	
Scotch [®] Box Sealing Tape 351							
51	and double or triple wa	illed boxes PP-T-60E, Amend. 2 Type backing with a synthetic	e III, class 2 (clear) rubber adhesive	with hard-to-seal surfaces, hi 1, CID A-A-A 1830B (clear), AS aging applications			
and and	051115-68748-8	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls	
	051115-68804-1	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls	
Scotch [®] Box Sealing Tape 353							
353	 High performance, ideal for shipping medium to heavy packages High tack Polyester backing with a synthetic rubber adhesive for good abrasion and tear resistance 1.0 mil backing and 1.9 mil total thickness for medium- to heavy-duty packaging applications 						
Scotch 353	051115-68749-5	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls	
	051115-68750-1	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls	

Good Choices for Medium-Duty Packaging

These Scotch® Box Sealing Tapes are made with a polypropylene film tape that resists abrasion, moisture, chemicals and scuffing. Offers a high edge tear and split resistance and also delivers dependable, quality performance.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch [®] Box Sealing Tape 371						
	 Good performance, go Conformable backing f Polypropylene backing 1.2 mil backing and 1. Recommended for use 	lexes under stress with a synthetic rubber a 9 mil total thickness for r	medium-duty packa			
	051115-68801-0	48mm x 50m	Tan	6 rolls/pack	6 packs/case	6 roll pack
Content and	051115-68802-7	48mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack
A Property and a particular of the particular of	051115-68797-6	72mm x 50m	Tan	6 rolls/pack	4 packs/case	6 roll pack
A Main Francesco Falas	051115-68803-4	72mm x 50m	Clear	6 rolls/pack	4 packs/case	6 roll pack
That while a NEW party (1)	051115-68798-3	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack
	051115-68800-3	72mm x 100m	Tan	6 rolls/pack	4 packs/case	6 roll pack
Scotch [®] Box Sealing Tape 313						
Section Control Contro	 1.6 mil backing and 2. Good adhesion to recy. Suitable for cold tempe FDA approved for indir 051115-68816-4 051115-68818-8 	cled liner paper and fiber erature applications with	board		4 packs/case 6 packs/case	6 roll pack 6 roll pack
	051115-68817-1	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack
Scotch [®] Box Sealing Tape 311	051115-00017-1	7211111 X 100111	Gleai	0 TOIIS/pack	4 packs/case	0 TOIL PACK
	 Polypropylene backing 1.1 mil backing and 2. Good adhesion to recy Suitable for cold temperature 	05 mil total thickness for cled liner paper and fiber	^r medium-duty pack board			
Scotch STI	051115-68813-3	48 mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack
	051115-68815-7	48mm x 100m	Clear	6 rolls/pack	6 packs/case	6 roll pack
i Jada Baskanov Fudas	051115-68812-6	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack
Lind maps a fill prov Lind map in gala pay	051115-68814-0	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack
	UPC	Size	Color	Packaging	Quantity	Billing Unit
Tartan™ Box Sealing Tape 369						

	UPC	Size	Color	Packaging	Quantity	Billing Unit
an™ Box Sealing Tape 369						
304	 Polypropylene backing 1.0 mil backing and 1.0 		adhesive for light-dı	uty, general purpose pack	kaging applications	
	051115-68807-2	48mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack
Challenges Man	051115-68809-6	48mm x 50m	Tan	6 rolls/pack	6 packs/case	6 roll pack
31 11	051115-68806-5	48mm x 100m	Clear	6 rolls/pack	6 packs/case	6 roll pack
	051115-68810-2	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack
a have finally as the second	051115-68805-8	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack
All searce a 1989 at 1980 at 1	051115-68808-9	72mm x 100m	Tan	6 rolls/pack	4 packs/case	6 roll pack

Performance

For Your Unique Box Sealing Requirements

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Cold Temperature Box Se	ealing Tape 3723					
	 Strong hold in refrigera Resists abrasion, moist A conformable polyprop 1.6 mil backing and 3. Compliant with ASTM 0 	ure, chemicals and scu bylene backing with a m) mil total thickness for	ffing nodified synthetic ru heavy-duty packag	bber adhesive for sealing do	ouble/triple walled co	rrugated boxes
Contraction of the second seco	051115-68768-6	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls

Security Tapes

Extra Secure with a Quality Seal and Security Messages

	UPC	Part No.	Size	Printed Message	Color	Packaging	Quantity	Billing Unit
Scotch [®] Security Tapes 3732 and 3	3734							
	21 12	 Polypropylene backing with a synthetic rubber adhesive Complies with ASTM D1974-92 and meets CID A-A-1684B 						
	051115-68770-9	3732	48mm x 50m	"If Seal is Broken, Check Contents"	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68771-6	3734	48mm x 50m	"Fragile handle with care"	Tan	Individually Wrapped	36 rolls/case	Rolls
Scotch [®] Security Tapes 3771, 3772	, 3775 and 3779							
	 Polypropylene back 	ing with a sy	nthetic rubber adhe	esive				
	051115-68774-7	3771	48mm x 100m	"If Seal is Broken, Check Contents Before Accepting"	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68772-3	3772	48mm x 100m	"Fragile handle with care"	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68773-0	3775	48mm x 100m	"Mixed Merchandise Enclosed"	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68775-4	3779	48mm x 100m	"Check seal before accepting"	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68777-8	3779	72mm x 100m	"Check seal before accepting"	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch [®] Security Tape 3199								
S	 Good adhesion to re Suitable for cold ter FDA approved for in Polypropylene back 	nperature ap idirect food o	oplications with eas	rd y handling and smooth	dispensing			
	051115-68811-9	3199	48mm x 100m	"Check seal before accepting"	Clear	6 rolls/pack	6 packs/case	6 roll pack

Specialty Packaging Tapes

Light-Duty Closing and Sealing Small Boxes, Bags and Tins

For holding, combining, attaching, light-duty carton sealing and in-store use.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch [®] Specialty Packaging Tape	e 600					
A A A A A A A A A A A A A A	 Excellent for various in UPVC backing with an Ages without yellowing Removes cleanly from 	acrylic adhesive for exc	cellent transparence	SY.		
	051125-74896-4	1/2" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	18 packs/case	4 roll pack
	051125-74897-1	3/4" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack
	051125-74898-8	1" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	9 packs/case	4 roll pack
	051125-74899-5	2" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	6 packs/case	4 roll pack
Scotch [®] Specialty Packaging Tape	e 681					
	 Excellent abrasion resi Moisture and chemica UPVC backing with a n 	l resistant				
ana a	051125-74875-9	3/4" x 72 yds.	Clear	Individually Wrapped	48 rolls/case	Rolls
Scotch [®] Specialty Packaging Tape	e 610					
Nav Scotch 610	 Rubber resin adhesive Cellophane backing fo Dispenses easily for co Ideal for L-clip box closed 	r high temperature resis onvenient use		⁻ ; also abrasion resistant		
	051125-74949-7	1/2" x 72 yds.	Clear	Individually Wrapped	72 rolls/case	Rolls
1111	051125-74947-3	3/4" x 72 yds.	Clear	Individually Wrapped	48 rolls/case	Rolls
	051125-74948-0	1" x 72 yds.	Clear	Individually Wrapped	36 rolls/case	Rolls

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch [®] Specialty Packaging Ta	pe 5910					
Contraction of the second seco	 A dependable, clear po Highly durable Cold temperature resist Ideal for light-duty pao 	stant	-			
A Stafe / Faller and A Stafe / A Sta	051125-74878-0	1/2" x 2,592"	Clear	4 rolls/pack (2 x 2 flat pack)	18 packs/case	4 roll pack
	051125-74879-7	3/4" x 2,592"	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M [™] Specialty Packaging Tape 60)5					
	 Fiber-reinforced polypr Designed for various ligholding and L-clip clos Good, utility grade perf Ideal for rough/treated 	ght duty packaging app ures ormance over broad te	plications such as a	sive ttaching, mending, in-store p	rescription bottle labelin	ng,
And an advance of the second s	051125-74906-0	1/2" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	18 packs/case	4 roll pack
	051125-74907-7	3/4" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack
	051125-74908-4	1" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	9 packs/case	4 roll pack

6

General Use

Specialty Packaging Tapes

Unique Applications for Light-Duty Packaging

	UPC	Size	Color	Packaging	Quantity	Billing Unit	
Scotch [®] Color Coding Tape 690							
	 Decorative colored film Used for various packa High visibility for sealin Moisture and chemica UPVC backing with a more comparison of the sealing of the sea	ging applications such g, holding and tabbing resistant	as color coding, ba	ig sealing, combining and atta	ching		
	051125-74881-0	12mm x 66m	Black	4 rolls/pack (stacked)	36 packs/case	4 roll pack	
A Contraction	051125-74882-7	12mm x 66m	Blue	4 rolls/pack (stacked)	36 packs/case	4 roll pack	
	051125-74886-5	12mm x 66m	White	4 rolls/pack (stacked)	36 packs/case	4 roll pack	
	051125-74887-2	12mm x 66m	Yellow	4 rolls/pack (stacked)	36 packs/case	4 roll pack	
	051125-74883-4	24mm x 66m	Red	4 rolls/pack	18 packs/case	4 roll pack	
	051125-74885-8	48mm x 66m	Red	Individually Wrapped	36 rolls/case	Rolls	
Scotch® Specialty Packaging Tape	660						
 Designed for splicing applications that require high temperature performance and visible splices Rubber resin adhesive construction Cellophane backing for high temperature resistance up to 350°F Excellent performance over broad temperature range Excellent splice detection 							
	051125-74946-6	1" x 72 yds.	Red	Individually Wrapped	36 rolls/case	Rolls	
Scotch [®] Specialty Packaging Tape	720						
	 High tack sticks easily Hand-tearable Fiber-reinforced film back 	Ū.					
	051125-74880-3	1/2" x 72 yds.	Semi- Transparent	2 rolls/pack (stacked)	36 packs/case	2 roll pack	

Filament Tapes

 File <li< th=""><th>iberglass reinforced deal for L-clip box clos ligh strength bundling 051125-74913-8 051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustaina iolventless adhesive co</th><th>ures and reinforcing, strappi 12mm x 55m 18mm x 55m 24mm x 55m 48mm x 55m able tape without comp bating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m</th><th>ng and non-regula Clear Clear Clear Clear Clear</th><th>sive resists abrasions, moistur ar slotted container closing 2 rolls/pack 2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped Individually Wrapped</th><th>36 packs/case 24 packs/case 36 rolls/case 24 rolls/case</th><th>2 roll pack 2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls</th></li<>	iberglass reinforced deal for L-clip box clos ligh strength bundling 051125-74913-8 051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustaina iolventless adhesive co	ures and reinforcing, strappi 12mm x 55m 18mm x 55m 24mm x 55m 48mm x 55m able tape without comp bating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	ng and non-regula Clear Clear Clear Clear Clear	sive resists abrasions, moistur ar slotted container closing 2 rolls/pack 2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped Individually Wrapped	36 packs/case 24 packs/case 36 rolls/case 24 rolls/case	2 roll pack 2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls
 File <li< td=""><td>iberglass reinforced deal for L-clip box clos ligh strength bundling 051125-74913-8 051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustaina colventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74940-4 051125-74941-1</td><td>ures and reinforcing, strappi 12mm x 55m 18mm x 55m 24mm x 55m 48mm x 55m able tape without comp bating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m</td><td>ng and non-regula Clear Clear Clear Clear romising performa ape with a modifie Clear Clear</td><td>ar slotted container closing 2 rolls/pack 2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive in 2 rolls/pack Individually Wrapped</td><td>36 packs/case 24 packs/case 36 rolls/case 24 rolls/case is great for holding met 18 packs/case 24 rolls/case</td><td>2 roll pack 2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls</td></li<>	iberglass reinforced deal for L-clip box clos ligh strength bundling 051125-74913-8 051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustaina colventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74940-4 051125-74941-1	ures and reinforcing, strappi 12mm x 55m 18mm x 55m 24mm x 55m 48mm x 55m able tape without comp bating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	ng and non-regula Clear Clear Clear Clear romising performa ape with a modifie Clear Clear	ar slotted container closing 2 rolls/pack 2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive in 2 rolls/pack Individually Wrapped	36 packs/case 24 packs/case 36 rolls/case 24 rolls/case is great for holding met 18 packs/case 24 rolls/case	2 roll pack 2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls
 In the second sec	deal for L-clip box clos ligh strength bundling 051125-74913-8 051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustaina colventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74941-1	and reinforcing, strappi 12mm x 55m 18mm x 55m 24mm x 55m 48mm x 55m able tape without comporting process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	Clear Clear Clear Clear romising performa ape with a modifie Clear Clear	2 rolls/pack 2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	24 packs/case 36 rolls/case 24 rolls/case is great for holding met 18 packs/case 24 rolls/case	2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls
 Hereiner Construction Scotch[®] Filament Tape 8919MSR C C<!--</td--><td>ligh strength bundling 051125-74913-8 051125-74913-8 051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustain colventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74939-8 051125-74940-4 051125-74941-1</td><td>and reinforcing, strappi 12mm x 55m 18mm x 55m 24mm x 55m 48mm x 55m able tape without comporting process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m</td><td>Clear Clear Clear Clear romising performa ape with a modifie Clear Clear</td><td>2 rolls/pack 2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped</td><td>24 packs/case 36 rolls/case 24 rolls/case is great for holding met 18 packs/case 24 rolls/case</td><td>2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls</td>	ligh strength bundling 051125-74913-8 051125-74913-8 051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustain colventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74939-8 051125-74940-4 051125-74941-1	and reinforcing, strappi 12mm x 55m 18mm x 55m 24mm x 55m 48mm x 55m able tape without comporting process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	Clear Clear Clear Clear romising performa ape with a modifie Clear Clear	2 rolls/pack 2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	24 packs/case 36 rolls/case 24 rolls/case is great for holding met 18 packs/case 24 rolls/case	2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls
Scotch® Filament Tape 8919MSR • C • S • C • C • C • C • C • C • C • C	051125-74914-5 051125-74915-2 051125-74916-9 Choose a more sustaina colventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74941-1	18mm x 55m 24mm x 55m 48mm x 55m able tape without comp pating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	Clear Clear Clear romising performa ape with a modifie Clear Clear	2 rolls/pack Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	24 packs/case 36 rolls/case 24 rolls/case is great for holding met 18 packs/case 24 rolls/case	2 roll pack Rolls Rolls tal appliance parts 2 roll pack Rolls
Scotch® Filament Tape 8919MSR CC CC CC CC CC CC CC CC CC C	051125-74915-2 051125-74916-9 Choose a more sustaina colventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74941-1	24mm x 55m 48mm x 55m able tape without comp pating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	Clear Clear romising performa ape with a modifie Clear Clear	Individually Wrapped Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	36 rolls/case 24 rolls/case is great for holding me 18 packs/case 24 rolls/case	Rolls Rolls tal appliance parts 2 roll pack Rolls
Scotch® Filament Tape 8919MSR C C C C C C C C C C C C C	051125-74916-9 Choose a more sustain iolventless adhesive co clear polyester-backed luring manufacturing/s temoves cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74941-1	48mm x 55m able tape without comp pating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	Clear romising performa ape with a modifie Clear Clear	Individually Wrapped ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	24 rolls/case is great for holding met 18 packs/case 24 rolls/case	Rolls tal appliance parts 2 roll pack Rolls
Scotch® Filament Tape 8919MSR C C S C C C C C C C C C C C C C	Choose a more sustaina colventless adhesive co clear polyester-backed luring manufacturing/s Removes cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74941-1 choose a more sustaina	able tape without comp pating process , fiberglass reinforced to shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	romising performa ape with a modifie Clear Clear	ance on oily surfaces ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	is great for holding me 18 packs/case 24 rolls/case	tal appliance parts 2 roll pack Rolls
Control Contro	Colventless adhesive co Clear polyester-backed luring manufacturing/s Removes cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74941-1 Choose a more sustaina	pating process , fiberglass reinforced t shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	ape with a modifie Clear Clear	ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	18 packs/case 24 rolls/case	2 roll pack Rolls
Scotch [®] Filament Tape 890MSR	Colventless adhesive co Clear polyester-backed luring manufacturing/s Removes cleanly 80 lbs./in. width of ter 051125-74939-8 051125-74940-4 051125-74941-1 Choose a more sustaina	pating process , fiberglass reinforced t shipping nsile strength 24mm x 55m 48mm x 55m 72mm x 55m	ape with a modifie Clear Clear	ed synthetic rubber adhesive i 2 rolls/pack Individually Wrapped	18 packs/case 24 rolls/case	2 roll pack Rolls
Scotch® Filament Tape 890MSR • C • S • H • 6	051125-74940-4 051125-74941-1 Choose a more sustain:	48mm x 55m 72mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Filament Tape 890MSR • C • S • H • 6	051125-74941-1 Choose a more sustaina	72mm x 55m				
Scotch® Filament Tape 890MSR C S H 6	choose a more sustain		Clear	Individually Wrapped	12 rolls/case	D
• C • S • H • 6		able tape without comp				Rolls
	051125-74943-5 051125-74942-8	24mm x 55m 48mm x 55m	Clear Clear	Individually Wrapped Individually Wrapped	36 rolls/case 24 rolls/case	Rolls Rolls
	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Filament Tape 893						
Scotch and - U	Clear polypropylene bac Ise for bundling, reinfo iberglass reinforced		ıbber resin adhes	sive resists nicks, abrasion, m	bisture and scuffing	
	051125-74917-6	12mm x 55m	Clear	6 rolls/pack	12 packs/case	6 roll pack
Rest Revealed And And And And And And And And And An	051125-74918-3	18mm x 55m	Clear	4 rolls/pack	12 packs/case	4 roll pack
	051125-74919-0	24mm x 55m	Clear	2 rolls/pack	18 packs/case	2 roll pack
	051125-74920-6	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls
cotch® Filament Tape 897						
• Ic	olypropylene backing deal for L-clip box clos iberglass reinforced	-	tic rubber resin a	adhesive for light-to-medium (duty bundling, reinforci	ng and securing
	051125-74893-3	18mm x 55m	Clear	12 rolls/pack	4 packs/case	12 roll pack
	051125-74894-0	24mm x 55m	Clear	3 rolls/pack	12 packs/case	3 roll pack
	051125-74895-7	48mm x 55m	Clear	2 rolls/pack	12 packs/case	2 roll pack
cotch [®] Filament Tape 894		cking with a synthetic r	ubber resin adhes	sive		
Scotch 894 • F	Black polypropylene ba iberglass reinforced Dutdoor use — excelle	nt UV resistance and go	od for pipe bundli	ing		

Filament Tapes & Strapping Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit		
3M™ Filament Tape 8934								
	 Clear polypropylene ba Fiberglass reinforced Pallet unitizing, light-du 	0 9		e				
	051125-74889-6	12mm x 55m	Clear	18 rolls/pack	4 packs/case	18 roll pack		
	051125-74890-2	18mm x 55m	Clear	12 rolls/pack	4 packs/case	12 roll pack		
	051125-74891-9	24mm x 55m	Clear	9 rolls/pack	4 packs/case	9 roll pack		
	051125-74892-6	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls		
3M™ Strapping Tape 860								
	 Black tensilized polypre Pallet unitizing General strapping 051125-74912-1 	opylene backing with a s	synthetic rubber res Black	sin adhesive 8 rolls/pack	12 packs/case	8 roll pack		
	UPC	Size	Color	Packaging	Quantity	Billing Unit		
Scotch [®] Reinforced Strapping Tap		0126	00101	rackaying	Quantity	Dining Onit		
(PD)	 Tensilized, polypropylei Reinforced with polypr Ultra clear for excellent Ideal for L-clip closures 	opylene ribs t transparency		hesive				
	051125-74923-7	18mm x 55m	Clear	6 rolls/pack	8 packs/case	6 roll pack		
Scotch® Bi-directional Filament Ta	ipe 8959							
	 Polypropylene backing reinforced in both directions for added security Synthetic rubber resin adhesive Fiberglass reinforced Extra security for boxes and bundles High adhesion 							
	051125-74901-5	50mm x 50m	Clear	Individually Wrapped	18 rolls/case	Rolls		
Scotch [®] Strapping Tape 8898								
	 Blue tensilized polypropylene backing with a synthetic rubber resin adhesive Parts holding, clean removal Great for appliance industry 							
	051125-74921-3	18mm x 55m	Blue	12 rolls/pack	4 packs/case	12 roll pack		
	051125-74922-0	24mm x 55m	Blue	9 rolls/pack	4 packs/case	9 roll pack		
Scotch [®] Stretchable Tape 8884								
	 Clear polyethylene bac Ideal for pallet unitizing Can reduce pallet pack 	g and ventilated load sta						
2 dels Restaux Mala 26 ann 13 de Catagos 68 17 efer San title (20 per	051125-74902-2	36mm x 55m	Opaque	2 rolls/pack	12 packs/case	2 roll pack		

General Use

Vinyl Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit			
M™ Vinyl Tape 471									
GEO	 Ideal for masking, wrapping or sealing many curved or irregular surfaces Excellent for lane and safety marking applications, ideal for color coding, abrasion protection, decoration and splicing applications 								
	 Excellent for lane and safety marking applications, ideal for color coding, abrasion protection, decoration and splicing applications 5.2 mil thick vinyl backing with a rubber adhesive 								
	Floor marking and safety identification								
	Maintains color even v	vhen exposed to heavy	abrasion						
	Conformable, dead str		de straighter lines						
1 Color	Clean removal, good s								
	051115-68845-4	1/4" x 36 yds.	Blue	Individually Wrapped	144 rolls/case	Rolls			
ALE 141	051115-68819-5	3/4" x 36 yds.	Red	Individually Wrapped	48 rolls/case	Rolls			
	051115-68834-8	3/4" x 36 yds.	Black	Individually Wrapped	48 rolls/case	Rolls			
and the second s	051115-68843-0	3/4" x 36 yds.	Blue	Individually Wrapped	48 rolls/case	Rolls			
per-	051115-68852-2	3/4" x 36 yds.	Yellow	Individually Wrapped	48 rolls/case	Rolls			
660	051115-68864-5	3/4" x 36 yds.	White	Individually Wrapped	48 rolls/case	Rolls			
	051115-68871-3	3/4" x 36 yds.	Green	Individually Wrapped	48 rolls/case	Rolls			
	051115-68851-5	3/4" x 36 yds.	Brown	Individually Wrapped	48 rolls/case	Rolls			
	051115-68835-5	3/4" x 36 yds.	Purple	Individually Wrapped	48 rolls/case	Rolls			
	051115-68821-8	1" x 36 yds.	Red	Individually Wrapped	36 rolls/case	Rolls			
	051115-68847-8	1" x 36 yds.	Blue	Individually Wrapped	36 rolls/case	Rolls			
	051115-68855-3	1" x 36 yds.	Yellow	Individually Wrapped	36 rolls/case	Rolls			
	051115-68867-6	1" x 36 yds.	White	Individually Wrapped	36 rolls/case	Rolls			
	051115-68866-9	2" x 36 yds.	Red	Individually Wrapped	24 rolls/case	Rolls			
	051115-68824-9	2" x 36 yds.	Black	Individually Wrapped	24 rolls/case	Rolls			
	051115-68863-8	2" x 36 yds.	Blue	Individually Wrapped	24 rolls/case	Rolls			
	051115-68856-0	2" x 36 yds.	Yellow	Individually Wrapped	24 rolls/case	Rolls			
	051115-68853-9	2" x 36 yds.	White	Individually Wrapped	24 rolls/case	Rolls			
	051115-68822-5	2" x 36 yds.	Green	Individually Wrapped	24 rolls/case	Rolls			
	051115-68858-4	2" x 36 yds.	Brown	Individually Wrapped	24 rolls/case	Rolls			
	051115-68838-6	2" x 36 yds.	Purple	Individually Wrapped	24 rolls/case	Rolls			
	051115-68823-2	2" x 36 yds.	Transparent	Individually Wrapped	24 rolls/case	Rolls			
	051115-68825-6	3" x 36 yds.	Red	Individually Wrapped	12 rolls/case	Rolls			
	051115-68849-2	3" x 36 yds.	Blue	Individually Wrapped	12 rolls/case	Rolls			
	051115-68860-7	3" x 36 yds.	Yellow	Individually Wrapped	12 rolls/case	Rolls			
	051115-68870-6	3" x 36 yds.	White	Individually Wrapped	12 rolls/case	Rolls			
	051115-68868-3	3" x 36 yds.	Green	Individually Wrapped	12 rolls/case	Rolls			
	051115-68848-5	3" x 36 yds.	Brown	Individually Wrapped	12 rolls/case	Rolls			
	051115-68828-7	4" x 36 yds.	Red	Individually Wrapped	8 rolls/case	Rolls			
	051115-68839-3	4" x 36 yds.	Black	Individually Wrapped	8 rolls/case	Rolls			
	051115-68842-3	4" x 36 yds.	Blue	Individually Wrapped	8 rolls/case	Rolls			
	051115-68862-1	4" x 36 yds.	Yellow	Individually Wrapped	8 rolls/case	Rolls			
	051115-68872-0	4" x 36 yds.	White	Individually Wrapped	8 rolls/case	Rolls			



 Call attention to dangerous v 	ork areas, such as traffic	lanes or hazardous materials
---	----------------------------	------------------------------

• 5.4 mil (0.14mm) vinyl backing with a rubber adhesive

- Floor Marking and Safety Identification
- Protecting, masking and sealing
- Resists most common solvents

051115-68829-4	5702	1" x 36 yds.	Black/Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-68830-0	5702	2" x 36 yds.	Black/Yellow	Individually Wrapped	12 rolls/case	Rolls
051115-68827-0	5702	2" x 36 yds.	Black/Yellow	Individually Wrapped	24 rolls/case	Rolls
051115-68826-3	5702	3" x 36 yds.	Black/Yellow	Individually Wrapped	12 rolls/case	Rolls
051115-68820-1	5700	3" x 36 yds.	Black/White	Individually Wrapped	12 rolls/case	Rolls

Sealing Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
l [™] Polyethylene Film Tape 483						
TEB	 Used in general sealing safety marking and col Polyethylene backing v Solvent resistance Low sulfur and haloget 	or coding vith a rubber adhesive	plating and printed c	ircuit board masking, silicone	chip holding, decorativ	ю,
	Conformable with good	d flexibility to -20°F (-2	8.9°C)			
	051115-68837-9	1" x 36 yds.	Yellow	Individually Wrapped	36 rolls/case	Rolls
	051115-68831-7	1" x 36 yds.	Red	Individually Wrapped	36 rolls/case	Rolls
6	051115-68854-6	1" x 36 yds.	White	Individually Wrapped	36 rolls/case	Rolls
3	051115-68865-2	1" x 36 yds.	Black	Individually Wrapped	36 rolls/case	Rolls
	051115-68869-0	1" x 36 yds.	Transparent	Individually Wrapped	36 rolls/case	Rolls
	051115-68846-1	1" x 36 yds.	Blue	Individually Wrapped	36 rolls/case	Rolls
- Contraction of the second se	051115-68850-8	2" x 36 yds.	Yellow	Individually Wrapped	24 rolls/case	Rolls
	051115-68841-6	2" x 36 yds.	Red	Individually Wrapped	24 rolls/case	Rolls
	051115-68857-7	2" x 36 yds.	White	Individually Wrapped	24 rolls/case	Rolls
		o	Black	Individually Wrapped	24 rolls/case	Rolls
	051115-68844-7	2" x 36 yds.	DIACK			
	051115-68844-7 051115-68861-4	2" x 36 yds. 3" x 36 yds.	White	Individually Wrapped	12 rolls/case	Rolls
™ Venting Tape 394	051115-68861-4	3" x 36 yds.	White	Individually Wrapped	12 rolls/case	Rolls
™ Venting Tape 394	051115-68861-4 • Used in a variety of ind • 4.0 mil (0.10mm), non-	3" x 36 yds. Iustrial applications inc -woven, synthetic back ous backing with high	White luding sealing, holdir ing with an acrylic a	Individually Wrapped	12 rolls/case sking, protection and s	Rolls
* Venting Tape 394	051115-68861-4 • Used in a variety of ind • 4.0 mil (0.10mm), non- • Unique non-woven por and less clean up	3" x 36 yds. Iustrial applications inc -woven, synthetic back ous backing with high	White luding sealing, holdir ing with an acrylic a	Individually Wrapped ng, reinforcing, identifying, ma dhesive	12 rolls/case sking, protection and s	Rolls
" Venting Tape 394	051115-68861-4 • Used in a variety of ind • 4.0 mil (0.10mm), non- • Unique non-woven por and less clean up • Ideal for appliance sea	3" x 36 yds. Iustrial applications inc -woven, synthetic back ous backing with high ling and venting	White luding sealing, holdin ing with an acrylic a air/gas permeability,	Individually Wrapped ng, reinforcing, identifying, ma dhesive good burst strength and solid	12 rolls/case Isking, protection and s Is barrier for minimal v	Rolls splicing oids
Venting Tape 394	051115-68861-4 • Used in a variety of ind • 4.0 mil (0.10mm), non- • Unique non-woven por and less clean up • Ideal for appliance sea 051115-68833-1	3" x 36 yds. Justrial applications inc -woven, synthetic back rous backing with high ling and venting 3/4" x 36 yds.	White Iuding sealing, holdin ing with an acrylic a air/gas permeability, White	Individually Wrapped ng, reinforcing, identifying, ma dhesive good burst strength and solic Individually Wrapped	12 rolls/case sking, protection and s Is barrier for minimal v 48 rolls/case	Rolls splicing oids Rolls
™ Venting Tape 394 Image: Second	051115-68861-4 • Used in a variety of ind • 4.0 mil (0.10mm), nom • Unique non-woven por and less clean up • Ideal for appliance sea 051115-68833-1 051115-68836-2	3" x 36 yds. Justrial applications inc -woven, synthetic back rous backing with high ling and venting 3/4" x 36 yds. 1" x 36 yds.	White Iuding sealing, holdin ing with an acrylic a air/gas permeability, White White	Individually Wrapped ng, reinforcing, identifying, ma dhesive good burst strength and solic Individually Wrapped Individually Wrapped	12 rolls/case Isking, protection and s Is barrier for minimal v 48 rolls/case 36 rolls/case	Rolls splicing oids Rolls Rolls
	051115-68861-4 • Used in a variety of ind • 4.0 mil (0.10mm), nom • Unique non-woven por and less clean up • Ideal for appliance sea 051115-68833-1 051115-68836-2	3" x 36 yds. Justrial applications inc -woven, synthetic back ious backing with high ling and venting 3/4" x 36 yds. 1" x 36 yds. 2" x 36 yds. 2" x 36 yds. sealant bonding ruction with a synthetic rubbe on for construction sea erties for on-site applic er joints where movem	White Uuding sealing, holdin ing with an acrylic a air/gas permeability, White White White Tr resin adhesive ming applications ations tent is anticipated	Individually Wrapped ag, reinforcing, identifying, ma dhesive good burst strength and solid Individually Wrapped Individually Wrapped Individually Wrapped	12 rolls/case Isking, protection and s Is barrier for minimal v 48 rolls/case 36 rolls/case	Rolls splicing oids Rolls Rolls
	051115-68861-4 Used in a variety of ind 4.0 mil (0.10mm), non- Unique non-woven por and less clean up Ideal for appliance sea 051115-68833-1 051115-68836-2 051115-68840-9 Mask joints to control s For building and constr Polypropylene backing Resists sealant adhesic Good dispensing prope Recommended in corm	3" x 36 yds. Justrial applications inc -woven, synthetic back ious backing with high ling and venting 3/4" x 36 yds. 1" x 36 yds. 2" x 36 yds. 2" x 36 yds. sealant bonding ruction with a synthetic rubbe on for construction sea erties for on-site applic er joints where movem	White Uuding sealing, holdin ing with an acrylic a air/gas permeability, White White White Tr resin adhesive ming applications ations tent is anticipated	Individually Wrapped ag, reinforcing, identifying, ma dhesive good burst strength and solid Individually Wrapped Individually Wrapped Individually Wrapped	12 rolls/case Isking, protection and s Is barrier for minimal v 48 rolls/case 36 rolls/case	Rolls splicing oids Rolls Rolls

Duct Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M [™] Performance Plus Duct Tape	8979					
	 6-month clean remova UV- and water-resistant Protecting indoor/outd Use for bundling heavy Fixing, repairing and m 	nt oor surfaces ⁄ materials	ces			
	048011-53851-8	48mm x 22.8m	Slate Blue	Individually Wrapped	12 rolls/case	Rolls
3M 8979	021200-56468-0	48mm x 54.8m	Slate Blue	Individually Wrapped	24 rolls/case	Rolls
	048011-53916-4	48mm x 54.8m	Olive	Individually Wrapped	24 rolls/case	Rolls
Alter x228 m (1.88 m x 25 yds)	048011-53918-8	48mm x 54.8m	Black	Individually Wrapped	24 rolls/case	Rolls

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Extra Heavy-Duty Duct Tape 6	6969					
	 Stronger hold Sticks well to rough su For tough jobs and der Protecting surfaces fro Use for bundling heavy Holds on sealed brick 051131-06969-5 	nanding applications m abrasion / pipes	Silver	Individually Wrapped	24 rolls/case	Rolls
6969E	021200-22780-6	48mm x 54.8m	Olive	Individually Wrapped	24 rolls/case	Rolls
	021200-22773-8	48mm x 54.8m	Black	Individually Wrapped	24 rolls/case	Rolls
3M [™] Heavy-Duty Duct Tape 3939						
SM SM SM SM SM SM SM SM SM SM SM SM SM S	 Strong hold Sticks well to many su For tough jobs Maintenance and repa Holding poly sheeting Pulling wires and bund 	ir Iling	01			
	051131-06975-6	48mm x 54.8m	Silver	Individually Wrapped	24 rolls/case	Rolls
3M [™] Multi-Purpose Duct Tape 390						
	 Holds firmly Stays in place Multiple colors 					
	051131-06976-3	48mm x 54.8m	Silver	Individually Wrapped	24 rolls/case	Rolls
	021200-49828-2	48mm x 54.8m	Yellow	Individually Wrapped	24 rolls/case	Rolls
	021200-49829-9	48mm x 54.8m	White	Individually Wrapped	24 rolls/case	Rolls
	021200-49830-5	48mm x 54.8m	Red	Individually Wrapped	24 rolls/case	Rolls
3900	021200-49831-2	48mm x 54.8m	Olive	Individually Wrapped	24 rolls/case	Rolls
	021200-49832-9	48mm x 54.8m	Blue	Individually Wrapped	24 rolls/case	Rolls
	021200-49833-6	48mm x 54.8m	Black	Individually Wrapped	24 rolls/case	Rolls

Duct Tapes

Duct Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Duct Tape 2929						
	 Identifying and marking Temporary repairs 	ng				
	051115-24883-2	1-22/25" x 50 yds.	Silver	Individually Wrapped	24 rolls/case	Rolls
3M 2929						
And built						
	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Outdoor Masking and Stuc		Size	Color	Packaging	Quantity	Billing Unit
	co Tape 5959 • 3-month indoor/outdo • Strongest hold • Water-resistant • Protecting indoor/outd	por no residue removal			Quantity	Billing Unit

Masking Tapes

1	UPC	Size	Color	Packaging	Quantity	Billing Unit
High Performance Gree	n Masking Tape 401+/233+					
Sector Sector	 3M proprietary solvent- while removing cleanly 	free adhesive sticks to i in one piece per backing conforms to for super sharp paint li up to 250°F (121°C) for	nost surfaces (inc) irregular surfaces nes 30 minutes	al paint masking applicatior luding metal, rubber, glass a s and resists bleed through f pe Thickness: 6.7 mils	nd plastic)	
~ B	051115-64767-3	24mm x 55m	Green	Individually Wrapped	24 rolls/case	Rolls
60	051115-64767-3 051115-64768-0	24mm x 55m 36mm x 55m	Green Green	Individually Wrapped Individually Wrapped	24 rolls/case 16 rolls/case	Rolls Rolls

	UPC	Size	Color	Packaging	Quantity	Billing Unit
M™ Performance Yellow Mas	sking Tape 301+					
top of the second	 3M proprietary solvent while removing cleanly Strong yellow crepe pa 	-free adhesive sticks with r in one piece aper backing conforms to during the paint maskin e up to 225°F (107°C)	th confidence to m	sking, bundling, holding and i ost surfaces (including meta s, resists bleed through of mo	l, rubber, glass and pl	astic)
	051115-64756-7	24mm x 55m	Yellow	Individually Wrapped	36 rolls/case	Rolls
	051115-64757-4	36mm x 55m	Yellow	Individually Wrapped	24 rolls/case	Rolls

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M [™] General Use Tan Masking Tape	e 201+					
to and the second secon	 General use for light ar Rubber-based adhesiw Smooth and conformal Temperature use range Good paint lines Medium conformability 	e sticks to a variety of so ole crepe paper backing e up to 200°F (93°C)	urfaces	apply and remove in one pie	се	
a la	051115-64746-8	24mm x 55m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-64747-5	36mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-64748-2	48mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls
_						

	UPC	Size	Color	Packaging	Quantity	Billing Unit
l™ Specialty High Temperatu	re Masking Tape 501+					
()	up to 300°F (149°C) fo • 3M proprietary high-te while removing cleanly • Extra-strong tan crepe	r 30 minutes mperature adhesive qui i n one piece. Adhesion paper backing conforms e and paper backing is o	ckly sticks with co to steel: 35 oz./in. s to irregular surfa easy to hand tear	ices and resists bleed throug but is resistant to slivering or	ncluding metal, rubbe h from most industria	, glass and plastic)
8	051115-69105-8	24mm x 55m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-69106-5	36mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68107-2	48mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls

Hang Tabs, Marking & Identification Tags

	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M [™] Hang Tabs							
	 Clear plastic with press Allows graphics to sho Sticks to most product In-store repair of dama 	w through reta or packaging	il packaging surfaces for store disp				
Bandara and Andreas and Andre	051125-74952-7	1074	1" x 2" (Round Hole)	Clear	10 hang tabs/pads 100 hang tabs/pack	5 packs/case	100 hang tabs/box
	051125-74950-3	1075	2" x 2" (Delta Hanger)	Clear	10 hang tabs/pad 50 pads/pack	5 packs/case	50 pads/box
	051125-74951-0	1076	2" x 2" (Round Hole)	Clear	10 hang tabs/pad 50 pads/pack	5 packs/case	50 pads/box
3M [™] Marking & Identification Tags	818						
	Non-sticky paper end	can be custom	printed, up to 4 color	s, to help crea	ng destinations, sorting, spli te identification, message o a synthetic rubber resin adh	or bar code	
A set of the set of th	051125-74903-9	818	1" x 4"	Blue	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box
	051125-74904-6	818	1" x 4"	Red	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box
	051125-74905-3	818	1" x 4"	Yellow	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box

Carry Handles

Turn virtually any bulky, hard-to-carry package or box into an easy-to-carry item — One-handed carrying versus two! These durable plastic strips, with adhesive at each end, adhere to both sides of a box or package, creating a small loop for easy carrying.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Carry Handles 8328						
DO NOT BEND 3M	Holds up to 30 lbs.					
	051125-74956-5	1-3/8" x 23" x 6"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box
20						
	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Carry Handles 8326						
DO NOT BEND 3M	• Holds up to 10 lbs.					
	051125-74954-1	1" x 17" x 3"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box
UU NOT	• Holds up to 15 lbs.					
	051125-74955-8	1-3/8" x 23" x 6"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box

Tape Sheets &	Fingerprint	Lifting Tape
---------------	-------------	--------------

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M [™] Bi-Directional Filament Tape	Sheets 819					
	 Pre-cut tape strips, pade Polypropylene backing re Fiberglass filaments run For convenient and easy 	einforced with glass in a bi-directional pa	filaments with a synth attern for added streng	netic rubber resin adhesiv		
	051125-74909-1	2" x 6"	Clear	25 sheets/pad 20 pads/pack	5 packs/case	20 pads/box

	UPC	Size	Color	Packaging	Quantity	Billing Unit			
3M [™] Tape Sheets 3750P									
unance	 Pre-cut tape sheets in a pad format for convenient and easy repair of damaged packages in industrial and commercial applications Polypropylene backing with a rubber resin adhesive Ideal for protecting labels, sealing envelopes, small packages, recouperage repair and other packaging applications Features a removable paper tab 								
	051125-74888-9	2" x 6"	Clear	25 sheets/pad 40 pads/carton	5 cartons/case	40 pads/box			
3M [™] Tape Sheets 822									
3M [™] Tape Sheets 822	 Clear polypropylene bacl Portable No dispenser required 	, king with a rubber re	,	repair and seal damaged	packages				
	051125-74953-4	4" x 6"	Clear	25 sheets/pad 20 pads/pack	5 packs/case	20 pads/box			
	3M [™] Tape Sheets 822	 3M[™] Tape Sheets 3750P Pre-cut tape sheets in a Polypropylene backing w Ideal for protecting label Features a removable pa 051125-74888-9 3M[™] Tape Sheets 822 Pre-cut tape sheets in a Clear polypropylene back Portable No dispenser required Features a removable pa 	3M [™] Tape Sheets 3750P • Pre-cut tape sheets in a pad format for converting labels, sealing envelopes, envelop	3M [™] Tape Sheets 3750P • Pre-cut tape sheets in a pad format for convenient and easy repair • Polypropylene backing with a rubber resin adhesive • Ideal for protecting labels, sealing envelopes, small packages, reco • Features a removable paper tab 051125-74888-9 2" x 6" Clear 3M [™] Tape Sheets 822 • Pre-cut tape sheets in a pad format for convenient and easy use to • Clear polypropylene backing with a rubber resin adhesive • Pre-cut tape sheets in a pad format for convenient and easy use to • Clear polypropylene backing with a rubber resin adhesive • Portable • No dispenser required • Features a removable paper tab	3M [™] Tape Sheets 3750P • Pre-cut tape sheets in a pad format for convenient and easy repair of damaged packages in • Polypropylene backing with a rubber resin adhesive • Ideal for protecting labels, sealing envelopes, small packages, recouperage repair and other • Features a removable paper tab 051125-74888-9 2" x 6" Clear 25 sheets/pad 40 pads/carton 3M [™] Tape Sheets 822 • Pre-cut tape sheets in a pad format for convenient and easy use to repair and seal damaged • Clear polypropylene backing with a rubber resin adhesive • Portable • No dispenser required • Reatures a removable paper tab 051125-74953-4 4" x 6" Clear	3M[™] Tape Sheets 3750P • Pre-cut tape sheets in a pad format for convenient and easy repair of damaged packages in industrial and commer • Polypropylene backing with a rubber resin adhesive • Ideal for protecting labels, sealing envelopes, small packages, recouperage repair and other packaging applications • Features a removable paper tab 051125-74888-9 2" x 6" Clear 25 sheets/pad 40 pads/carton 5 cartons/case 3M[™] Tape Sheets 822 • Pre-cut tape sheets in a pad format for convenient and easy use to repair and seal damaged packages • Clear polypropylene backing with a rubber resin adhesive • Pre-cut tape sheets in a pad format for convenient and easy use to repair and seal damaged packages • Clear polypropylene backing with a rubber resin adhesive • Portable • No dispenser required • No dispenser required • Features a removable paper tab 25 sheets/pad 5 packs/case			

		UPC	Size	Color	Packaging	Quantity	Billing Unit	
Scotch® Fingerprint Lifting Tape 8004								
6200		Clear polypropylene ba	for crime scene investiga acking with an acrylic adh for reading fingerprints ea	nesive	long aging when archivin	g fingerprints		
(Philipping	-	051125-74936-7	3/4" x 10 yds.	Clear	12 rolls/pack	48 packs/case	Packs	
		051125-74934-3	1-1/2" x 10 yds.	Clear	12 rolls/pack	21 packs/case	Packs	
	Andreas III	051125-74935-0	2" x 10 yds.	Clear	6 rolls/pack	42 packs/case	Packs	
	051125-74937-4	3" x 10 yds.	Clear	6 rolls/pack	21 packs/case	Packs		

Packaging List Envelopes

	UPC	Part No.	Description	Size	Color	Packaging	Quantity	Billing Unit
3M [™] Packing List Envelopes								
	 Clear polyethylene envelopes with easy-to-remove liner High-tack rubber resin adhesive holds packing slips, invoices, cards and other shipping documents securely to packages Custom printing available on select envelopes 							
SM Net and an and a second se	051125-74924-4	PLE-T1	Side load, top printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs
And	051125-74926-8	PLE-F1	Side load, top printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs
	051125-74928-2	PLE-NP1	Side load, non-printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs
	051125-74933-6	PLE-T4	Side load, top printable	5-1/2" x 10"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74925-1	PLE-FED1	Top load, non-printable	6-3/4" x 10-3/4"	Clear	100 pads/pack	10 packs/case	Packs
	051125-74929-9	PLE-NP3	Top load, non-printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74932-9	PLE-T3	Top load, top printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74930-5	PLE-NP4	Side load, non-printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74931-2	PLE-NP5	Side load, non-printable	7" x 10"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74927-5	PLE-NP6	Side load, non-printable	9-1/2" x 12"	Clear	100 pads/pack	10 packs/case	Packs
	051125-74938-1	PLE-NPZXL	Side load, non-printable	10" x 12-1/2"	Clear	50 pads/pack	10 packs/case	Packs

Label Protection Tape

	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit		
3M [™] Label Protection Tape									
	 821 Easy write-on surface Protects address labels and vital shipping information from abrasion and moisture Allows bar codes to be easily scanned Dispenses well and easily hand-tearable 823 Easy-to-read-through, bright yellow tape draws attention to critical packaging information Dispenses easily 								
	051125-74876-6	821	2" x 72 yds.	Pink	4 rolls/pack (2 x 2 flat pack)	6 packs/case	4 roll pack		
	051125-74877-3	821	4" x 72 yds.	Pink	Individually Wrapped	8 rolls/case	Rolls		
	051125-74910-7	823	96mm x 66m	Yellow	Individually Wrapped	18 rolls/case	Rolls		
	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit		
3M [™] Label Protection Tape									
	3565Utility grade tape pro		on-critical applications						

• Easy • Tear r 05112

Easy to read through Tear resistant					
51125-74911-4	3565	96mm x 100m	Clear	Individually Wrapped	18 rolls/case

Rolls

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



Industrial Adhesives and Tapes Division 3M Center, Building 225-3S-06 St. Paul, MN 55144-1000 800-362-3550 • 877-369-2923 (Fax) www.3M.com/industrial

Please Recycle. Printed in U.S.A. © 3M 2013. All rights reserved. 70-0709-4157-3