



 **GEARWRENCH®**

- Dual Material Screwdrivers 810
- Mini Screwdrivers 816
- Solid Handle Screwdrivers..... 818
- Insulated Screwdrivers 820
- Ratcheting Screwdrivers..... 821
- Screwdriver Bit Sets..... 824
- Offset Screwdrivers..... 826
- Screw Starters..... 826
- Ratcheting Nutdrivers 827
- Cushion Grip Nutdrivers 829

ARMSTRONG® 

- Dual Material Screwdrivers 831
- Electrician's Screwdrivers 832
- Solid Handle Screwdrivers..... 836
- Ratcheting Screwdrivers..... 848
- Offset Screwdrivers..... 848
- Screw Starters & Nut Starters 849
- Hollow Shaft Nutdrivers 850
- Solid Shaft Nutdrivers 852
- T-Handle Nutdrivers 855

 **CRESCENT®**
BRAND

- Dual Material Screwdrivers 857
- Bit Screwdrivers 861
- Cushion Grip Screwdrivers 861
- Precision Screwdrivers 865
- Pocket Screwdrivers 866
- Dual Material Nutdrivers 866


GEARWRENCH® Screwdrivers

GearWrench® screwdrivers are ergonomically designed to fit your hand when in use. Developed in conjunction with a leading university, the Tri-lobe handle shape offers three sides that provide the best performance with the least amount of effort. A full range of tips and sizes are available in both a Dual Material Comfort Grip and solid Acetate versions. GearWrench® screwdrivers are available individually or in sets.

DUAL MATERIAL SCREWDRIVERS



SOLID HANDLE SCREWDRIVERS



ARMSTRONG® Screwdrivers

Armstrong® offers a wide variety of professional screwdrivers and nut drivers for just about any application. All Armstrong screwdrivers are made to exacting standards with ASME and Federal Spec callouts where applicable. They also incorporate professional quality features. All handles are designed to maximize turning power and comfort, while all tips are designed to maximize grip to the fastener. In addition, superior design, materials, and heat treat optimize durability and strength. Available individually or in a selection of sets, these precision made tools can handle just about any screw or nut turning application.

SOLID HANDLE SCREWDRIVERS

Precision machined, blasted tips provide superior fit between the tip and the fastener reducing slippage and fastener wear as well as eliminating chrome peel

Available in square or round shaft; Slotted, Phillips, Cabinet or Torx® tips

“Speed Zone” for turning in lower torque applications

Full shaft heat treat provides superior strength that resists tip wear and shank twisting / breakage

Tri-Lobe ergonomic handle to obtain optimal balance of strength and comfort

Solid impact resistant acetate handle for uncompromising durability

Domed handle for comfortably applying added pressure

CRESCENT® BRAND Screwdrivers

Crescent® recently introduced a new line of screwdrivers that offer the greatest value for the price. Dual material comfort grips complement a precision ground blade to offer durability and performance. The line has a complete product offering including Phillips®, slotted, nut drivers, and Torx®.

DUAL MATERIAL SCREWDRIVERS

Dual material handle is designed for improved comfort and performance

Chrome plated blade provides corrosion resistance and easy cleaning - Sizes laser etched on blade

Black Oxide tip for strong and durable construction with blasted tip to reduce slippage

GEARWRENCH® 20 Pc. Master Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80066	099575800665	Carded	4.51 lb	1

Cat. No.	Description	Cat. No.	Description
80031	Dual Material Phillips® Screwdriver #00 x 60 mm	80035	Dual Material Slotted Screwdriver 2.0mm x 60 mm
80032	Dual Material Phillips® Screwdriver #0 x 60 mm	80036	Dual Material Slotted Screwdriver 2.5mm x 60 mm
80033	Dual Material Phillips® Screwdriver #1 x 60 mm	80018D	Dual Material Slotted Screwdriver 3/16 x 6"
80000	Dual Material Phillips® Screwdriver #0 x 2-1/2"	80012D	Dual Material Slotted Screwdriver 1/4 x 1-1/2"
80001	Dual Material Phillips® Screwdriver #1 x 3"	80013	Dual Material Slotted Screwdriver 1/4 x 4"
80004	Dual Material Phillips® Screwdriver #1 x 6"	80014	Dual Material Slotted Screwdriver 1/4 x 6"
80005	Dual Material Phillips® Screwdriver #2 x 1-1/2"	80023	Dual Material Slotted Screwdriver 5/16 x 6"
80007	Dual Material Phillips® Screwdriver #2 x 4"	80022	Dual Material Slotted Screwdriver 3/8 x 8"
80011	Dual Material Phillips® Screwdriver #3 x 6"	80025	Dual Material Torx® Screwdriver T-15 x 4"
80034	Dual Material Slotted Screwdriver 1.5mm x 60 mm	80026D	Dual Material Torx® Screwdriver T-20 x 4"

GEARWRENCH® 12 Pc. Combination Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80051	099575800511	Carded	3.39 lb	1

Cat. No.	Description	Cat. No.	Description
80000	Dual Material Phillips® Screwdriver #0 x 2-1/2"	80018D	Dual Material Slotted Screwdriver 3/16 x 6"
80001	Dual Material Phillips® Screwdriver #1 x 3"	80012D	Dual Material Slotted Screwdriver 1/4 x 1-1/2"
80004	Dual Material Phillips® Screwdriver #1 x 6"	80013	Dual Material Slotted Screwdriver 1/4 x 4"
80005	Dual Material Phillips® Screwdriver #2 x 1-1/2"	80014	Dual Material Slotted Screwdriver 1/4 x 6"
80007	Dual Material Phillips® Screwdriver #2 x 4"	80023	Dual Material Slotted Screwdriver 5/16 x 6"
80011	Dual Material Phillips® Screwdriver #3 x 6"	80022	Dual Material Slotted Screwdriver 3/8 x 8"

GEARWRENCH® 10 Pc. Combination and Pozidriv® Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80060	099575800603	Carded	2.20 lb	1

Cat. No.	Description	Cat. No.	Description
80001	Dual Material Phillips® Screwdriver #1 x 3"	80046	Dual Material Pozidriv® Screwdriver #3 x 6"
80007	Dual Material Phillips® Screwdriver #2 x 4"	80015	Dual Material Slotted Screwdriver 1/8 x 3"
80043	Dual Material Pozidriv® Screwdriver #0 x 2-1/2"	80017	Dual Material Slotted Screwdriver 3/16 x 4"
80044	Dual Material Pozidriv® Screwdriver #1 x 3"	80013	Dual Material Slotted Screwdriver 1/4 x 4"
80045	Dual Material Pozidriv® Screwdriver #2 x 4"	80023	Dual Material Slotted Screwdriver 5/16 x 6"

GEARWRENCH® 6 Pc. Combination Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80050	099575800504	Carded	1.67 lb	1

Cat. No.	Description	Cat. No.	Description
80001	Dual Material Phillips® Screwdriver #1 x 3"	80013	Dual Material Slotted Screwdriver 1/4 x 4"
80007	Dual Material Phillips® Screwdriver #2 x 4"	80023	Dual Material Slotted Screwdriver 5/16 x 6"
80015	Dual Material Slotted Screwdriver 1/8 x 3"	80022	Dual Material Slotted Screwdriver 3/8 x 8"

GEARWRENCH® 5 Pc. Slotted Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80053	099575800535	Carded	1.55 lb	1

Cat. No.	Description	Cat. No.	Description
80015	Dual Material Slotted Screwdriver 1/8 x 3"	80023	Dual Material Slotted Screwdriver 5/16 x 6"
80013	Dual Material Slotted Screwdriver 1/4 x 4"	80022	Dual Material Slotted Screwdriver 3/8 x 8"
80014	Dual Material Slotted Screwdriver 1/4 x 6"		

GEARWRENCH® 5 Pc. Phillips Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80052	099575800528	Carded	1.61 lb	1

Cat. No.	Description	Cat. No.	Description
80000	Dual Material Phillips® Screwdriver #0 x 2-1/2"	80010D	Dual Material Phillips® Screwdriver #2 x 8"
80001	Dual Material Phillips® Screwdriver #1 x 3"	80011	Dual Material Phillips® Screwdriver #3 x 6"
80007	Dual Material Phillips® Screwdriver #2 x 4"		

GEARWRENCH® 4 Pc. Long Combination Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80059	099575800597	Carded	2.00 lb	1

Cat. No.	Description	Cat. No.	Description
80006	Dual Material Phillips® Screwdriver #2 x 16"	80021	Dual Material Slotted Screwdriver 3/8 x 16"
80020D	Dual Material Slotted Screwdriver 3/8 x 12"	80019D	Dual Material Slotted Screwdriver 3/16 x 10"

GEARWRENCH® 7 Pc. Torx® Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80054	099575800542	Carded	1.81 lb	1

Cat. No.	Description	Cat. No.	Description
80024D	Dual Material Torx® Screwdriver T-10 x 4"	80028D	Dual Material Torx® Screwdriver T-27 x 4"
80025	Dual Material Torx® Screwdriver T-15 x 4"	80029	Dual Material Torx® Screwdriver T-30 x 4"
80026D	Dual Material Torx® Screwdriver T-20 x 4"	80030D	Dual Material Torx® Screwdriver T-40 x 4"
80027	Dual Material Torx® Screwdriver T-25 x 4"		

GEARWRENCH® 3 Pc. Long Torx® Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80064	099575800641	Carded	3.20 lb	1

Cat. No.	Description	Cat. No.	Description
80086	Dual Material Torx® Screwdriver T-15 x 18"	80088	Dual Material Torx® Screwdriver T-25 x 18"
80087	Dual Material Torx® Screwdriver T-20 x 18"		

GEARWRENCH® 4 Pc. Pozidriv® Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80061	099575800610	Carded	1.95 lb	1

Cat. No.	Description	Cat. No.	Description
80043	Dual Material Pozidriv® Screwdriver #0 x 2-1/2"	80045	Dual Material Pozidriv® Screwdriver #2 x 4"
80044	Dual Material Pozidriv® Screwdriver #1 x 3"	80046	Dual Material Pozidriv® Screwdriver #3 x 6"

GEARWRENCH® 4 Pc. Square Dual Material Screwdriver Set

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance
- Oil and Solvent Resistant
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80065	099575800658	Carded	1.80 lb	1

Cat. No.	Description	Cat. No.	Description
80089	Dual Material Square Screwdriver #0 x 4"	80091	Dual Material Square Screwdriver #2 x 4"
80090	Dual Material Square Screwdriver #1 x 4"	80092	Dual Material Square Screwdriver #3 x 5"

GEARWRENCH® Dual Material Screwdrivers - Slotted

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Magnetic Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80015	099575800153	Carded	0.022 in	1/8 in	4 in	0.117 in	6.227 in	0.89 in x 3.22 in	0.08 lb	1
80017	099575800177	Carded	0.033 in	3/16 in	4 in	0.196 in	8.125 in	1.15 in x 4.14 in	0.19 lb	1
80018D	099575800184	Carded	0.033 in	3/16 in	6 in	0.196 in	10.050 in	1.16 in x 4.15 in	0.21 lb	1
80019D	099575800191	Carded	0.033 in	3/16 in	10 in	0.195 in	14.170 in	1.17 in x 4.15 in	0.22 lb	1
80012D	099575800122	Carded	0.04 in	1/4 in	1.5 in	0.236 in	4.101 in	1.31 in x 4.61 in	0.12 lb	1
80013	099575800139	Carded	0.04 in	1/4 in	4 in	0.238 in	8.700 in	1.31 in x 4.61 in	0.22 lb	1
80014	099575800146	Carded	0.04 in	1/4 in	6 in	0.237 in	10.625 in	1.29 in x 4.62 in	0.25 lb	1
80023	099575800238	Carded	0.046 in	5/16 in	6 in	0.315 in	13.140 in	1.45 in x 5.13 in	0.42 lb	1
80022	099575800221	Carded	0.055 in	3/8 in	8 in	0.315 in	13.140 in	1.42 in x 5.12 in	0.46 lb	1
80020D	099575800207	Carded	0.055 in	3/8 in	12 in	0.315 in	16.950 in	1.44 in x 5.12 in	0.53 lb	1
80021	099575800214	Carded	0.055 in	3/8 in	16 in	0.315 in	20.900 in	1.45 in x 5.11 in	0.55 lb	1

GEARWRENCH® Dual Material Screwdrivers - Phillips

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Magnetic Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80000	099575800009	Carded	#0	2-1/2 in	0.118 in	5.768 in	0.91 in x 3.26 in	0.07 lb	1
80001	099575800016	Carded	#1	3 in	0.196 in	7.127 in	1.17 in x 4.15 in	0.15 lb	1
80004	099575800047	Carded	#1	6 in	0.195 in	10.090 in	1.16 in x 4.16 in	0.16 lb	1
80005	099575800054	Carded	#2	1-1/2 in	0.236 in	4.094 in	1.31 in x 2.56 in	0.12 lb	1
80007	099575800078	Carded	#2	4 in	0.237 in	8.700 in	1.29 in x 4.62 in	0.26 lb	1
80009	099575800092	Carded	#2	6 in	0.237 in	10.675 in	1.28 in x 4.60 in	0.25 lb	1
80010D	099575800108	Carded	#2	8 in	0.235 in	12.500 in	1.28 in x 4.62 in	0.28 lb	1
80006	099575800160	Carded	#2	16 in	0.236 in	20.400 in	1.29 in x 4.62 in	0.44 lb	1
80011	099575800115	Carded	#3	6 in	0.315 in	11.200 in	1.45 in x 5.12 in	0.41 lb	1

GEARWRENCH® Dual Material Screwdrivers - Torx®


- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Magnetic Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80024D	099575800245	Carded	T10	4 in	0.196 in	8.100 in	1.15 in x 4.14 in	0.16 lb	1
80025	099575800252	Carded	T15	4 in	0.196 in	8.100 in	1.16 in x 4.14 in	0.16 lb	1
80086	099575800863	Carded	T15	18 in	0.195 in	22.000 in	1.14 in x 4.14 in	0.45 lb	1
80026D	099575800269	Carded	T20	4 in	0.196 in	8.100 in	1.16 in x 4.15 in	0.16 lb	1
80087	099575800870	Carded	T20	18 in	0.195 in	22.000 in	1.17 in x 4.14 in	0.45 lb	1
80027	099575800276	Carded	T25	4 in	0.235 in	8.600 in	1.30 in x 4.61 in	0.22 lb	1
80088	099575800887	Carded	T25	18 in	0.235 in	22.000 in	1.30 in x 4.60 in	0.60 lb	1
80028D	099575800283	Carded	T27	4 in	0.235 in	8.600 in	1.30 in x 4.61 in	0.22 lb	1
80029	099575800290	Carded	T30	4 in	0.235 in	8.600 in	1.30 in x 4.61 in	0.22 lb	1

GEARWRENCH® Dual Material Screwdrivers - Pozidriv®

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Magnetic Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80043	099575800436	Carded	#0	2-1/2 in	0.118 in	5.757 in	0.89 in x 3.24 in	0.08 lb	1
80044	099575080043	Carded	#1	3 in	0.196 in	7.167 in	1.17 in x 4.15 in	0.15 lb	1
80045	099575800450	Carded	#2	4 in	0.237 in	8.550 in	1.30 in x 4.62 in	0.22 lb	1
80046	099575800467	Carded	#3	6 in	0.315 in	11.050 in	1.42 in x 5.11 in	0.36 lb	1

GEARWRENCH® Dual Material Screwdrivers - Square

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Magnetic Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80089	099575800894	Carded	#0	4 in	0.196 in	8.100 in	1.17 in x 4.14 in	0.30 lb	1
80090	099575800900	Carded	#1	4 in	0.235 in	8.575 in	1.28 in x 4.60 in	0.30 lb	1
80091	099575800917	Carded	#2	4 in	0.235 in	8.575 in	1.30 in x 4.60 in	0.35 lb	1
80092	099575800924	Carded	#3	5 in	0.315 in	10.050 in	1.45 in x 5.12 in	0.35 lb	1

GEARWRENCH® 12 Pc. Combination Mini Dual Material Screwdriver Set

- Cap Color Indicates Tip Style
- Innovative Dual Material Handle for Comfort and Performance
- Black Oxide Non-Slip Tip
- "Speed Zone" for Turning in Lower Torque Applications
- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80057	099575800573	Carded	1.17 lb	1

Cat. No.	Description	Cat. No.	Description
80031	Dual Material Phillips® Screwdriver #00 x 60 mm	80037	Dual Material Torx® Screwdriver T-5 x 60 mm
80032	Dual Material Phillips® Screwdriver #0 x 60 mm	80038	Dual Material Torx® Screwdriver T-6 x 60 mm
80033	Dual Material Phillips® Screwdriver #1 x 60 mm	80039	Dual Material Torx® Screwdriver T-7 x 60 mm
80034	Dual Material Slotted Screwdriver 1.5mm x 60 mm	80040	Dual Material Torx® Screwdriver T-8 x 60 mm
80035	Dual Material Slotted Screwdriver 2.0mm x 60 mm	80041	Dual Material Torx® Screwdriver T-9 x 60 mm
80036	Dual Material Slotted Screwdriver 2.5mm x 60 mm	80042D	Dual Material Torx® Screwdriver T-10 x 60 mm

GEARWRENCH® 6 Pc. Mini Dual Material Screwdriver Set

- Cap Color Indicates Tip Style
- Innovative Dual Material Handle for Comfort and Performance
- Black Oxide Non-Slip Tip
- "Speed Zone" for Turning in Lower Torque Applications
- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80055	099575800559	Carded	0.84 lb	1

Cat. No.	Description	Cat. No.	Description
80031	Dual Material Phillips® Screwdriver #00 x 60 mm	80034	Dual Material Slotted Screwdriver 1.5mm x 60 mm
80032	Dual Material Phillips® Screwdriver #0 x 60 mm	80035	Dual Material Slotted Screwdriver 2.0mm x 60 mm
80033	Dual Material Phillips® Screwdriver #1 x 60 mm	80036	Dual Material Slotted Screwdriver 2.5mm x 60 mm

GEARWRENCH® 6 Pc. Mini Torx® Dual Material Screwdriver Set

- Cap Color Indicates Tip Style
- Innovative Dual Material Handle for Comfort and Performance
- Black Oxide Non-Slip Tip
- "Speed Zone" for Turning in Lower Torque Applications
- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80056	099575800566	Carded	0.84 lb	1

Cat. No.	Description	Cat. No.	Description
80037	Dual Material Torx® Screwdriver T-5 x 60 mm	80040	Dual Material Torx® Screwdriver T-8 x 60 mm
80038	Dual Material Torx® Screwdriver T-6 x 60 mm	80041	Dual Material Torx® Screwdriver T-9 x 60 mm
80039	Dual Material Torx® Screwdriver T-7 x 60 mm	80042D	Dual Material Torx® Screwdriver T-10 x 60 mm

GEARWRENCH® Mini Dual Material Screwdrivers - Slotted

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80034	099575800344	Carded	1.5mm	60 mm	0.097 in	6.110 in	0.75 in x 3.71 in	0.06 lb	1
80035	099575800351	Carded	2.0mm	60 mm	0.097 in	6.111 in	0.75 in x 3.71 in	0.06 lb	1
80036	099575800368	Carded	2.5mm	60 mm	0.098 in	6.118 in	0.75 in x 3.71 in	0.06 lb	1

GEARWRENCH® Mini Dual Material Screwdrivers - Phillips

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80031	099575800313	Carded	#00	60 mm	0.098 in	6.116 in	0.74 in x 3.70 in	0.06 lb	1
80032	099575800320	Carded	#0	60 mm	0.118 in	6.109 in	0.75 in x 3.71 in	0.06 lb	1
80033	099575800337	Carded	#1	60 mm	0.157 in	6.106 in	0.75 in x 3.71 in	0.06 lb	1

GEARWRENCH® Mini Dual Material Screwdrivers - Torx®

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Dual Material Handle for Comfort and Performance
- "Speed Zone" for Turning in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80037	099575800375	Carded	T5	60 mm	0.098 in	6.084 in	0.75 in x 3.71 in	0.06 lb	1
80038	099575800382	Carded	T6	60 mm	0.098 in	6.083 in	0.75 in x 3.71 in	0.06 lb	1
80039	099575800399	Carded	T7	60 mm	0.098 in	6.087 in	0.75 in x 3.71 in	0.06 lb	1
80040	099575800405	Carded	T8	60 mm	0.097 in	6.084 in	0.75 in x 3.71 in	0.06 lb	1
80041	099575800443	Carded	T9	60 mm	0.117 in	6.084 in	0.75 in x 3.71 in	0.06 lb	1
80042D	099575804205	Carded	T10	60 mm	0.117 in	6.083 in	0.75 in x 3.71 in	0.06 lb	1

GEARWRENCH® 8 Pc. Combination Solid Handle Screwdriver Set

- Black Oxide Non-Slip Tip
- Solid 100% Impact Resistant Acetate Handle
- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82734	099575827341	Carded	1.31 lb	1

Cat. No.	Description	Cat. No.	Description
82700	Acetate Slotted Screwdriver 1/8" x 2"	82713	Acetate Phillips® Screwdriver #0 x 2-1/2"
82701	Acetate Cabinet Screwdriver 1/8" x 4"	82715	Acetate Phillips® Screwdriver #1 x 3"
82702	Acetate Slotted Screwdriver 3/16" x 6"	82717	Acetate Phillips® Screwdriver #2 x 4"
82706	Acetate Slotted Screwdriver 1/4" x 4"	82718	Acetate Phillips® Screwdriver #2 x 6"

GEARWRENCH® Solid Handle Square Shank Screwdrivers - Slotted

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Solid Impact Resistant Acetate Handle
- "Speed Zone" for Fast Turning and Control in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
82700	099575827006	Carded	0.03 in	1/8 in	2 in	0.118 in	4.800 in	0.86 in x 2.76 in	0.06 lb	1
82704	099575827044	Carded	0.03 in	3/16 in	4 in	0.197 in	8.000 in	1.22 in x 3.94 in	0.19 lb	1
82702	099575827020	Carded	0.03 in	3/16 in	6 in	0.197 in	10.000 in	1.22 in x 3.94 in	0.20 lb	1
82706	099575827068	Carded	0.04 in	1/4 in	4 in	0.236 in	8.400 in	1.34 in x 4.33 in	0.24 lb	1
82707	099575827075	Carded	0.04 in	1/4 in	6 in	0.236 in	10.400 in	1.34 in x 4.33 in	0.27 lb	1
82703	099575827037	Carded	0.05 in	5/16 in	6 in	0.315 in	10.800 in	1.47 in x 4.72 in	0.40 lb	1
82708	099575827082	Carded	0.06 in	3/8 in	8 in	0.315 in	12.800 in	1.47 in x 4.72 in	0.51 lb	1
82710	099575827105	Carded	0.06 in	3/8 in	12 in	0.315 in	16.800 in	1.47 in x 4.72 in	0.71 lb	1

GEARWRENCH® Solid Handle Screwdrivers - Cabinet Tip

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Solid Impact Resistant Acetate Handle
- "Speed Zone" for Fast Turning and Control in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
82701	099575827013	Carded	0.022 in	1/8 in	4 in	0.118 in	6.800 in	0.86 in x 2.76 in	0.08 lb	1

GEARWRENCH® Solid Handle Screwdrivers - Phillips

- Tri-Lobe Ergonomic Handle to Offer Optimal Balance Power and Comfort
- Solid Impact Resistant Acetate Handle
- "Speed Zone" for Fast Turning and Control in Lower Torque Applications
- Black Oxide Non-Slip Tip
- Meets or Exceeds ASME B107.15



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
82713	099575827136	Carded	#0	2-1/2 in	0.118 in	5.320 in	0.86 in x 2.76 in	0.07 lb	1
82715	099575827150	Carded	#1	3 in	0.197 in	7.000 in	1.22 in x 3.94 in	0.15 lb	1
82717	099575827174	Carded	#2	4 in	0.236 in	8.400 in	1.34 in x 4.33 in	0.23 lb	1
82718	099575827181	Carded	#2	6 in	0.236 in	10.400 in	1.34 in x 4.33 in	0.25 lb	1
82720	099575827204	Carded	#3	6 in	0.315 in	10.800 in	1.47 in x 4.72 in	0.37 lb	1

GEARWRENCH® 7 Pc. Insulated Screwdriver Set

- Rated to 1,000 Volts
- Certified to IEC 60900:2004 Standard
- Dual Material Grip for Comfort and Performance
- Black Oxide Non-Slip Tip



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80063	099575800634	Carded	1.85 lb	1

Cat. No.	Description	Cat. No.	Description
80083	Insulated Phillips® Screwdriver #0 x 2-1/2"	80048	Insulated Slotted Screwdriver 5/32" x 4"
80081	Insulated Phillips® Screwdriver #1 x 3-1/8"	80049	Insulated Slotted Screwdriver 7/32" x 5"
80082	Insulated Phillips® Screwdriver #2 x 4"	80080	Insulated Slotted Screwdriver 1/4" x 6"
80047	Insulated Slotted Screwdriver 3/32" x 3"		

GEARWRENCH® Insulated Screwdrivers - Slotted

- Rated to 1,000 Volts
- Certified to IEC 60900:2004 Standard
- Dual Material Grip for Comfort and Performance
- Black Oxide Non-Slip Tip



Cat. No.	UPC No.	Packaging	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80047	099575080074	Carded	0.016 in	3/32 in	3 in	0.169 in	5.783 in	0.87 in x 2.80 in	0.07 lb	1
80048	099575800481	Carded	0.027 in	5/32 in	4 in	0.229 in	7.541 in	1.12 in x 3.59 in	0.19 lb	1
80049	099575800498	Carded	0.035 in	7/32 in	5 in	0.288 in	8.95 in	1.27 in x 4.00 in	0.17 lb	1
80080	099575800801	Carded	0.04 in	1/4 in	6 in	0.33 in	9.925 in	1.27 in x 4.05 in	0.18 lb	1

GEARWRENCH® Insulated Screwdrivers - Phillips

- Rated to 1,000 Volts
- Certified to IEC 60900:2004 Standard
- Dual Material Grip for Comfort and Performance
- Black Oxide Non-Slip Tip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80083	099575800832	Carded	#0	2-1/2 in	0.189 in	5.194 in	0.88 in x 2.83 in	0.14 lb	1
80081	099575800818	Carded	#1	3-1/8 in	0.255 in	6.752 in	1.12 in x 3.60 in	0.16 lb	1
80082	099575800825	Carded	#2	4 in	0.308 in	7.95 in	1.27 in x 4.03 in	0.17 lb	1

GEARWRENCH® Insulated Screwdrivers - Pozidriv

- Rated to 1,000 Volts
- Certified to IEC 60900:2004 Standard
- Dual Material Grip for Comfort and Performance
- Black Oxide Non-Slip Tip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
80084	099575800849	Carded	#1	3-1/8 in	0.254 in	6.755 in	1.14 in x 3.60 in	0.15 lb	1
80085D	099575800856	Carded	#2	4 in	0.307 in	7.541 in	1.28 in x 4.03 in	0.17 lb	1

GEARWRENCH® 40 Pc. Ratcheting Screwdriver Set

- Precision, Fine Tooth, Reversible Ratcheting Mechanism
- Includes A Straight Handle, Stubby Handle, and T-Handle
- Flexible and Solid Drive Shafts
- Premium S2 Quality Steel Bits
- Contoured, Dual Material Comfort Grip
- Oil and Solvent Resistant



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
8940	082171089404	Boxed	4.14 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
890001GD	Ratcheting Screwdriver Straight Handle 1/4" Drive	-	#3 Phillips Bit	-	7/32" Slotted Bit
890006GD	Ratcheting Screwdriver T-Handle 1/4" Drive	-	1/8" Hex Bit	-	1/4" Slotted Bit
890005GD	Ratcheting Screwdriver Stubby Handle 1/4" Drive	-	5/32" Hex Bit	-	4mm Slotted Bit
890007GD	Shaft Adapter 1/4" to 1/4"	-	3/16" Hex Bit	-	5.5mm Slotted Bit
890008GD	11" 1/4" Shank 180° Flex Bit Shaft	-	7/32" Hex Bit	-	6.5mm Slotted Bit
890009GD	11" 1/4" Shank 180° Flex Socket Shaft	-	1/4" Hex Bit	-	T-8 Torx® Bit
310901GR	Magnetic Bit Shaft 1/4 Shank x 3-1/2"	-	5/16" Hex Bit	-	T-10 Torx® Bit
310902GR	Magnetic Bit Shaft 1/4 Shank x 6"	-	3mm Hex Bit	-	T-15 Torx® Bit
311901GR	Socket Shaft 1/4 Shank x 3-1/2"	-	4mm Hex Bit	-	T-20 Torx® Bit
311902GR	Socket Shaft 1/4 Shank x 6"	-	5mm Hex Bit	-	T-25 Torx® Bit
890003GD	30 Pc. Bit Set in Box	-	6mm Hex Bit	-	T-27 Torx® Bit
-	#0 Phillips Bit	-	7mm Hex Bit	-	T-30 Torx® Bit
-	#1 Phillips Bit	-	8mm Hex Bit	-	T-40 Torx® Bit
-	#2 Phillips Bit	-	5/32" Slotted Bit	-	

GEARWRENCH® 39 Pc. Ratcheting Screwdriver Set

- Precision, Fine Tooth, Reversible Ratcheting Mechanism
- Premium S2 Quality Steel Bits
- Flexible and Solid Drive Shafts
- Contoured, Dual Material Comfort Grip
- Oil and Solvent Resistant



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
8939	082171089398	Boxed	3.00 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
890001GD	Ratcheting Screwdriver Straight Handle 1/4" Drive	-	1/8" Hex Bit	-	1/4" Slotted Bit
890002GD	1/4" Hex Shank Bit Adapter Hex Bit Adapter	-	5/32" Hex Bit	-	4mm Slotted Bit
311904GR	Socket Shaft 1/4 Shank x 10"	-	3/16" Hex Bit	-	5.5mm Slotted Bit
310901GR	Magnetic Bit Shaft 1/4 Shank x 3-1/2"	-	7/32" Hex Bit	-	6.5mm Slotted Bit
310902GR	Magnetic Bit Shaft 1/4 Shank x 6"	-	1/4" Hex Bit	-	T-8 Torx® Bit
310903GR	Magnetic Bit Shaft 1/4 Shank x 10"	-	5/16" Hex Bit	-	T-10 Torx® Bit
311901GR	Socket Shaft 1/4 Shank x 3-1/2"	-	3mm Hex Bit	-	T-15 Torx® Bit
311902GR	Socket Shaft 1/4 Shank x 6"	-	4mm Hex Bit	-	T-20 Torx® Bit
311903GR	Flexible Socket Shaft 1/4 Shank x 6"	-	5mm Hex Bit	-	T-25 Torx® Bit
890003GD	30 Pc. Bit Set in Box	-	6mm Hex Bit	-	T-27 Torx® Bit
-	#0 Phillips Bit	-	7mm Hex Bit	-	T-30 Torx® Bit
-	#1 Phillips Bit	-	8mm Hex Bit	-	T-40 Torx® Bit
-	#2 Phillips Bit	-	5/32" Slotted Bit	-	
-	#3 Phillips Bit	-	7/32" Slotted Bit	-	

GEARWRENCH® 26 Pc. Ratcheting Screwdriver Set

- Precision, Fine Tooth, Reversible Ratcheting Mechanism
- Premium S2 Quality Steel Bits
- Flexible and Solid Drive Shafts
- Contoured, Dual Material Comfort Grip
- Oil and Solvent Resistant



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
8926D	082171089268	Boxed	2.39 lb	1

Cat. No.	Description	Qty.	Cat. No.	Description	Qty.	Cat. No.	Description	Qty.
890001GD	Ratcheting Screwdriver Straight Handle 1/4" Drive	1	-	#3 Phillips Bit	1	-	3/16" Slotted Bit	1
890002GD	1/4" Hex Shank Bit Adapter Hex Bit Adapter	1	-	3/32" Hex Bit	1	-	1/4" Slotted Bit	2
311901GR	Socket Shaft 1/4 Shank x 3-1/2"	1	-	1/8" Hex Bit	1	-	T-10 Torx® Bit	1
311902GR	Socket Shaft 1/4 Shank x 6"	1	-	5/32" Hex Bit	1	-	T-15 Torx® Bit	1
311903GR	Flexible Socket Shaft 1/4 Shank x 6"	1	-	3/16" Hex Bit	1	-	T-20 Torx® Bit	1
311904GR	Socket Shaft 1/4 Shank x 10"	1	-	1/4" Hex Bit	1	-	T-25 Torx® Bit	1
-	#1 Phillips Bit	1	-	5/16" Hex Bit	1	-	T-30 Torx® Bit	1
-	#2 Phillips Bit	2	-	5/32" Slotted Bit	1	-	T-40 Torx® Bit	1

GEARWRENCH® 7 Pc. Ratcheting GearDriver® Set

- Precision, Fine Tooth, Reversible Ratcheting Mechanism
- Premium S2 Quality Steel Bits
- Contoured, Dual Material Comfort Grip
- Oil and Solvent Resistant



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82781	099575827815	Carded	0.83 lb	1


Cat. No.	Description	Cat. No.	Description
-	#0 Phillips Bit	-	5/32" Slotted Bit
-	#1 Phillips Bit	-	3/16" Slotted Bit
-	#2 Phillips Bit	-	1/4" Slotted Bit

GEARWRENCH® Ratcheting Screwdriver Handles and Shafts



Cat. No.	UPC No.	Packaging	Description	Product Weight	Shelf Pack Qty.
310901GR	082171000904	Carded	Magnetic Bit Shaft 1/4 Shank x 3-1/2"	0.09 lb	1
310902GR	082171009020	Carded	Magnetic Bit Shaft 1/4 Shank x 6"	0.14 lb	1
310903GR	082171109034	Carded	Magnetic Bit Shaft 1/4 Shank x 10"	0.18 lb	1
311901GR	082171019012	Carded	Socket Shaft 1/4 Shank x 3-1/2"	0.08 lb	1
311902GR	082171019029	Carded	Socket Shaft 1/4 Shank x 6"	0.14 lb	1
311903GR	082171119033	Carded	Flexible Socket Shaft 1/4 Shank x 6"	0.14 lb	1
311904GR	082171311901	Carded	Socket Shaft 1/4 Shank x 10"	1.60 lb	1
890001GD	082171900013	Carded	Ratcheting Screwdriver Straight Handle 1/4" Drive	0.36 lb	1
890005GD	082171900051	Carded	Ratcheting Screwdriver Stubby Handle 1/4" Drive	0.26 lb	1
890006GD	082171900068	Carded	Ratcheting Screwdriver T-Handle 1/4" Drive	0.31 lb	1

GEARWRENCH® Adapters



Cat. No.	UPC No.	Packaging	Description	Product Weight	Shelf Pack Qty.
312901GD	082171312908	Carded	Adapter for 13mm Vortex® Socket	0.04 lb	1
890002GD	082171890000	Carded	1/4" Hex Shank Bit Adapter Hex Bit Adapter	0.03 lb	1
890007GD	082171900075	Carded	Shaft Adapter 1/4" to 1/4"	0.05 lb	1

GEARWRENCH® 6-in-1 Cushion Grip Screwdriver

- Ergonomic Cushion Grip for Reduced Hand Fatigue and Greater Comfort
- Quick Change Nutdriver Shank
- Slotted 1/4" X Phillips® #2
- Slotted 3/16" X Phillips® #1



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82782	099575827822	Retail Packaging	0.80 lb	1

GEARWRENCH® Magnetic Bit Holding Screwdriver

- Tri-Lobe Ergonomic Handle to Obtain Optimal Balance of Strength and Comfort
- "Speed Zone" for Turning in Lower Torque Applications
- Oil and Solvent Resistant
- Innovative Dual Material Handle for Comfort and Performance
- For Standard 1/4" Drive Bits



Cat. No.	UPC No.	Packaging	Tip Size	Overall Length	Product Weight	Shelf Pack Qty.
82783	099575827839	Carded	1/4 in	10.75 in	0.27 lb	1

GEARWRENCH® 83 Pc. Screwdriver Accessory Set

- Large Assortment of Premium S2 Steel Screwdriver and Nutdriver Bits
- Includes a 1/4" Bit Holder and a Storage Case
- Multiple Quantities on Some Sizes Listed Below Due to Varying Lengths



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82784	099575827846	Boxed	2.12 lb	1

Cat. No.	Description	Qty.	Cat. No.	Description	Qty.	Cat. No.	Description	Qty.
-	1/4" Bit Holder	1	-	5/32" Nutdriver Bit	1	-	T-20 Torx® Bit	3
-	#0 Phillips Bit	1	-	3/16" Nutdriver Bit	1	-	T-25 Torx® Bit	3
-	#1 Phillips Bit	2	-	1/4" Nutdriver Bit	1	-	T-27 Torx® Bit	2
-	#2 Phillips Bit	5	-	9/32" Nutdriver Bit	1	-	T-30 Torx® Bit	2
-	#3 Phillips Bit	4	-	5/16" Nutdriver Bit	1	-	T-40 Torx® Bit	2
-	#2 Pozidriv® Bit	2	-	11/32" Nutdriver Bit	1	-	T-7 Tamper-proof Torx® Bit	1
-	#3 Pozidriv® Bit	3	-	3/8" Nutdriver Bit	1	-	T-8 Tamper-proof Torx® Bit	1
-	#2 Square Bit	3	-	7/16" Nutdriver Bit	1	-	T-10 Tamper-proof Torx® Bit	1
-	#3 Square Bit	3	-	6 - 8 Slotted Bit	3	-	T-15 Tamper-proof Torx® Bit	1
-	5/32" Hex Bit	3	-	8 - 10 Slotted Bit	5	-	T-20 Tamper-proof Torx® Bit	1
-	3/16" Hex Bit	2	-	10 - 12 Slotted Bit	4	-	T-25 Tamper-proof Torx® Bit	1
-	7/32" Hex Bit	2	-	12 - 14 Slotted Bit	3	-	T-27 Tamper-proof Torx® Bit	1
-	1/4" Hex Bit	2	-	T-10 Torx® Bit	2	-	T-30 Tamper-proof Torx® Bit	1
-	5/16" Hex Bit	2	-	T-15 Torx® Bit	3			

GEARWRENCH® 31 Pc. Bit Set with Adapter in Box

- Premium S2 Quality Steel Bits
- 1/4" Drive to Bit Drive Adapter



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
890004GD	082171890048	Bagged	0.85 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
-	1/4" Bit Holder	-	7mm Hex Bit	-	#3 Phillips Bit
-	1/8" Hex Bit	-	8mm Hex Bit	-	T-8 Torx® Bit
-	5/32" Hex Bit	-	5/32" Slotted Bit	-	T-10 Torx® Bit
-	3/16" Hex Bit	-	7/32" Slotted Bit	-	T-15 Torx® Bit
-	7/32" Hex Bit	-	1/4" Slotted Bit	-	T-20 Torx® Bit
-	1/4" Hex Bit	-	4mm Slotted Bit	-	T-25 Torx® Bit
-	5/16" Hex Bit	-	5.5mm Slotted Bit	-	T-27 Torx® Bit
-	3mm Hex Bit	-	6.5mm Slotted Bit	-	T-30 Torx® Bit
-	4mm Hex Bit	-	#0 Phillips Bit	-	T-40 Torx® Bit
-	5mm Hex Bit	-	#1 Phillips Bit		
-	6mm Hex Bit	-	#2 Phillips Bit		

GEARWRENCH® 30 Pc. Bit Set in Box

- Premium S2 Quality Steel Bits



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
890003GD	082171089008	Bagged	0.25 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
-	1/8" Hex Bit	-	7mm Hex Bit	-	#2 Phillips Bit
-	5/32" Hex Bit	-	8mm Hex Bit	-	#3 Phillips Bit
-	3/16" Hex Bit	-	5/32" Slotted Bit	-	T-8 Torx® Bit
-	7/32" Hex Bit	-	7/32" Slotted Bit	-	T-10 Torx® Bit
-	1/4" Hex Bit	-	1/4" Slotted Bit	-	T-15 Torx® Bit
-	5/16" Hex Bit	-	4mm Slotted Bit	-	T-20 Torx® Bit
-	3mm Hex Bit	-	5.5mm Slotted Bit	-	T-25 Torx® Bit
-	4mm Hex Bit	-	6.5mm Slotted Bit	-	T-27 Torx® Bit
-	5mm Hex Bit	-	#0 Phillips Bit	-	T-30 Torx® Bit
-	6mm Hex Bit	-	#1 Phillips Bit	-	T-40 Torx® Bit

GEARWRENCH® 10 Pc. Bit Set with Adapter

■ Premium S2 Quality Steel Bits




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
890010GD	082171900105	Bagged	0.15 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
-	#1 Phillips Bit	-	5.5mm Slotted Bit	-	T-20 Torx® Bit
-	#2 Phillips Bit	-	6.5mm Slotted Bit	-	T-25 Torx® Bit
-	#3 Phillips Bit	-	T-10 Torx® Bit		
-	4mm Slotted Bit	-	T-15 Torx® Bit		

GEARWRENCH® 2 Pc. Offset Screwdriver Set

- 1/4" Slotted X #2 Phillips Offset Screwdriver
- 3/16" Slotted X #1 Phillips Offset Screwdriver



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
80072	099575800726	Carded	0.08 lb	1

GEARWRENCH® Phillips Screw Starter

- Holds Screw Securely for Use in Hard-To-Reach Areas
- Twist the Bit to Hold Screw for Easy Starting
- Strong Magnet on Opposite End Picks Up Dropped Parts
- Also Includes a Pocket Clip Length: 5-5/8"



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
2283	082171022838	Carded	0.05 lb	1

GEARWRENCH® Slotted Screw Starter

- Holds Screw Securely for Use in Hard-To-Reach Areas
- Twist the Bit to Hold Screw for Easy Starting
- Strong Magnet on Opposite End Picks Up Dropped Parts
- Also Includes a Pocket Clip Length: 5-5/8"



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
2282D	082171022821	Carded	0.07 lb	1

GEARWRENCH® 16 Pc. Ratcheting Nutdriver Set - SAE/Metric

- Precision, Fine Tooth, Reversible Ratcheting Mechanism
- Interchangeable, Color Coded Nutdriver Shafts
- Contoured, Dual Material Comfort Grip
- Oil and Solvent Resistant



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
8916D	082171089169	Boxed	2.60 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
890005GD	Ratcheting Screwdriver Stubby Handle 1/4" Drive	890140GD	7/16" Nutdriver Shaft	891090GD	9mm Nutdriver Shaft
890060GD	3/16" Nutdriver Shaft	890160GD	1/2" Nutdriver Shaft	891100GD	10mm Nutdriver Shaft
890080GD	1/4" Nutdriver Shaft	891050GD	5mm Nutdriver Shaft	891110GD	11mm Nutdriver Shaft
890100GD	5/16" Nutdriver Shaft	891060GD	6mm Nutdriver Shaft	891120GD	12mm Nutdriver Shaft
890110GD	11/32" Nutdriver Shaft	891070GD	7mm Nutdriver Shaft		
890120GD	3/8" Nutdriver Shaft	891080GD	8mm Nutdriver Shaft		

GEARWRENCH® 8 Pc. Ratcheting Nutdriver Set - SAE

- Precision, Fine Tooth, Reversible Ratcheting Mechanism
- Interchangeable, Color Coded Nutdriver Shafts
- Contoured, Dual Material Comfort Grip
- Oil and Solvent Resistant



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
8908D	082171089084	Boxed	1.70 lb	1

Cat. No.	Description	Cat. No.	Description
890005GD	Ratcheting Screwdriver Stubby Handle 1/4" Drive	890110GD	11/32" Nutdriver Shaft
890060GD	3/16" Nutdriver Shaft	890120GD	3/8" Nutdriver Shaft
890080GD	1/4" Nutdriver Shaft	890140GD	7/16" Nutdriver Shaft
890100GD	5/16" Nutdriver Shaft	890160GD	1/2" Nutdriver Shaft

GEARWRENCH® 9 Pc. Ratcheting Nutdriver Set - Metric

- Precision, Fine Tooth, Reversible Ratcheting Mechanism
- Interchangeable, Color Coded Nutdriver Shafts
- Contoured, Dual Material Comfort Grip
- Oil and Solvent Resistant



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
8909D	082171089091	Boxed	1.95 lb	1

Cat. No.	Description	Cat. No.	Description
890005GD	Ratcheting Screwdriver Stubby Handle 1/4" Drive	891090GD	9mm Nutdriver Shaft
891050GD	5mm Nutdriver Shaft	891100GD	10mm Nutdriver Shaft
891060GD	6mm Nutdriver Shaft	891110GD	11mm Nutdriver Shaft
891070GD	7mm Nutdriver Shaft	891120GD	12mm Nutdriver Shaft
891080GD	8mm Nutdriver Shaft		

GEARWRENCH® Ratcheting Nutdriver Shafts

- Color Coded for Size Identification
- Etched with Size on Shaft



Cat. No.	UPC No.	Packaging	Description	Fastener Size	Shaft Length	Product Weight	Shelf Pack Qty.
890008GD	082171900082	Carded	11" 1/4" Shank 180° Flex Bit Shaft	1/4 in	11 in	0.30 lb	1
890009GD	082171900099	Carded	11" 1/4" Shank 180° Flex Socket Shaft	1/4 in	11 in	0.27 lb	1
890060GD	082171900600	Carded	3/16" Nutdriver Shaft	3/16 in	-	0.10 lb	1
890080GD	082171800801	Carded	1/4" Nutdriver Shaft	1/4 in	-	0.10 lb	1
890100GD	082171801006	Carded	5/16" Nutdriver Shaft	5/16 in	-	0.10 lb	1
890110GD	082171901102	Carded	11/32" Nutdriver Shaft	11/32 in	-	0.10 lb	1
890120GD	082171901201	Carded	3/8" Nutdriver Shaft	3/8 in	-	0.10 lb	1
890140GD	082171901409	Carded	7/16" Nutdriver Shaft	7/16 in	-	0.10 lb	1
890160GD	082171901607	Carded	1/2" Nutdriver Shaft	1/2 in	-	0.10 lb	1
891050GD	082171910500	Carded	5mm Nutdriver Shaft	5 mm	-	0.10 lb	1
891060GD	082171910609	Carded	6mm Nutdriver Shaft	6 mm	-	0.10 lb	1
891070GD	082171810701	Carded	7mm Nutdriver Shaft	7 mm	-	0.10 lb	1
891080GD	082171910807	Carded	8mm Nutdriver Shaft	8 mm	-	0.10 lb	1
891090GD	082171910906	Carded	9mm Nutdriver Shaft	9 mm	-	0.10 lb	1
891100GD	082171911002	Carded	10mm Nutdriver Shaft	10 mm	-	0.10 lb	1
891110GD	082171911101	Carded	11mm Nutdriver Shaft	11 mm	-	0.10 lb	1
891120GD	082171911200	Carded	12mm Nutdriver Shaft	12 mm	-	0.10 lb	1

GEARWRENCH® 7 Pc. Hollow Shaft Cushion Grip Nutdriver Set - SAE

■ Ergonomic Cushion Grip for Reduced Hand Fatigue and Greater Comfort



SAE

Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82765	099575827655	Carded	2.35 lb	1

Cat. No.	Description	Cat. No.	Description
82750	Cushion Grip Nutdriver 3/16 x 3"	82754	Cushion Grip Nutdriver 3/8 x 3"
82751	Cushion Grip Nutdriver 1/4 x 3"	82755	Cushion Grip Nutdriver 7/16 x 3"
82752	Cushion Grip Nutdriver 5/16 x 3"	82756	Cushion Grip Nutdriver 1/2 x 3"
82753	Cushion Grip Nutdriver 11/32 x 3"		

GEARWRENCH® 7 Pc. Hollow Shaft Cushion Grip Nutdriver Set - Metric

■ Ergonomic Cushion Grip for Reduced Hand Fatigue and Greater Comfort



mm

Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82764	099575827648	Carded	2.53 lb	1

Cat. No.	Description	Cat. No.	Description
82757D	Cushion Grip Nutdriver 6 mm x 3"	82761	Cushion Grip Nutdriver 10 mm x 3"
82758	Cushion Grip Nutdriver 7 mm x 3"	82762	Cushion Grip Nutdriver 11 mm x 3"
82759	Cushion Grip Nutdriver 8 mm x 3"	82763	Cushion Grip Nutdriver 12 mm x 3"
82760	Cushion Grip Nutdriver 9 mm x 3"		

GEARWRENCH® Cushion Grip Hollow Shaft Nutdrivers - SAE

■ Cushion Grip for Increased Comfort



SAE

Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
82750	099575827501	Carded	3/16 in	3.000 in	0.185 in	7.330 in	1.42 in x 4.33 in	0.12 lb	1
82751	099575827518	Carded	1/4 in	3.000 in	0.25 in	7.330 in	1.42 in x 4.33 in	0.12 lb	1
82752	099575827525	Carded	5/16 in	3.000 in	0.312 in	7.330 in	1.42 in x 4.33 in	0.13 lb	1
82753	099575827532	Carded	11/32 in	3.000 in	0.343 in	7.330 in	1.42 in x 4.33 in	0.13 lb	1
82754	099575827549	Carded	3/8 in	3.000 in	0.375 in	7.330 in	1.42 in x 4.33 in	0.14 lb	1
82755	099575827556	Carded	7/16 in	3.000 in	0.437 in	7.330 in	1.42 in x 4.33 in	0.14 lb	1
82756	099575827563	Carded	1/2 in	3.000 in	0.500 in	8.000 in	1.50 in x 5.00 in	0.18 lb	1

GEARWRENCH® Cushion Grip Hollow Shaft Nutdrivers - Metric

■ Cushion Grip for Increased Comfort



mm

Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
82757D	099575827570	Carded	6 mm	3.000 in	0.236 in	7.330 in	1.42 in x 4.33 in	0.12 lb	1
82758	099575827587	Carded	7 mm	3.000 in	0.275 in	7.330 in	1.42 in x 4.33 in	0.12 lb	1
82759	099575827594	Carded	8 mm	3.000 in	0.314 in	7.330 in	1.42 in x 4.33 in	0.13 lb	1
82760	099575827600	Carded	9 mm	3.000 in	0.354 in	7.330 in	1.42 in x 4.33 in	0.13 lb	1
82761	099575827617	Carded	10 mm	3.000 in	0.393 in	7.330 in	1.42 in x 4.33 in	0.14 lb	1
82762	099575827624	Carded	11 mm	3.000 in	0.433 in	7.330 in	1.42 in x 4.33 in	0.14 lb	1
82763	099575827631	Carded	12 mm	3.000 in	0.472 in	8.000 in	1.50 in x 5.00 in	0.18 lb	1

ARMSTRONG® 6 Pc. Combination Dual Material Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Nut Bolsters on Blade Provide Additional Turning Power with a Wrench
- Dual Material Handle for Comfort and Performance While Reducing Fatigue in Repetitive Situations
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-621	781412666212	Boxed	2.65 lb	1

Cat. No.	Description	Cat. No.	Description
-	Molded Storage Tray	66-441	Dual Material Slotted Screwdriver 1/4 x 4"
66-400	Dual Material Phillips® Screwdriver #1 x 3"	66-443	Dual Material Slotted Screwdriver 5/16 x 6"
66-402	Dual Material Phillips® Screwdriver #2 x 4"	66-445	Dual Material Slotted Screwdriver 3/8 x 8"
66-404	Dual Material Phillips® Screwdriver #3 x 6"		

ARMSTRONG® Dual Material, Slotted Tip, Round Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Nut Bolsters on Blade Provide Additional Turning Power with a Wrench
- Dual Material Handle for Comfort and Performance While Reducing Fatigue in Repetitive Situations
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-440	781412664409	Bagged	#8, 9	0.040 in	1/4 in	2.250 in	0.250 in	6.095 in	1.25 in x 3.86 in	0.17 lb	1
66-441	781412664416	Bagged	#8, 9	0.040 in	1/4 in	4.000 in	0.250 in	8.340 in	1.40 in x 4.35 in	0.20 lb	1
66-443	781412664430	Bagged	#10	0.050 in	5/16 in	6.000 in	0.313 in	10.700 in	1.50 in x 4.70 in	0.39 lb	1
66-445	781412664454	Bagged	#12, 14-24, 0.250-0.375	0.066 in	3/8 in	8.000 in	0.375 in	12.660 in	1.53 in x 4.67 in	0.52 lb	1

ARMSTRONG® Dual Material, Phillips Tip, Round Shank Screwdrivers


- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Nut Bolsters on Blade Provide Additional Turning Power with a Wrench
- Dual Material Handle for Comfort and Performance While Reducing Fatigue in Repetitive Situations
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-400	781412664003	Bagged	P1	0.188 in	#1	3.000 in	0.188 in	6.850 in	1.20 in x 3.87 in	0.17 lb	1
66-402	781412664027	Bagged	P2	0.250 in	#2	4.000 in	0.250 in	8.350 in	1.36 in x 6.35 in	0.25 lb	1
66-404	781412664041	Bagged	P3	0.313 in	#3	6.000 in	0.313 in	10.600 in	1.50 in x 4.70 in	0.38 lb	1

ARMSTRONG® 8 Pc. Electrician's Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Solid Impact Resistant Acetate Handle Core for Uncompromising Durability
- Cushioned Rubber Cover Preferred by Electricians for Comfort and Slippage Control
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-612	781412666120	Boxed	3.33 lb	1

Cat. No.	Description	Cat. No.	Description
29-415	Vinyl Roll 8 Pockets	66-501	Cushion Grip, Round Shank Slotted Screwdriver 1/4 x 4"
66-524	Cushion Grip, Round Shank Phillips® Screwdriver #1 x 3"	66-505	Cushion Grip, Round Shank Slotted Screwdriver 1/4 x 4"
66-527	Cushion Grip, Round Shank Phillips® Screwdriver #2 x 4"	66-504	Cushion Grip, Round Shank Slotted Screwdriver 5/16 x 6"
66-530	Cushion Grip, Round Shank Phillips® Screwdriver #3 x 6"	66-507	Cushion Grip, Round Shank Slotted Screwdriver 3/8 x 8"
66-502	Cushion Grip, Round Shank Slotted Screwdriver 3/16 x 3"		

ARMSTRONG® 7 Pc. Electrician's Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Solid Impact Resistant Acetate Handle Core for Uncompromising Durability
- Cushioned Rubber Cover Preferred by Electricians for Comfort and Slippage Control
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-614	781412666144	Boxed	3.06 lb	1

Cat. No.	Description	Cat. No.	Description
29-413	Vinyl Roll 7 Pockets	66-524	Cushion Grip, Round Shank Phillips® Screwdriver #1 x 3"
66-561	Cushion Grip, Round Shank Cabinet Screwdriver 3/16 x 3"	66-527	Cushion Grip, Round Shank Phillips® Screwdriver #2 x 4"
66-563	Cushion Grip, Round Shank Cabinet Screwdriver 3/16 x 4"	66-544	Cushion Grip, Square Shank Slotted Screwdriver 1/4 x 4"
66-564	Cushion Grip, Round Shank Cabinet Screwdriver 3/16 x 6"	66-504	Cushion Grip, Round Shank Slotted Screwdriver 5/16 x 6"

ARMSTRONG® 5 Pc. Electrician's Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Solid Impact Resistant Acetate Handle Core for Uncompromising Durability
- Cushioned Rubber Cover Preferred by Electricians for Comfort and Slippage Control
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-615	781412666151	Boxed	3.61 lb	1

Cat. No.	Description	Cat. No.	Description
29-411	Vinyl Roll 5 Pockets	66-527	Cushion Grip, Round Shank Phillips® Screwdriver #2 x 4"
66-564	Cushion Grip, Round Shank Cabinet Screwdriver 3/16 x 6"	66-544	Cushion Grip, Square Shank Slotted Screwdriver 1/4 x 4"
66-567	Cushion Grip, Round Shank Cabinet Screwdriver 3/16 x 8"	66-504	Cushion Grip, Round Shank Slotted Screwdriver 5/16 x 6"

ARMSTRONG® Electrician's, Slotted Tip, Square Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Solid Impact Resistant Acetate Handle Core for Uncompromising Durability
- Cushioned Rubber Cover Preferred by Electricians for Comfort and Slippage Control
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-541	781412665413	Bagged	#8, 9	0.040 in	1/4 in	1.313 in	0.250 in	3.063 in	1.25 in x 1.75 in	0.12 lb	1
66-544	781412665444	Bagged	#8, 9	0.040 in	1/4 in	4.000 in	0.250 in	8.250 in	1.25 in x 4.25 in	0.20 lb	1
66-547	781412665475	Bagged	#10, 12	0.050 in	5/16 in	6.000 in	0.313 in	10.875 in	1.25 in x 4.80 in	0.40 lb	1
66-550	781412665505	Bagged	#15, 18, 20	0.055 in	3/8 in	8.000 in	0.375 in	12.875 in	1.25 in x 4.80 in	0.64 lb	1
66-553	781412665536	Bagged	#15, 18, 20	0.055 in	3/8 in	10.000 in	0.375 in	14.875 in	1.25 in x 4.80 in	0.76 lb	1
66-546	781412665468	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	12.000 in	0.375 in	17.438 in	1.37 in x 5.40 in	0.82 lb	1

ARMSTRONG® Electrician's, Slotted Tip, Round Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Solid Impact Resistant Acetate Handle Core for Uncompromising Durability
- Cushioned Rubber Cover Preferred by Electricians for Comfort and Slippage Control
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-502	781412665024	Bagged	#5, 6, 7	0.037 in	3/16 in	3.000 in	0.188 in	7.750 in	1.25 in x 3.75 in	0.16 lb	1
66-501	781412665017	Bagged	#8, 9	0.040 in	1/4 in	4.000 in	0.250 in	8.250 in	1.25 in x 4.25 in	0.20 lb	1
66-505	781412665055	Bagged	#8, 9	0.037 in	1/4 in	4.000 in	0.250 in	8.906 in	1.31 in x 4.90 in	0.26 lb	1
66-504	781412665048	Bagged	#12, 14, 16	0.045 in	5/16 in	6.000 in	0.313 in	10.875 in	1.25 in x 4.80 in	0.38 lb	1
66-507	781412665079	Bagged	#15, 18, 20	0.055 in	3/8 in	8.000 in	0.375 in	12.875 in	1.25 in x 4.80 in	0.60 lb	1
66-509	781412665093	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	10.000 in	0.375 in	15.438 in	1.37 in x 5.40 in	0.73 lb	1
66-510	781412665109	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	12.000 in	0.375 in	17.438 in	1.37 in x 5.40 in	0.70 lb	1

ARMSTRONG® Electrician's, Cabinet Tip, Round Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Solid Impact Resistant Acetate Handle Core for Uncompromising Durability
- Cushioned Rubber Cover Preferred by Electricians for Comfort and Slippage Control
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-561	781412665611	Bagged	#5, 6, 7	0.035 in	3/16 in	3.000 in	0.188 in	6.625 in	1.25 in x 3.60 in	0.17 lb	1
66-563	781412665635	Bagged	#5, 6, 7	0.035 in	3/16 in	4.000 in	0.188 in	7.750 in	1.25 in x 3.60 in	0.18 lb	1
66-564	781412665642	Bagged	#5, 6, 7	0.035 in	3/16 in	6.000 in	0.188 in	9.625 in	1.25 in x 3.60 in	0.20 lb	1
66-567	781412665673	Bagged	#5, 6, 7	0.035 in	3/16 in	8.000 in	0.188 in	11.625 in	1.25 in x 3.60 in	0.22 lb	1
66-570	781412665703	Bagged	#5, 6, 7	0.035 in	3/16 in	10.000 in	0.188 in	13.625 in	1.25 in x 3.60 in	0.24 lb	1

ARMSTRONG® Electrician's, Phillips Tip, Round Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Solid Impact Resistant Acetate Handle Core for Uncompromising Durability
- Cushioned Rubber Cover Preferred by Electricians for Comfort and Slippage Control
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-524	781412665246	Bagged	P1	0.188 in	#1	3.000 in	0.188 in	6.625 in	1.25 in x 3.62 in	0.18 lb	1
66-521	781412665215	Bagged	P2	0.250 in	#2	1.313 in	0.250 in	3.063 in	1.25 in x 1.75 in	0.13 lb	1
66-527	781412665277	Bagged	P2	0.250 in	#2	4.000 in	0.250 in	10.906 in	1.31 in x 4.90 in	0.26 lb	1
66-526	781412665260	Bagged	P2	0.250 in	#2	6.000 in	0.250 in	8.250 in	1.25 in x 4.25 in	0.30 lb	1
66-528	781412665284	Bagged	P2	0.250 in	#2	12.000 in	0.250 in	16.906 in	1.25 in x 3.62 in	0.35 lb	1
66-530	781412665307	Bagged	P3	0.313 in	#3	6.000 in	0.313 in	10.875 in	1.25 in x 4.80 in	0.40 lb	1

ARMSTRONG® 19 Pc. Solid Handle Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-611	781412666113	Boxed	8.20 lb	1

Cat. No.	Description	Cat. No.	Description
29-411	Vinyl Roll 5 Pockets	66-155	Acetate Phillips® Screwdriver #1 x 6"
29-412	Vinyl Roll 6 Pockets	66-156	Acetate Phillips® Screwdriver #2 x 4"
29-415	Vinyl Roll 8 Pockets	66-158	Acetate Phillips® Screwdriver #2 x 8"
66-253	Acetate Cabinet Screwdriver 1/8 x 3"	66-161	Acetate Phillips® Screwdriver #3 x 6"
66-268	Acetate Cabinet Screwdriver 3/16 x 8"	66-164	Acetate Phillips® Screwdriver #4 x 8"
66-255	Acetate Cabinet Screwdriver 1/8 x 4"	66-203	Acetate Slotted Screwdriver 3/16 x 4"
66-259	Acetate Cabinet Screwdriver 1/8 x 8"	66-208	Acetate Slotted Screwdriver 1/4 x 4"
66-262	Acetate Cabinet Screwdriver 3/16 x 4"	66-217	Acetate Slotted Screwdriver 5/16 x 6"
66-150	Acetate Phillips® Screwdriver #2 x 1.5"	66-220	Acetate Slotted Screwdriver 3/8 x 8"
66-152	Acetate Phillips® Screwdriver #0 x 2"	66-226	Acetate Slotted Screwdriver 7/16 x 12"
66-153	Acetate Phillips® Screwdriver #1 x 3"	66-232	Acetate Slotted Screwdriver 1/4 x 1.5"

ARMSTRONG® 8 Pc. Solid Handle Combination Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-620	781412666205	Boxed	2.63 lb	1

Cat. No.	Description	Cat. No.	Description
29-415	Vinyl Roll 8 Pockets	66-156	Acetate Phillips® Screwdriver #2 x 4"
66-261	Acetate Cabinet Screwdriver 3/16 x 3"	66-161	Acetate Phillips® Screwdriver #3 x 6"
66-262	Acetate Cabinet Screwdriver 3/16 x 4"	66-102	Acetate Slotted Screwdriver 1/4 x 4"
66-265	Acetate Cabinet Screwdriver 3/16 x 5"	66-103	Acetate Slotted Screwdriver 5/16 x 6"
66-153	Acetate Phillips® Screwdriver #1 x 3"		

ARMSTRONG® 7 Pc. Solid Handle, Slotted Tip, Square Shank Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-626	781412666267	Boxed	2.87 lb	1

Cat. No.	Description	Cat. No.	Description
29-414	Vinyl Roll 7 Pockets	66-217	Acetate Slotted Screwdriver 5/16 x 6"
66-203	Acetate Slotted Screwdriver 3/16 x 4"	66-221	Acetate Slotted Screwdriver 3/8 x 10"
66-211	Acetate Slotted Screwdriver 1/4 x 6"	66-223	Acetate Slotted Screwdriver 3/8 x 12"
66-214	Acetate Slotted Screwdriver 5/16 x 8"	66-232	Acetate Slotted Screwdriver 1/4 x 1.5"

ARMSTRONG® 6 Pc. Solid Handle, Slotted Tip, Square Shank Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-606	781412666069	Boxed	2.31 lb	1

Cat. No.	Description	Cat. No.	Description
29-412	Vinyl Roll 6 Pockets	66-220	Acetate Slotted Screwdriver 3/8 x 8"
66-203	Acetate Slotted Screwdriver 3/16 x 4"	66-226	Acetate Slotted Screwdriver 7/16 x 12"
66-208	Acetate Slotted Screwdriver 1/4 x 4"	66-232	Acetate Slotted Screwdriver 1/4 x 1.5"
66-217	Acetate Slotted Screwdriver 5/16 x 6"		

8

ARMSTRONG® 4 Pc. Solid Handle, Slotted Tip, Square Shank Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-610	781412666106	Boxed	1.96 lb	1

Cat. No.	Description	Cat. No.	Description
29-410	Vinyl Roll 4 Pockets	66-217	Acetate Slotted Screwdriver 5/16 x 6"
66-202	Acetate Slotted Screwdriver 1/8 x 3"	66-220	Acetate Slotted Screwdriver 3/8 x 8"
66-203	Acetate Slotted Screwdriver 3/16 x 4"		

SCREWDRIVERS

ARMSTRONG® 6 Pc. Solid Handle, Slotted Tip, Round Shank Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-608	781412666083	Boxed	1.00 lb	1
Contents:		Contents:		
29-412	Vinyl Roll 6 Pockets	66-106	Acetate Slotted Screwdriver 3/8 x 8"	
66-102	Acetate Slotted Screwdriver 1/4 x 4"	66-232	Acetate Slotted Screwdriver 1/4 x 1.5"	
66-103	Acetate Slotted Screwdriver 5/16 x 6"	66-262	Acetate Cabinet Screwdriver 3/16 x 4"	
66-105	Acetate Slotted Screwdriver 5/16 x 10"			

ARMSTRONG® 4 Pc. Solid Handle Cabinet Slotted Tip Screwdriver Set


- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-618	781412666182	Boxed	1.16 lb	1
Cat. No.		Description		
29-410	Vinyl Roll 4 Pockets	66-262	Acetate Cabinet Screwdriver 3/16 x 4"	
66-268	Acetate Cabinet Screwdriver 3/16 x 8"	66-267	Acetate Cabinet Screwdriver 3/16 x 6"	
66-261	Acetate Cabinet Screwdriver 3/16 x 3"			

ARMSTRONG® 8 Pc. Solid Handle Torx® Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-604	781412666045	Boxed	2.60 lb	1

Cat. No.	Description	Cat. No.	Description
29-415	Vinyl Roll 8 Pockets	66-327	Acetate Torx® Screwdriver T25 x 3"
66-321	Acetate Torx® Screwdriver T10 x 3"	66-329	Acetate Torx® Screwdriver T27 x 4.5"
66-324	Acetate Torx® Screwdriver T15 x 1.250"	66-330	Acetate Torx® Screwdriver T30 x 4.5"
66-323	Acetate Torx® Screwdriver T15 x 3"	66-332	Acetate Torx® Screwdriver T40 x 6"
66-326	Acetate Torx® Screwdriver T20 x 3"		

ARMSTRONG® 6 Pc. Solid Handle Phillips Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-619	781412666199	Boxed	2.16 lb	1

Cat. No.	Description	Cat. No.	Description
29-412	Vinyl Roll 6 Pockets	66-156	Acetate Phillips® Screwdriver #2 x 4"
66-150	Acetate Phillips® Screwdriver #2 x 1.5"	66-161	Acetate Phillips® Screwdriver #3 x 6"
66-152	Acetate Phillips® Screwdriver #0 x 2"	66-164	Acetate Phillips® Screwdriver #4 x 8"
66-153	Acetate Phillips® Screwdriver #1 x 3"		

ARMSTRONG® 4 Pc. Solid Handle Phillips Screwdriver Set

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-639	781412666397	Boxed	1.20 lb	1

Cat. No.	Description	Cat. No.	Description
29-410	Vinyl Roll 4 Pockets	66-156	Acetate Phillips® Screwdriver #2 x 4"
66-152	Acetate Phillips® Screwdriver #0 x 2"	66-161	Acetate Phillips® Screwdriver #3 x 6"
66-153	Acetate Phillips® Screwdriver #1 x 3"		

ARMSTRONG® Solid Handle, Slotted Tip, Square Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-203	781412662030	Bagged	#5, 6, 7	0.030 in	3/16 in	4.000 in	0.188 in	7.750 in	1.06 in x 3.75 in	0.16 lb	1
66-205	781412662054	Bagged	#5, 6, 7	0.030 in	3/16 in	6.000 in	0.188 in	9.750 in	1.06 in x 3.75 in	0.15 lb	1
66-208	781412662085	Bagged	#8, 9	0.037 in	1/4 in	4.000 in	0.250 in	8.250 in	1.18 in x 4.25 in	0.25 lb	1
66-209	781412662092	Bagged	#8, 9	0.037 in	1/4 in	8.000 in	0.250 in	12.250 in	1.18 in x 4.25 in	0.33 lb	1
66-211	781412662115	Bagged	#8, 9	0.037 in	1/4 in	6.000 in	0.250 in	10.250 in	1.18 in x 4.25 in	0.28 lb	1
66-212	781412662122	Bagged	#8, 9	0.037 in	1/4 in	3.000 in	0.250 in	7.250 in	1.18 in x 4.25 in	0.24 lb	1
66-214	781412662146	Bagged	#10	0.042 in	5/16 in	8.000 in	0.313 in	13.000 in	1.25 in x 5.00 in	0.45 lb	1
66-217	781412662177	Bagged	#10	0.042 in	5/16 in	6.000 in	0.313 in	11.000 in	1.25 in x 5.00 in	0.40 lb	1
66-220	781412662207	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	8.000 in	0.375 in	13.500 in	1.25 in x 5.50 in	1.00 lb	1
66-221	781412662214	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	10.000 in	0.375 in	15.500 in	1.25 in x 5.50 in	1.00 lb	1
66-223	781412662238	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	12.000 in	0.375 in	17.500 in	1.25 in x 5.50 in	0.94 lb	1
66-224	781412662245	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	6.000 in	0.375 in	11.500 in	1.25 in x 5.50 in	1.00 lb	1
66-226	781412662269	Bagged	-	0.070 in	7/16 in	12.000 in	0.438 in	18.000 in	1.25 in x 5.50 in	0.94 lb	1

ARMSTRONG® Solid Handle, Slotted Tip, Round Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-102	781412661026	Bagged	#8, 9	0.037 in	1/4 in	4.000 in	0.250 in	8.250 in	1.18 in x 4.25 in	0.23 lb	1
66-103	781412661033	Bagged	#10	0.040 in	5/16 in	6.000 in	0.313 in	11.000 in	1.25 in x 5.00 in	0.37 lb	1
66-105	781412661057	Bagged	#10	0.040 in	5/16 in	10.000 in	0.313 in	15.000 in	1.25 in x 5.00 in	0.46 lb	1
66-106	781412661064	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	8.000 in	0.375 in	13.500 in	1.25 in x 5.50 in	0.54 lb	1
66-108	781412661088	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	10.000 in	0.375 in	15.500 in	1.25 in x 5.50 in	0.60 lb	1
66-109	781412661095	Bagged	#12, 14-24, 0.250-0.375	0.050 in	3/8 in	12.000 in	0.375 in	17.500 in	1.25 in x 5.50 in	0.65 lb	1

ARMSTRONG® Solid Handle, Cabinet Tip, Round Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-255	781412662559	Bagged	#2, 3	0.020 in	1/8 in	4.000 in	0.125 in	7.000 in	0.87 in x 3.00 in	0.08 lb	1
66-256	781412662566	Bagged	#2, 3	0.020 in	1/8 in	5.000 in	0.125 in	8.000 in	0.87 in x 3.00 in	0.09 lb	1
66-258	781412662580	Bagged	#2, 3	0.020 in	1/8 in	6.000 in	0.125 in	9.000 in	0.87 in x 3.00 in	0.10 lb	1
66-259	781412662597	Bagged	#2, 3	0.020 in	1/8 in	8.000 in	0.125 in	11.000 in	0.87 in x 3.00 in	0.10 lb	1
66-261	781412662610	Bagged	#5, 6, 7	0.037 in	3/16 in	3.000 in	0.188 in	6.750 in	1.06 in x 3.75 in	0.15 lb	1
66-262	781412662627	Bagged	#5, 6, 7	0.037 in	3/16 in	4.000 in	0.188 in	7.750 in	1.06 in x 3.75 in	0.16 lb	1
66-265	781412662658	Bagged	#5, 6, 7	0.037 in	3/16 in	5.000 in	0.188 in	8.750 in	1.06 in x 3.75 in	0.18 lb	1
66-267	781412662672	Bagged	#5, 6, 7	0.037 in	3/16 in	6.000 in	0.188 in	9.750 in	1.06 in x 3.75 in	0.18 lb	1
66-268	781412662689	Bagged	#5, 6, 7	0.037 in	3/16 in	8.000 in	0.188 in	11.750 in	1.06 in x 3.75 in	0.13 lb	1
66-270	781412662702	Bagged	#5, 6, 7	0.037 in	3/16 in	10.000 in	0.188 in	13.750 in	1.06 in x 3.75 in	1.00 lb	1
66-271	781412662719	Bagged	#8, 9	0.040 in	1/4 in	10.000 in	0.250 in	14.250 in	1.18 in x 4.25 in	1.00 lb	1

ARMSTRONG® Solid Handle, Phillips Tip, Round Shank Screwdrivers


- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-153	781412661538	Bagged	P1	0.188 in	#1	3.000 in	0.188 in	6.750 in	1.06 in x 3.75 in	0.16 lb	1
66-155	781412661552	Bagged	P1	0.188 in	#1	6.000 in	0.188 in	9.750 in	1.06 in x 3.75 in	0.18 lb	1
66-156	781412661569	Bagged	P2	0.250 in	#2	4.000 in	0.250 in	8.250 in	1.18 in x 4.25 in	0.23 lb	1
66-158	781412661583	Bagged	P2	0.250 in	#2	8.000 in	0.250 in	12.250 in	1.18 in x 4.25 in	0.30 lb	1
66-161	781412661613	Bagged	P3	0.313 in	#3	6.000 in	0.313 in	11.000 in	1.25 in x 5.00 in	0.37 lb	1
66-164	781412661644	Bagged	P4	0.375 in	#4	8.000 in	0.375 in	13.500 in	1.25 in x 5.50 in	0.56 lb	1

ARMSTRONG® Solid Handle, Slotted Tip, Stubby Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-230	781412662306	Bagged	#5, 6, 7	0.030 in	3/16 in	1.000 in	0.188 in	3.000 in	1.18 in x 2.00 in	0.10 lb	1
66-232	781412662320	Bagged	#8, 9	0.037 in	1/4 in	1.500 in	0.250 in	3.500 in	1.18 in x 2.00 in	0.13 lb	1

ARMSTRONG® Solid Handle, Slotted Tip, with Pocket Clip Screwdriver


- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002 and US Federal Spec. GGG-S-121 E



Cat. No.	UPC No.	Packaging	Blade Type	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-202	781412662023	Bagged	Square Shank, Blasted Non-Slip Tip	#2, 3	0.020 in	1/8 in	3.000 in	0.125 in	5.250 in	0.62 in x 2.25 in	0.04 lb	1
66-253	781412662535	Bagged	Round Shank, Blasted Non-Slip Tip	#2, 3	0.020 in	1/8 in	3.000 in	0.125 in	5.250 in	0.62 in x 2.25 in	0.06 lb	1

ARMSTRONG® Solid Handle, Phillips Tip, Stubby Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-150	781412661507	Bagged	P2	0.250 in	#2	1.500 in	0.250 in	3.500 in	1.18 in x 2.00 in	0.12 lb	1

ARMSTRONG® Solid Handle, Phillips Tip, with Pocket Clip Screwdriver

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure
- Meets or Exceeds ASME B107.15-2002



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-152	781412661521	Bagged	P0	0.125 in	#0	2.000 in	0.125 in	4.250 in	0.62 in x 2.25 in	0.05 lb	1

ARMSTRONG® Solid Handle, Torx®, Round Shank Screwdrivers

- Made in the USA - Quality and Availability
- Precision Machined, Blasted Tips Provide Superior Fit Between the Tip and the Fastener Reducing Slippage and Fastener Wear
- Full Shaft Heat Treat Provides Superior Strength That Resists Tip Wear and Shank Twisting / Breakage
- Fully Polished Chrome Plated Blade Provides a High Luster That Prevents Corrosion
- Tri-Lobe Handle Conforms to the Hand for Optimal Power and Comfort
- Solid Impact Resistant Acetate Handle for Uncompromising Durability
- Broad, Shallow Flutes with Chamfered Edges Provide a High Efficiency, High Torque Handle with No Sharp Edges
- Larger Than Average Handle Lengths and Diameters for Optimal Power and Comfort
- Domed Handle for Comfortably Applying Added Pressure



Cat. No.	UPC No.	Packaging	Screw Size	Tip Thickness	Tip Size	Blade Length	Blade Diameter	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-321	781412663211	Bagged	T-10	0.188 in	T10	3.000 in	0.188 in	6.750 in	1.06 in x 3.75 in	0.15 lb	1
66-324	781412663242	Bagged	T-15	0.188 in	T15	1.250 in	0.188 in	5.000 in	1.06 in x 3.75 in	0.14 lb	1
66-323	781412663235	Bagged	T-15	0.188 in	T15	3.000 in	0.188 in	6.750 in	1.06 in x 3.75 in	0.15 lb	1
66-326	781412663266	Bagged	T-20	0.188 in	T20	3.000 in	0.188 in	6.750 in	1.06 in x 3.75 in	0.15 lb	1
66-327	781412663273	Bagged	T-25	0.188 in	T25	3.000 in	0.188 in	6.750 in	1.06 in x 3.75 in	0.15 lb	1
66-329	781412663297	Bagged	T-27	0.250 in	T27	4.500 in	0.250 in	8.250 in	1.18 in x 4.25 in	1.00 lb	1
66-330	781412663303	Bagged	T-30	0.250 in	T30	4.500 in	0.250 in	8.250 in	1.18 in x 4.25 in	1.00 lb	1
66-332	781412663327	Bagged	T-40	0.313 in	T40	6.000 in	0.313 in	8.500 in	1.25 in x 5.00 in	1.00 lb	1

ARMSTRONG® 7 Pc. Ratcheting Screwdriver Set

- Made in the USA - Quality and Availability
- Smooth, Silent Clutch-Based Ratcheting Action
- In-Handle Storage for Six Bits



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-580	781412665802	Bagged	1.59 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
-	#1 Phillips Bit	-	10 - 12 Slotted Bit	-	T-10 Torx® Bit
-	#2 Phillips Bit	-	5 - 6 Slotted Bit	-	T-15 Torx® Bit

ARMSTRONG® 3 Pc. Screw and Nut Starter Set

- Made in the USA - Quality and Availability
- Positive Gripping Action Holds Screws in Place so They Can be Started in Awkward, Hard-to-Reach Areas
- Blade Separates to Securely Hold the Fastener



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-962	781412669626	Boxed	0.37 lb	1

Cat. No.	Description	Cat. No.	Description
29-472	Vinyl Roll 3 Pockets	66-933	5" Screw Starter, Phillips Screws
66-943	5" Nut Starter, Hex Nuts	66-924	5" Screw Starter, Slotted Screws

ARMSTRONG® Offset Ratcheting Screwdriver

- Made in the USA - Quality and Availability
- Designed for Use with Confined, Hard-to-Reach Fasteners
- Precision Milled Tips for Precise Fit to the Fastener
- Has a Reversing Ratcheting Mechanism



Cat. No.	UPC No.	Packaging	Tip Size	Overall Length	Product Weight	Shelf Pack Qty.
66-598	781412665987	Bagged	#2, 1/4	3.750 in	0.32 lb	1

ARMSTRONG® Offset Screwdriver, Phillips Tip

- Made in the USA - Quality and Availability
- Designed for Use with Confined, Hard-to-Reach Fasteners
- Precision Milled Tips for Precise Fit to the Fastener



Cat. No.	UPC No.	Packaging	Tip Size	Overall Length	Product Weight	Shelf Pack Qty.
66-609	781412666090	Bagged	#1, #2	6.000 in	0.10 lb	1
66-613	781412666137	Bagged	#3, #4	6.000 in	0.26 lb	1

ARMSTRONG® Offset Screwdriver, Slotted Tip

- Made in the USA - Quality and Availability
- Designed for Use with Confined, Hard-to-Reach Fasteners
- Precision Milled Tips for Precise Fit to the Fastener



Cat. No.	UPC No.	Packaging	Tip Size	Overall Length	Product Weight	Shelf Pack Qty.
66-601	781412666014	Bagged	5/32 in	3.750 in	0.03 lb	1
66-603	781412666038	Bagged	1/4 in	4.625 in	0.09 lb	1
66-605	781412666052	Bagged	5/16 in	5.188 in	0.25 lb	1
66-607	781412666076	Bagged	3/8 in	6.125 in	0.24 lb	1

ARMSTRONG® Nut Starter - Hex Nuts

- Made in the USA - Quality and Availability
- Positive Gripping Action Holds Screws in Place so They Can be Started in Awkward, Hard-to-Reach Areas
- Blade Separates to Securely Hold the Fastener



Cat. No.	UPC No.	Packaging	Overall Length	Product Weight	Shelf Pack Qty.
66-943	781412669435	Bagged	5.000 in	0.05 lb	1

ARMSTRONG® Screw Starters - Phillips Screws

- Made in the USA - Quality and Availability
- Positive Gripping Action Holds Screws in Place so They Can Be Started in Awkward, Hard-to-Reach Areas
- Blade Separates to Securely Hold the Fastener



Cat. No.	UPC No.	Packaging	Overall Length	Product Weight	Shelf Pack Qty.
66-933	781412669336	Bagged	5.000 in	0.05 lb	1
66-936	781412669367	Bagged	9.000 in	0.08 lb	1

ARMSTRONG® Screw Starters - Slotted Screws

- Made in the USA - Quality and Availability
- Positive Gripping Action Holds Screws in Place so They Can be Started in Awkward, Hard-to-Reach Areas
- Blade Separates to Securely Hold the Fastener



Cat. No.	UPC No.	Packaging	Overall Length	Product Weight	Shelf Pack Qty.
66-921	781412669213	Bagged	2.500 in	0.03 lb	1
66-924	781412669244	Bagged	5.000 in	0.04 lb	1
66-927	781412669275	Bagged	9.000 in	0.06 lb	1

ARMSTRONG® 7 Pc. Solid Handle, Hollow Shaft Nutdriver Set - SAE

- Made in the USA - Quality and Availability
- Full Hollow Shafts Facilitate Work with Long Bolt & Stud Applications
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Color Coded Sae Handles (Handle & End) for Easy Size Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion
- Meets or Exceeds ASME B107.12-2004



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-843	781412668438	Boxed	2.70 lb	1

Cat. No.	Description	Cat. No.	Description
29-426	Vinyl Roll 7 Pockets	66-811	Acetate Hollow Shaft Nutdriver 11/32 x 3"
66-808	Acetate Hollow Shaft Nutdriver 1/4 x 3"	66-812	Acetate Hollow Shaft Nutdriver 3/8 x 3"
66-809	Acetate Hollow Shaft Nutdriver 9/32 x 3"	66-814	Acetate Hollow Shaft Nutdriver 7/16 x 3"
66-810	Acetate Hollow Shaft Nutdriver 5/16 x 3"	66-816	Acetate Hollow Shaft Nutdriver 1/2 x 3"

ARMSTRONG® 11 Pc. Solid Handle, Hollow Shaft Nutdriver Set - SAE

- Made in the USA - Quality and Availability
- Full Hollow Shafts Facilitate Work with Long Bolt & Stud Applications
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Color Coded Sae Handles (Handle & End) for Easy Size Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion
- Meets or Exceeds ASME B107.12-2004




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-845	781412668452	Boxed	2.31 lb	1

Cat. No.	Description	Cat. No.	Description
29-456	Vinyl Roll 11 Pockets	66-811	Acetate Hollow Shaft Nutdriver 11/32 x 3"
66-806	Acetate Hollow Shaft Nutdriver 3/16 x 3"	66-812	Acetate Hollow Shaft Nutdriver 3/8 x 3"
66-807	Acetate Hollow Shaft Nutdriver 7/32 x 3"	66-814	Acetate Hollow Shaft Nutdriver 7/16 x 3"
66-808	Acetate Hollow Shaft Nutdriver 1/4 x 3"	66-816	Acetate Hollow Shaft Nutdriver 1/2 x 3"
66-809	Acetate Hollow Shaft Nutdriver 9/32 x 3"	66-818	Acetate Hollow Shaft Nutdriver 9/16 x 3"
66-810	Acetate Hollow Shaft Nutdriver 5/16 x 3"	66-820	Acetate Hollow Shaft Nutdriver 5/8 x 3"

ARMSTRONG® 7 Pc. Solid Handle, Hollow Shaft Nutdriver Set - Metric

- Made in the USA - Quality and Availability
- Full Hollow Shafts Facilitate Work with Long Bolt & Stud Applications
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Colored Black Handles (Handle & End) for Easy Metric Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-847	781412668476	Boxed	2.05 lb	1

Cat. No.	Description	Cat. No.	Description
29-426	Vinyl Roll 7 Pockets	66-834	Acetate Hollow Shaft Nutdriver 7 mm x 3"
66-831	Acetate Hollow Shaft Nutdriver 5 mm x 3"	66-835	Acetate Hollow Shaft Nutdriver 8 mm x 3"
66-832	Acetate Hollow Shaft Nutdriver 5-1/2 mm x 3"	66-836	Acetate Hollow Shaft Nutdriver 9 mm x 3"
66-833	Acetate Hollow Shaft Nutdriver 6 mm x 3"	66-837	Acetate Hollow Shaft Nutdriver 10 mm x 3"

ARMSTRONG® 11 Pc. Solid Handle, Hollow Shaft Nutdriver Set - Metric

- Made in the USA - Quality and Availability
- Full Hollow Shafts Facilitate Work with Long Bolt & Stud Applications
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Colored Black Handles (Handle & End) for Easy Metric Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-848	781412668483	Boxed	2.40 lb	1

Cat. No.	Description	Cat. No.	Description
29-456	Vinyl Roll 11 Pockets	66-835	Acetate Hollow Shaft Nutdriver 8 mm x 3"
66-829	Acetate Hollow Shaft Nutdriver 4 mm x 3"	66-836	Acetate Hollow Shaft Nutdriver 9 mm x 3"
66-831	Acetate Hollow Shaft Nutdriver 5 mm x 3"	66-837	Acetate Hollow Shaft Nutdriver 10 mm x 3"
66-832	Acetate Hollow Shaft Nutdriver 5-1/2 mm x 3"	66-838	Acetate Hollow Shaft Nutdriver 11 mm x 3"
66-833	Acetate Hollow Shaft Nutdriver 6 mm x 3"	66-839	Acetate Hollow Shaft Nutdriver 12 mm x 3"
66-834	Acetate Hollow Shaft Nutdriver 7 mm x 3"	66-840	Acetate Hollow Shaft Nutdriver 13 mm x 3"

ARMSTRONG® 7 Pc. Solid Handle, Solid Shaft Nutdriver Set - SAE

- Made in the USA - Quality and Availability
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Color Coded Sae Handle Panels for Easy Size Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion
- Meets or Exceeds ASME B107.12-2004



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-843A	781412068436	Boxed	1.86 lb	1

Cat. No.	Description	Cat. No.	Description
66-806A	Acetate Nutdriver 3/16 x 3"	66-812A	Acetate Nutdriver 3/8 x 3"
66-808A	Acetate Nutdriver 1/4 x 3"	66-814A	Acetate Nutdriver 7/16 x 3"
66-810A	Acetate Nutdriver 5/16 x 3"	66-816A	Acetate Nutdriver 1/2 x 3"
66-811A	Acetate Nutdriver 11/32 x 3"		

ARMSTRONG® 7 Pc. Solid Handle, Solid Shaft Nutdriver Set - Metric

- Made in the USA - Quality and Availability
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Color Coded Blue Handle Panels for Metric Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-847A	781412068474	Boxed	1.84 lb	1

Cat. No.	Description	Cat. No.	Description
66-831A	Acetate Nutdriver 5 mm x 3"	66-836A	Acetate Nutdriver 9 mm x 3"
66-833A	Acetate Nutdriver 6 mm x 3"	66-837A	Acetate Nutdriver 10 mm x 3"
66-834A	Acetate Nutdriver 7 mm x 3"	66-838A	Acetate Nutdriver 11 mm x 3"
66-835A	Acetate Nutdriver 8 mm x 3"		

ARMSTRONG® Solid Handle, Hollow Shaft, 6 Point Opening Nutdrivers - SAE

- Made in the USA - Quality and Availability
- Full Hollow Shafts Facilitate Work with Long Bolt & Stud Applications
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Color Coded Sae Handles (Handle & End) for Easy
- Size Identification
- Meets or Exceeds ASME B107.12-2004



Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-806	781412668063	Bagged	3/16 in	3.000 in	0.140 in	6.620 in	1.00 in x 3.60 in	0.12 lb	1
66-807	781412668070	Bagged	7/32 in	3.000 in	0.140 in	6.620 in	1.00 in x 3.60 in	0.12 lb	1
66-808	781412668087	Bagged	1/4 in	3.000 in	0.196 in	6.620 in	1.00 in x 3.60 in	0.13 lb	1
66-809	781412668094	Bagged	9/32 in	3.000 in	0.203 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-810	781412668100	Bagged	5/16 in	3.000 in	0.203 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-811	781412668117	Bagged	11/32 in	3.000 in	0.203 in	6.620 in	1.00 in x 3.60 in	0.15 lb	1
66-812	781412668124	Bagged	3/8 in	3.000 in	0.272 in	6.620 in	1.00 in x 3.60 in	0.15 lb	1
66-814	781412668148	Bagged	7/16 in	3.000 in	0.272 in	7.000 in	1.06 in x 4.00 in	0.15 lb	1
66-816	781412668162	Bagged	1/2 in	3.000 in	0.333 in	7.000 in	1.06 in x 4.00 in	0.15 lb	1
66-818	781412668186	Bagged	9/16 in	4.000 in	0.397 in	8.500 in	1.19 in x 4.50 in	0.25 lb	1
66-820	781412668209	Bagged	5/8 in	4.000 in	0.453 in	8.500 in	1.19 in x 4.50 in	0.26 lb	1

ARMSTRONG® Solid Handle, Hollow Shaft, 6 Point Opening Nutdrivers - Metric

- Made in the USA - Quality and Availability
- Full Hollow Shafts Facilitate Work with Long Bolt & Stud Applications
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Colored Black Handles (Handle & End) for Easy
- Metric Identification



Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-829	781412668292	Bagged	4 mm	3.000 in	0.157 in	6.620 in	1.00 in x 3.60 in	0.13 lb	1
66-831	781412668315	Bagged	5 mm	3.000 in	0.157 in	6.620 in	1.00 in x 3.60 in	0.13 lb	1
66-832	781412668322	Bagged	5.5 mm	3.000 in	0.157 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-833	781412668339	Bagged	6 mm	3.000 in	0.196 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-834	781412668346	Bagged	7 mm	3.000 in	0.196 in	6.620 in	1.00 in x 3.60 in	0.15 lb	1
66-835	781412668353	Bagged	8 mm	3.000 in	0.196 in	6.620 in	1.00 in x 3.60 in	0.15 lb	1
66-836	781412668360	Bagged	9 mm	3.000 in	0.196 in	6.620 in	1.00 in x 3.60 in	0.15 lb	1
66-837	781412668377	Bagged	10 mm	3.000 in	0.275 in	7.000 in	1.06 in x 4.00 in	0.16 lb	1
66-838	781412668384	Bagged	11 mm	3.000 in	0.275 in	7.000 in	1.06 in x 4.00 in	0.18 lb	1
66-839	781412668391	Bagged	12 mm	3.000 in	0.275 in	7.000 in	1.06 in x 4.00 in	0.20 lb	1
66-840	781412668407	Bagged	13 mm	3.000 in	0.315 in	7.000 in	1.06 in x 4.00 in	0.27 lb	1

ARMSTRONG® Solid Handle, Solid Shaft, 6 Point Opening Nutdrivers - SAE

- Made in the USA - Quality and Availability
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Color Coded Sae Handle Panels for Easy Size Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion
- Meets or Exceeds ASME B107.12-2004



Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-806A	781412660685	Bagged	3/16 in	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.12 lb	1
66-808A	781412668803	Bagged	1/4 in	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.13 lb	1
66-810A	781412668018	Bagged	5/16 in	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-811A	781412661187	Bagged	11/32 in	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-812A	781412668216	Bagged	3/8 in	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.16 lb	1
66-814A	781412664812	Bagged	7/16 in	3.000 in	0.000 in	7.000 in	1.06 in x 4.00 in	0.19 lb	1
66-816A	781412668612	Bagged	1/2 in	3.000 in	0.000 in	7.000 in	1.06 in x 4.00 in	0.21 lb	1

ARMSTRONG® Solid Handle, Solid Shaft, 6 Point Opening Nutdrivers - Metric

- Made in the USA - Quality and Availability
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Color Coded Blue Handle Panels for Metric Identification
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion



Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-831A	781412663815	Bagged	5 mm	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.12 lb	1
66-833A	781412663839	Bagged	6 mm	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.13 lb	1
66-834A	781412664836	Bagged	7 mm	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.13 lb	1
66-835A	781412663587	Bagged	8 mm	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-836A	781412668636	Bagged	9 mm	3.000 in	0.000 in	6.620 in	1.00 in x 3.60 in	0.14 lb	1
66-837A	781412663785	Bagged	10 mm	3.000 in	0.000 in	7.000 in	1.06 in x 4.00 in	0.15 lb	1
66-838A	781412668834	Bagged	11 mm	3.000 in	0.000 in	7.000 in	1.06 in x 4.00 in	0.18 lb	1

ARMSTRONG® 7 Pc. Dual Material, T-Handle Nutdriver Set - SAE

- Made in the USA - Quality and Availability
- T-Handle Provides Additional Leverage for Greater Torque to the Fastener
- Dual Material Handle for Comfort and Performance
- Color Coded Handles with Size Molded Into the Handle for Easy Identification
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion
- Meets or Exceeds ASME B107.12-2004



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-743	781412667431	Boxed	2.87 lb	1

Cat. No.	Description	Cat. No.	Description
66-706	Dual Material T-Handle Nutdriver 3/16 x 4.5"	66-712	Dual Material T-Handle Nutdriver 3/8 x 4"
66-708	Dual Material T-Handle Nutdriver 1/4 x 4.5"	66-714	Dual Material T-Handle Nutdriver 7/16 x 4"
66-710	Dual Material T-Handle Nutdriver 5/16 x 4"	66-716	Dual Material T-Handle Nutdriver 1/2 x 4"
66-711	Dual Material T-Handle Nutdriver 11/32 x 4"		

ARMSTRONG® 7 Pc. Dual Material, T-Handle Nutdriver Set - Metric

- Made in the USA - Quality and Availability
- T-Handle Provides Additional Leverage for Greater Torque to the Fastener
- Dual Material Handle for Comfort and Performance
- Color Coded Handles with Size Molded Into the Handle for Easy Identification
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
66-747	781412667479	Boxed	2.67 lb	1

Cat. No.	Description	Cat. No.	Description
66-731	Dual Material T-Handle Nutdriver 5 mm x 4.5"	66-736	Dual Material T-Handle Nutdriver 9 mm x 4"
66-733	Dual Material T-Handle Nutdriver 6 mm x 4.5"	66-737	Dual Material T-Handle Nutdriver 10 mm x 4"
66-734	Dual Material T-Handle Nutdriver 7 mm x 4"	66-738	Dual Material T-Handle Nutdriver 11 mm x 4"
66-735	Dual Material T-Handle Nutdriver 8 mm x 4"		

ARMSTRONG® Dual Material, T-Handle Nutdrivers - SAE

- Made in the USA - Quality and Availability
- T-Handle Provides Additional Leverage for Greater Torque to the Fastener
- Dual Material Handle for Comfort and Performance
- Color Coded Handles with Size Molded Into the Handle for Easy Identification
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion
- Meets or Exceeds ASME B107.12-2004



Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-706	781412667066	Bagged	3/16 in	4.500 in	0.152 in	6.500 in	0.80 in x 3.75 in	0.19 lb	1
66-708	781412667080	Bagged	1/4 in	4.500 in	0.152 in	6.500 in	0.80 in x 3.75 in	0.19 lb	1
66-710	781412667103	Bagged	5/16 in	4.000 in	0.214 in	6.500 in	1.00 in x 4.70 in	0.30 lb	1
66-711	781412667110	Bagged	11/32 in	4.000 in	0.214 in	6.500 in	1.00 in x 4.70 in	0.30 lb	1
66-712	781412667127	Bagged	3/8 in	4.000 in	0.214 in	6.500 in	1.00 in x 4.70 in	0.30 lb	1
66-714	781412667141	Bagged	7/16 in	4.000 in	0.333 in	6.500 in	1.00 in x 4.70 in	0.44 lb	1
66-716	781412667165	Bagged	1/2 in	4.000 in	0.333 in	6.500 in	1.00 in x 4.70 in	0.45 lb	1

ARMSTRONG® Dual Material, T-Handle Nutdrivers - Metric

- Made in the USA - Quality and Availability
- T-Handle Provides Additional Leverage for Greater Torque to the Fastener
- Dual Material Handle for Comfort and Performance
- Color Coded Handles with Size Molded Into the Handle for Easy Identification
- Shaft is Precision Formed From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Precise Nut Openings and Greater Durability
- Fully Polished Chrome Plated Shaft Provides a High Luster That Prevents Corrosion



Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Bolt Clearance	Overall Length	Handle Size (Dia. X Length)	Product Weight	Shelf Pack Qty.
66-731	781412667318	Bagged	5 mm	4.500 in	0.152 in	6.500 in	0.80 in x 3.75 in	0.19 lb	1
66-733	781412667332	Bagged	6 mm	4.500 in	0.152 in	6.500 in	0.80 in x 3.75 in	0.19 lb	1
66-734	781412667349	Bagged	7 mm	4.000 in	0.214 in	6.500 in	1.00 in x 4.70 in	0.30 lb	1
66-735	781412667356	Bagged	8 mm	4.000 in	0.214 in	6.500 in	1.00 in x 4.70 in	0.30 lb	1
66-736	781412667363	Bagged	9 mm	4.000 in	0.214 in	6.500 in	1.00 in x 4.70 in	0.35 lb	1
66-737	781412667370	Bagged	10 mm	4.000 in	0.333 in	6.500 in	1.00 in x 4.70 in	0.45 lb	1
66-738	781412667387	Bagged	11 mm	4.000 in	0.333 in	6.500 in	1.00 in x 4.70 in	0.45 lb	1

CRESCENT 10 Pc. Dual Material Combination Screwdriver Set

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle
- Includes 2 Pocket Clip Screwdrivers



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
CSD10	037103256744	Carded	1.65 lb	1

Cat. No.	Description	Cat. No.	Description
CSDP34V	Dual Material Screwdriver, Phillips #1 X 4"	CSD33V	Dual Material Screwdriver, Slotted 3/16" X 3"
CSDP41V	Dual Material Screwdriver, Phillips #2 X 1-1/4"	CSD36V	Dual Material Screwdriver, Slotted 3/16" X 6"
CSDP44V	Dual Material Screwdriver, Phillips #2 X 4"	CSD41V	Dual Material Screwdriver, Slotted 1/4" X 1-1/4"
-	Pocket Clip Screwdriver, Phillips #0 x 2	CSD44V	Dual Material Screwdriver, Slotted 1/4" X 4"
-	Pocket Clip Screwdriver, Slotted 1/8" x 2	CSD46V	Dual Material Screwdriver, Slotted 1/4" X 6"

CRESCENT 6 Pc. Dual Material Combination Screwdriver Set

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
CSD6	037103256720	Carded	1.06 lb	1

Cat. No.	Description	Cat. No.	Description
CSDP34V	Dual Material Screwdriver, Phillips #1 X 4"	CSD36V	Dual Material Screwdriver, Slotted 3/16" X 6"
CSDP44V	Dual Material Screwdriver, Phillips #2 X 4"	CSD44V	Dual Material Screwdriver, Slotted 1/4" X 4"
CSD33V	Dual Material Screwdriver, Slotted 3/16" X 3"	CSD46V	Dual Material Screwdriver, Slotted 1/4" X 6"

CRESCENT 4 Pc. Dual Material Combination Screwdriver Set

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
CSD4PC	037103256706	Carded	0.69 lb	1

Cat. No.	Description	Cat. No.	Description
CSDP34V	Dual Material Screwdriver, Phillips #1 X 4"	CSD33V	Dual Material Screwdriver, Slotted 3/16" X 3"
CSDP44V	Dual Material Screwdriver, Phillips #2 X 4"	CSD44V	Dual Material Screwdriver, Slotted 1/4" X 4"

CRESCENT 2 Pc. Dual Material Combination Screwdriver Set

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
CSD2	037103256690	Carded	0.52 lb	1

Cat. No.	Description	Cat. No.	Description
CSDP44V	Dual Material Screwdriver, Phillips #2 X 4"	CSD144	Dual Material Screwdriver, Slotted 1/4" X 4"

Dual Material, Phillips Tip, Round Shank Screwdrivers

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Product Weight	Shelf Pack Qty.
CSDP34	037103256980	Bulk	#1	4 in	0.11 lb	1
CSDP34V	037103256973	Carded	#1	4 in	0.13 lb	3
CSDP41V	037103256997	Carded	#2	1-1/4 in	0.11 lb	3
CSDP44	037103257017	Bulk	#2	4 in	0.17 lb	1
CSDP44V	037103257000	Carded	#2	4 in	0.21 lb	3
CSDP46V	037103257024	Carded	#2	6 in	0.22 lb	3
CSDP48V	037103257031	Carded	#2	8 in	0.24 lb	3
CSDP56V	037103257048	Carded	#3	6 in	0.31 lb	3

Dual Material, Torx Tip, Round Shank Screwdrivers

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Tip Size	Product Weight	Shelf Pack Qty.
CTD10V	037103257055	Carded	T10	0.13 lb	3
CTD15V	037103257062	Carded	T15	0.13 lb	3
CTD20V	037103257079	Carded	T20	0.13 lb	3
CTD25V	037103257086	Carded	T25	0.21 lb	3
CTD27V	037103257093	Carded	T27	0.21 lb	3
CTD30V	037103257109	Carded	T30	0.21 lb	3
CTD40V	037103257116	Carded	T40	0.27 lb	3

CRESCENT Dual Material, Slotted Tip, Square Shank Screwdrivers

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Product Weight	Shelf Pack Qty.
CSDS44	037103256942	Bulk	1/4 in	4 in	0.19 lb	1
CSDS44V	037103256935	Carded	1/4 in	4 in	0.21 lb	3
CSDS56	037103256966	Bulk	5/16 in	6 in	0.27 lb	1
CSDS56V	037103256959	Carded	5/16 in	6 in	0.29 lb	3

CRESCENT Dual Material, Slotted Tip, Round Shank Screwdrivers

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Product Weight	Shelf Pack Qty.
CSD33V	037103256829	Carded	3/16 in	3 in	0.15 lb	3
CSD36V	037103256836	Carded	3/16 in	6 in	0.14 lb	3
CSD36	037103256843	Bulk	3/16 in	6 in	0.12 lb	1
CSD30V	037103256850	Carded	3/16 in	10 in	0.17 lb	3
CSD41V	037103256867	Carded	1/4 in	1-1/4 in	0.11 lb	3
CSD44V	037103256874	Carded	1/4 in	4 in	0.21 lb	3
CSD144	037103256881	Bulk	1/4 in	4 in	0.17 lb	1
CSD46V	037103256898	Carded	1/4 in	6 in	0.22 lb	3
CSD56V	037103256904	Carded	5/16 in	6 in	0.31 lb	3
CSD56	037103256911	Bulk	5/16 in	6 in	0.32 lb	1
CSD58V	037103256928	Carded	3/8 in	8 in	0.37 lb	3

CRESCENT 7-in-1 Dual Material Interchangeable Bit Screwdriver

- Dual Material Handle: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
CMBD7P	037103256737	Merchandise	0.41 lb	12

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
-	1/4" Nutdriver Bit	-	#1 Phillips Bit	-	9/32" Slotted Bit
-	5/16" Nutdriver Bit	-	#2 Phillips Bit		
-	7/16" Nutdriver Bit	-	3/16" Slotted Bit		

CRESCENT 10 Pc. Series 2000 Cushion Grip Screwdriver Set

- Crescent® Series 2000 Screwdriver Set
- Set Contains 10 Popular-Sized Screwdrivers
- Available in Convenient Reusable Plastic Pouch



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
2010	037103028426	Pouch	3.20 lb	1

Cat. No.	Description	Cat. No.	Description
25013	Cushion Grip Phillips® Series 2000 Screwdriver #1 x 3"	21434	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"
25024	Cushion Grip Phillips® Series 2000 Screwdriver #2 x 4"	22434	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 4"
2522	Cushion Grip Phillips® Series 2000 Screwdriver #2 x 1.25"	21436	Cushion Grip Slotted Series 2000 Screwdriver 5/16 x 6"
24016	Cushion Grip Slotted Series 2000 Screwdriver 5/16 x 6"	22436	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 6"
23434	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"	21438	Cushion Grip Slotted Series 2000 Screwdriver 3/8 x 8"

8 Pc. Series 2000 Cushion Grip Screwdriver Set

- Crescent® Series 2000 Screwdriver Set
- Set Contains 8 Popular-Sized Screwdrivers
- Available in Convenient Reusable Plastic Pouches



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
2008MR	037103104649	Pouch	3.00 lb	3

Cat. No.	Description	Cat. No.	Description
25013	Cushion Grip Phillips® Series 2000 Screwdriver #1 x 3"	21433	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 3"
25024	Cushion Grip Phillips® Series 2000 Screwdriver #2 x 4"	21434	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"
2503	Cushion Grip Phillips® Series 2000 Screwdriver #3 x 6"	21436	Cushion Grip Slotted Series 2000 Screwdriver 5/16 x 6"
2343114	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 1.25"	21438	Cushion Grip Slotted Series 2000 Screwdriver 3/8 x 8"

6 Pc. Series 2000 Cushion Grip Screwdriver Set

- Crescent® Series 2000 Screwdriver Set
- 6 Popular-Sized Screwdrivers
- Available in Convenient Reusable Plastic Pouch



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
2006	037103028396	Pouch	2.05 lb	1

Cat. No.	Description	Cat. No.	Description
25013	Cushion Grip Phillips® Series 2000 Screwdriver #1 x 3"	21434	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"
25024	Cushion Grip Phillips® Series 2000 Screwdriver #2 x 4"	22434	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 4"
23434	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"	21436	Cushion Grip Slotted Series 2000 Screwdriver 5/16 x 6"

CRESCENT Series 2000 Mechanic's Cushion Grip, Slotted Tip, Round Shank Screwdrivers

- Round Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks With Durable Core, Provides a More Powerful, Comfortable Grip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
21433	037103466143	Boxed	1/4 in	3 in	1/4 in	6.75 in	0.20 lb	6
21434	037103466167	Boxed	1/4 in	4 in	1/4 in	8.375 in	0.25 lb	6
21436	037103466181	Boxed	5/16 in	6 in	5/16 in	11 in	0.35 lb	6
21438	037103466204	Boxed	3/8 in	8 in	3/8 in	13.5 in	0.55 lb	6
214310	037103466228	Boxed	3/8 in	10 in	3/8 in	15.5 in	0.64 lb	6
214312	037103466242	Boxed	3/8 in	12 in	3/8 in	17.5 in	0.70 lb	6

CRESCENT Series 2000 Mechanic's Cushion Grip, Slotted Tip, Square Shank Screwdrivers

- Square Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks With Durable Core, Provides a Powerful, and Comfortable Grip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
23434	037103466433	Bagged	1/4 in	4 in	1/4 in	8.375 in	0.25 lb	6
23436	037103466457	Bagged	5/16 in	6 in	5/16 in	11 in	0.40 lb	6
23438	037103466471	Bagged	3/8 in	8 in	3/8 in	13.5 in	0.65 lb	6
234312	037103466495	Bagged	3/8 in	12 in	3/8 in	17.5 in	0.80 lb	6

CRESCENT Series 2000 Electrician's Slotted Tip, Round Shank Screwdrivers

- Round Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks With Durable Core, Provides a Powerful, and Comfortable Grip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
22433	037103466297	Boxed	3/16 in	3 in	3/16 in	6.75 in	0.15 lb	6
22434	037103466310	Boxed	3/16 in	4 in	3/16 in	7.75 in	0.10 lb	6
22436	037103466334	Boxed	3/16 in	6 in	3/16 in	9.75 in	0.18 lb	6
22438	037103466358	Boxed	3/16 in	8 in	3/16 in	11.75 in	0.20 lb	6
224310	037103466372	Boxed	3/16 in	10 in	3/16 in	13.75 in	0.25 lb	6
21424	037103466105	Boxed	1/4 in	4 in	1/4 in	8.375 in	0.25 lb	6
21426	037103466129	Boxed	1/4 in	6 in	1/4 in	10.375 in	0.25 lb	6

Series 2000 Electrician's Slotted Tip Screwdriver

- Round, Specially Coated Shaft
- Intended to Reduce Possibility of Shorting Wires
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks With Durable Core, Provides a Powerful, and Comfortable Grip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
24016	037103466808	Boxed	5/16 in	6 in	5/16 in	11 in	0.35 lb	6

Series 2000 Cushion Grip, Slotted Tip, Stubby Screwdriver

- Square Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks With Durable Core, Provides a More Powerful, Comfortable Grip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
2343114	037103466419	Boxed	1/4 in	1.25 in	1/4 in	3.125 in	0.10 lb	6

Series 2000 Cushion Grip, Phillips Screwdrivers

- Round Shaft
- Alloy Steel Incorporated Into Blade Extends Tip Life
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks With Durable Core, Provides a Powerful, and Comfortable Grip
- Phillips® is a Registered Trademark of the Phillips Screw Company



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
25013	037103466518	Boxed	#1	3 in	3/16 in	6.75 in	0.15 lb	6
25024	037103466532	Boxed	#2	4 in	1/4 in	8.375 in	0.30 lb	6
2522	037103466587	Boxed	#2	1.25 in	1/4 in	3.125 in	0.15 lb	6
2503	037103466556	Boxed	#3	6 in	5/16 in	11 in	0.35 lb	6
2504	037103466563	Boxed	#4	8 in	3/8 in	13.5 in	0.60 lb	6

CRESCENT Series 2000 Cushion Grip, Scratch Awl

- Round Shaft
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks With Durable Core, Provides a Powerful, and Comfortable Grip



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
2245	037103466396	Bagged	3/32 in	3.875 in	1/4 in	7.625 in	0.20 lb	6

CRESCENT 6-in-1 Interchangeable Bit Screwdriver

- Chrome/Nickel Plated for Longer Life
- Industrial Tool Steel Bits, Heat Treated, Tempered, Stress Relieved



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
CMB6V	037103150936	Boxed	0.36 lb	6

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
-	1/4" Nutdriver Bit	-	#1 Phillips Bit	-	3/16" Slotted Bit
-	5/16" Nutdriver Bit	-	#2 Phillips Bit	-	9/32" Slotted Bit

CRESCENT 4-in-1 Interchangeable Bit Screwdriver

- Chrome/Nickel Plated for Longer Life
- Industrial Tool Steel Bits, Heat Treated, Tempered, Stress Relieved



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
CMB4V	037103150929	Boxed	0.31 lb	6

Cat. No.	Description	Cat. No.	Description
-	#1 Phillips Bit	-	3/16" Slotted Bit
-	#2 Phillips Bit	-	9/32" Slotted Bit

CRESCENT 6 Pc. Precision Screwdriver Set

- Includes Both Slotted and Phillips® Drivers
- Can Be Used for Jewelry Repair, Electronics Repair, and Detailed Work



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
SDPS6	037103203144	Boxed	0.44 lb	4

Wood Handle Scratch Awl

- 3-7/8" Long Steel Shaft
- Wood Handle



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
73	037103463012	Bagged	3/32 in	3.875 in	1/4 in	6.625 in	0.20 lb	6

Pocket Clip Screwdrivers

- Round Shaft
- Pocket Clip on Handle



Cat. No.	UPC No.	Packaging	Tip Size	Blade Length	Blade Diameter	Overall Length	Product Weight	Shelf Pack Qty.
5432	037103464842	Boxed	1/8 in	2 in	1/8 in	4.25 in	0.03 lb	12
550	037103027405	Boxed	#0	2 in	1/8 in	4.25 in	0.03 lb	12

5 Pc. Dual Material, Hollow Shaft Nutdriver Set - SAE

- Chrome Plated Shafts: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Product Weight
CND5SAE	037103256713	Carded	1.74 lb

Cat. No.	Description	Cat. No.	Description
CND1V	Dual Material Hollow Shaft Nutdriver 3/16 x 3"	CND4V	Dual Material Hollow Shaft Nutdriver 3/8 x 3"
CND2V	Dual Material Hollow Shaft Nutdriver 1/4 x 3"	CND5V	Dual Material Hollow Shaft Nutdriver 7/16 x 3"
CND3V	Dual Material Hollow Shaft Nutdriver 5/16 x 3"		

Dual Material, Hollow Shaft Nutdrivers - SAE

- Chrome Plated Shafts: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on a Wall or With an Additional Driver to Create a T-Handle



Cat. No.	UPC No.	Packaging	Fastener Size	Shaft Length	Overall Length	Product Weight	Shelf Pack Qty.
CND1V	037103256768	Carded	3/16 in	3 in	9.45 in	0.21 lb	3
CND2V	037103256775	Carded	1/4 in	3 in	9.45 in	0.22 lb	3
CND3V	037103256782	Carded	5/16 in	3 in	9.45 in	0.23 lb	3
CND4V	037103256799	Carded	3/8 in	3 in	9.45 in	0.26 lb	3
CND5V	037103256805	Carded	7/16 in	3 in	9.45 in	0.30 lb	3
CND6V	037103256812	Carded	1/2 in	3 in	9.45 in	0.32 lb	3