

52-3672 **Specification Sheet**

UNSUPPORTED NEOPRENE GLOVES

PRODUCT DESCRIPTION:

19 mil., blue neoprene over yellow latex, double dipped, fl ock lined, raised diamond grip, 12 in , dozen packed.

- · Neoprene gloves provide superior protection from a wide range of chemicals such as acids, caustics, solvents and oils;
- Raised diamond grip;
- Flock lined;
- Double dipped style provides versatile chemical resistance properties of neoprene and the comfort of latex.

Applications:

Ideal for use in the petrochemical industry, janitorial and general maintenance and photo fi nishing.

TECHNICAL DATA:

Material: Neoprene, natural rubber latex Color: Blue & yellow Cuff Style: Straight cuff Available Sizes: S - XL Packaging: 12 per dozen; 12 dozen per case Case Dimensions (cm): 38 x 35 x 31 / (in): 18.5 x 14.2 x 13.0 $\label{eq:case Weight: (S) 26.5 bs / 12.0 kg (L) 28.2 lbs / 12.8 kg$ (M) 27.3 lbs / 12.4 kg (XL) 29.5 lbs / 13.4 kg Manufacturer Certifications: ISO 9001: 2000 Country of Origin/Harmonization Code: Malaysia/4015.19.1050

PERFORMANCE PROPERTIES:

EN388: 1011 Abrasion = 1; Cut = 0; Tear = 1; Puncture = 1

Elongation Information:

Before Aging		After Accelerated Aging		
Tensile Strength (minimum)	Elongation (minimum)	Tensile Strength (minimum)	Elongation (minimum)	
(Mpa)	%	(Mpa)	%	
15	600	10	500	


BARCODE #	DOZEN	CASE
52-3672/XL	01616314011122	02616314011122
52-3672/L	01616314011115	02616314011115
52-3672/M	01616314011108	02616314011108
52-3672/S	01616314011092	02616314011092



DIMENSIONS:

Size Available	<u>s</u>	M	Ŀ	<u>XL</u>
Over Length (cm) +/-1cm -A	32.0	32.0	32.0	32.0
(in)	12.6	12.6	12.6	12.6
Palm Width (cm) +/-1cm -B	10.0	10.9	11.2	11.6
(in)	3.9	4.3	4.4	4.6
Palm Thickness	().52 mm		

Faill Hildkness	0.52 mm		
Cuff Thickness	0.44 mm		
Finger Tip Thickness	0.70 mm		



CAUTION: This style contains natural rubber latex which may cause allergic reactions. Safe use by or on latex-sensitive individuals has not been established. This document is the property of PIP and the information contained herein is proprietary to PIP.

Protective Industrial Products | 26 Computer Drive East | Albany, NY 12205 Phone: 518-861-0133 | Toll free: 800-262-5755 | Fax: 518-861-0144 | www.pipusa.com | sales@pipusa.com