# SAFETY DATA SHEET

Issuing Date 28-Apr-2015 Revision Date 28-Apr-2015 Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Flex Hone Oil

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Use Only

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Name** Brush Research Manufacturing

Supplier Address 4642 Floral Dr Los Angeles

> CA 90022 US

Supplier Phone Number Phone:3232612193

Contact Phone013232612193

Supplier Email rmiller@brushresearch.com

Emergency telephone number

# 2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation Category 1

GHS Label elements, including precautionary statements

**Emergency Overview** 



#### Signal word

Danger

#### Hazard Statements

Causes serious eye damage



Appearance Clear, amber

Physical State Oil Liquid

Odor Mild olefinic

# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

# **Precautionary Statements - Response**

None

# **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

# **Precautionary Statements - Storage**

None

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

# **Unknown Toxicity**

1.72% of the mixture consists of ingredient(s) of unknown toxicity

# Other information

Causes mild skin irritation Harmful to aquatic life with long lasting effects

# **Interactions with Other Chemicals**

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	40 - 70	*
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	10 - 30	*
Supplier Trade Secret	Proprietary	3 - 7	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures

**General Advice** Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek

immediate medical attention/advice.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get

medical attention if irritation develops and persists.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation.

**Effects** 

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

# **Specific Hazards Arising from the Chemical**

No information available.

Uniform Fire Code Combustible Liquid: III-B

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not touch damaged packages or spilled material.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

**Incompatible Products** Strong oxidizing agents. Strong acids. Strong bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

# **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	5 mg/m³ (as oil mist) 2 mg/m³ (inhalable)	5 mg/m³ (as oil mist)	
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m³, as oil mist, mineral	
Supplier Trade Secret	10 mg/m <sup>3</sup>	TWA: 20 mppcf; ((80)/(% SiO2) mg/m³)	IDLH: 3000 mg/m³ TWA: 6 mg/m³
Supplier Trade Secret	TWA: 2 mg/m³ inhalable fraction and vapor	(vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992)

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tight sealing safety goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Keep away from food, drink and animal feeding stuffs.



Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

Physical StateOil, LiquidAppearanceClear, amberOdorMild olefinicColorNo information availableOdor ThresholdNo information available

**Property** Values Remarks Method рΗ None known Melting / freezing point No data available None known Boiling point / boiling range 190 °C / 374 °F None known 176 C / 349 F **Flash Point** None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air Upper flammability limit No data available Lower flammability limit No data available No data available None known Vapor pressure Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Negligible None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known No data available **Explosive properties Oxidizing Properties** No data available

#### **Other Information**

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data available

**Particle Size Distribution** 

(UL

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

# **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye Contact** Specific test data for the substance or mixture is not available. Severely irritating to eyes.

Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

**Skin Contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	-	= 1780 μL/kg (Rabbit)	-
Supplier Trade Secret	= 890 mg/kg(Rat)	-	-

# Information on toxicological effects

Symptoms Erythema (skin redness). May cause blindness. Burning.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.



# Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. The classification as a carcinogen does not apply as it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	A2	Group 1		Х
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1		х
Supplier Trade Secret		Group 3		
Supplier Trade Secret		Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** No known effect based on information supplied.

Target Organ Effects Eyes. Respiratory system. Skin. Gastrointestinal tract (GI).

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 9,597.00 mg/kg

(U)

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated light naphthenic 64742-53-6		96h LC50: > 5000 mg/L (Oncorhynchus mykiss)		48h EC50: > 1000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		96h LC50: > 5000 mg/L (Oncorhynchus mykiss)		48h EC50: > 1000 mg/L
Supplier Trade Secret	72h EC50: = 6 mg/L (Pseudokirchneriella subcapitata) 72h EC50: > 0.42 mg/L (Desmodesmus subspicatus)	48h LC50: = 5 mg/L (Oryzias latipes)	EC50 = 7.82 mg/L 5 min EC50 = 8.57 mg/L 15 min EC50 = 8.98 mg/L 30 min	

# Persistence and Degradability

No information available.

# **Bioaccumulation**

Chemical Name	Log Pow
Supplier Trade Secret	4.17

# Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

# 14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated



MEX Not regulated

ICAO Not regulated

Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RIDNot regulatedADRNot regulatedADNNot regulated

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name New Jersey Massachusetts Pennsylvania Rhode Island Illinois



Petroleum distillates, hydrotreated light naphthenic		Х		Х
64742-53-6				
Solvent naphtha (petroleum), medium aliphatic	Х			
64742-88-7				

# International Regulations

Component	Carcinogen Status	Exposure Limits
Supplier Trade Secret		Mexico: TWA 10 mg/m <sup>3</sup>
(0.1 - 1)		Mexico: STEL 20 mg/m <sup>3</sup>

# Canada WHMIS Hazard Class D2B - Toxic materials



# **16. OTHER INFORMATION**

NFPA Health Hazards 3 Flammability 1 Instability 0 Physical and

Chemical Hazards - HMIS Health Hazards 3 Flammability 1 Physical Hazard 0 Personal Protection

Х

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 28-Apr-2015

Issuing Date28-Apr-2015Revision Date28-Apr-2015

Revision Note No information available

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

