

FUNDAMENTALS OF EYE PROTECTION

EYE PROTECTION IS DESIGNED TO HELP SHIELD YOUR EYES FROM CERTAIN IMPACTS, DEBRIS, DUST, SPLASHES, AND OTHER POTENTIAL HAZARDS THAT COULD PRESENT SEVERE INJURY TO THE EYES, INCLUDING POTENTIAL BLINDNESS. PIP'S BOUTON® OPTICAL PROVIDES A COMPREHENSIVE LINE OF POTENTIAL SOLUTIONS FOR SAFETY EYEWEAR NEEDS.

SAFETY GLASSES

In addition to temples and nose pads to improve fit and comfort, there are several options also available to meet specific needs:

- **Readers** are available in different diopters and help magnify text so it becomes easier to read.
- **Dielectric Safety Glasses** do not contain any metal components, making them non-conductive for those who are working near or around electricity.
- **Foam-Lined Safety Glasses** seal better against the wearer's face, helping better protect against dust and other small debris. This style of eye protection is not recommended for splash protection.
- **Over-The-Glass (OTG) Safety Glasses** can be worn over prescription eyewear to provide the required protection. Standard eyeglasses cannot act as safety glasses and should not be treated as such.

Once the style of protective eyewear is chosen, the next consideration should be the lens technology for the task at hand. Depending on the work environment and lighting conditions, there are several different options for lenses. This information is detailed in the Bouton® Optical Lens Treatment Quick Guide on the subsequent pages.

GOGGLES & FACE SHIELDS

With goggles, the type of venting required for the work environment is the most critical consideration.

- **Direct Vented** goggles help minimize fogging and should be used when there is no liquid splash risk. Direct vented goggles have straight-line perforations that allow direct airflow from the work environment.
- **Indirect Vented** goggles help minimize fogging and should be used when there is liquid splash risk. Indirect vented goggles have hooded vents to allow indirect airflow from the work environment.
- **Non-Vented** have no openings for airflow or ventilation.

Face shields do just that – they protect the face from debris, such as sparks, or certain impacts. Face shields should not be used as a replacement for safety eyewear, as they are designed to be used in conjunction with eye protection products. Face shields can be worn with standard head gear or they can be fitted on your hard hat with the assistance of an adapter.

156 LENS TECHNOLOGIES

158 SAFETY GLASSES

180 SAFETY GOGGLES

184 FACE PROTECTION

184 ACCESSORIES

bouton
OPTICAL

ALL BOUTON SAFETY EYEWEAR MEETS OR EXCEEDS
ANSI Z87.1 STANDARDS FOR IMPACT PROTECTION

EYE & FACE PROTECTION

SAFETY GLASSES

LENS TREATMENTS

REDISCOVER BOUTON® OPTICAL

Over 60 years ago, HL Bouton Co. began producing eyewear for American industrial workers with one thing in mind: give workers safety glasses that they want to wear.

Now HL Bouton Co. has been reinvented, and Bouton® Optical by PIP has elevated safety eyewear to new levels of comfort because

**YOU'VE GOT A JOB TO DO
AND BOUTON® OPTICAL
HELPS YOU DO IT SAFELY.**



Anti-Reflective REDUCE REFLECTION AND GLARE

Anti-Reflective lens coating will reduce reflection and glare, which can be particularly noticeable when working indoors, or in conditions with multiple light sources: night driving, quality control and inspection, repair/maintenance. Users with standard lenses will likely experience eye fatigue as the work day continues, usually resulting in reduced attentiveness and productivity. Bouton Optical Anti-Reflective coating is deposited on both the front and back surfaces of the lens and allows for up to 96% of visible light transmission (VLT) to pass through the lens. When compared to the 88% to 90% VLT for a standard clear polycarbonate lens, this increased light transmission results better visual acuity for workers doing precision work.




I/O Blue ALLEVIATE DIGITAL EYE STRAIN

Bouton Optical's Indoor/Outdoor Blue Lens is a proprietary engineered lens that combines a slight yellow tint and a mirror coating, working in tandem to alleviate and help to prevent digital eye strain. The light yellow tint blocks the harsh blue light emitted from electronic screens and the slight mirror coating on the outside reduces glare from overhead lighting. With 55% VLT, it is ideal for situations where workers may be going from indoors to outdoors where it reduces the amount of time necessary for the pupil to readjust. The I/O Blue Lens will also filter out much of the harsh near UV blue light associated with tablets and other electronic screened devices.

BOUTON® OPTICAL LENS TREATMENT QUICK GUIDE

LENS TREATMENT	VISIBLE LIGHT TRANSMISSION	DESCRIPTION	BENEFITS
ANTI-REFLECTIVE	96% (clear)	Surface coating that diffuses reflection from front or back	Diffuses reflections that bounce off lens into the eye, applied on both sides - improved night driving.
INDOOR/OUTDOOR BLUE	55%	Slight yellow tint + light mirror coating	Alleviates "digital eye strain" from screens, ideal for anyone working extended periods with computer screens or electronic devices.
GRADIENT	30 - 90%	Mirror coating on top, clearer on bottom of lens	Reduces glare from powerful overhead lights, ideal for indoor lighting or outside with the sun directly overhead. All indoor/outdoor jobs.
MIRROR PLUS	10 - 18%	Mirror coating on front, Anti-Reflective coating on back	Darkening effect of mirror + reduction in reflections. Outdoor jobs including professional drivers.
POLARIZED	12%	Built into lens, blocks horizontally angled light	Ultimate glare reduction in water environments and in sunny conditions. Road workers, marine and air piloting.

bouton
OPTICAL



Gradient

REDUCE OVERHEAD LIGHT GLARE

Gradient tint lenses have a slight mirror coating on the top portion of the lens. This tint reduces glare from high-powered overhead fluorescent and mercury lighting helping to minimize squinting eye strain while helping to increase productivity. Gradient tint lenses provide good protection from overhead light but fade out at the bottom half of the lens. As a result, workers are still able to see clearly when looking straight ahead or down at their work. Gradient is an ideal choice when working indoors around machinery.



Mirror Plus

PROTECT FROM BRIGHT SUNLIGHT

Adding a mirror coating to the front of a lens will “deflect” a significant amount of sunlight away from the wearers’ eyes, reducing glare 10% to 15% more than a tinted lens can alone. Using an Anti-Reflective treatment on the backside of a mirrored lens will make the lens darker by reducing the light reflecting into the eye. This combination of a mirror coating and Anti-Reflective treatment provides the optimal lens technology for the bright outdoor work environment.



Polarized

ENHANCE VISION OUTDOORS

A polarized lens works much like a venetian blind in that it only allows light to enter at a controlled angle. Glare is caused by scattered light. It can be magnified by reflecting off flat surfaces such as water, pavement and snow. Reflected light from smooth surfaces is usually horizontally polarized and use a vertically oriented filter to block the scattered horizontal light. Coupled with the optimal tint, workers outdoors will experience reduced squinting fatigue and greatly enhanced vision.

LENS TREATMENT	VISIBLE LIGHT TRANSMISSION	DESCRIPTION	BENEFITS
ANTI-SCRATCH	N/A	"Hardcoat" treatment toughens lens surface	Longer product life with fewer scratches.
ANTI-FOG	N/A	Surface coating that reduces fogging	Maintains clear vision. Ideal for food plants or cleaning operations with high-humidity environments.
INDOOR/OUTDOOR	40%	Light mirror coating on clear lens	Enough light transmission for use indoors, reduces pupil adjustment time. Ideal for indoor-outdoor workers.
MIRROR	10-18%	Front surface coating reflects light from lens	Less light transmission for a darkening effect, great in bright environments: snow, sand, rocks, water.

LENS COLOR	VISIBLE LIGHT TRANSMISSION	DESCRIPTION	BENEFITS
<input type="checkbox"/> CLEAR	90%	Clear polycarbonate lens	No color distortion, all polycarbonate has 99.9% UV absorption. General use.
<input checked="" type="checkbox"/> AMBER	82%	Polycarbonate made of bright amber/yellow color	Enhances visual acuity. Ideal for professional drivers in foggy, rainy or snowy conditions.
<input checked="" type="checkbox"/> LIGHT BLUE	58%	Light blue tinted polycarbonate	Relieves eye strain from bright, overhead fluorescent lighting.
<input checked="" type="checkbox"/> GRAY	12%	Gray polycarbonate lens	Darkening effect with little color distortion, best used outdoors in bright sun.
<input checked="" type="checkbox"/> DARK BROWN	12%	Brown polycarbonate lens	Darkening effect with improved color contrast. Best used outdoors in nature - green colors enhanced.
<input checked="" type="checkbox"/> IR FILTER SHADE 3.0	10%	Dark green polycarbonate lens	Protection from welding arc and IR light. Not to be used for welding or when operating vehicles.
<input checked="" type="checkbox"/> IR FILTER SHADE 5.0	2%	Dark green polycarbonate lens	Protection from welding arc and IR light. Not to be used for welding or when operating vehicles.

SAFETY GLASSES

BOUTON® OPTICAL - ZENON SERIES

LIGHTWEIGHT
RIMLESS DESIGN


THIN & FLEXIBLE
TEMPLES

ZENON SERIES

#1 VALUE

FOR SAFETY & COMFORT

bouton
OPTICAL



ZENON Z12


KEY FEATURE	Popular Style fits most workers and applications		
FIT	Universal		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	9.5		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i> 🍁	
STYLE NUMBER	LENS	COATING	FRAME
250-01-0000	■ Clear	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-01-0001	■ Gray	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-01-0002	■ In/Outdoor	Anti-Scratch	<input type="checkbox"/> Black
250-01-0004	■ Orange	Anti-Scratch	<input type="checkbox"/> Black
250-01-0005	■ Silver Mirror	Anti-Scratch	<input type="checkbox"/> Black
250-01-0020	■ Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-01-0021	■ Gray	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-01-0080	■ Clear	Uncoated	<input type="checkbox"/> Black
250-01-5503	■ Light Blue	Anti-Scratch	<input type="checkbox"/> Light Blue
250-01-5504	■ Dark Brown	Anti-Scratch	<input type="checkbox"/> Dark Brown
250-01-5509	■ Amber	Anti-Scratch	<input type="checkbox"/> Amber
250-01-0900	■ Clear	Anti-Scratch	<input type="checkbox"/> Clear 🍁
250-01-0902	■ In/Outdoor	Anti-Scratch	<input type="checkbox"/> Clear
250-01-0920	■ Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Clear
250-01-0980	■ Clear	Uncoated	<input type="checkbox"/> Clear

ZENON Z12F - FOAM LINED

STYLE NUMBER	LENS	COATING	FRAME
250-01-F020	■ Clear	Anti-Scratch /Anti-Fog	<input type="checkbox"/> Black
250-01-F021	■ Gray	Anti-Scratch /Anti-Fog	<input type="checkbox"/> Black
250-01-F022	■ In/Outdoor	Anti-Scratch /Anti-Fog	<input type="checkbox"/> Black

SAFETY GLASSES

BOUTON® OPTICAL - ZENON SERIES



NARROW
FIT



RUBBER
TEMPLE TIPS



RUBBER
TEMPLE TIPS

RUBBER
NOSE BRIDGE

ZENON Z11SM

KEY FEATURE	Redesigned Z12 for Narrower Faces		
FIT	Narrow		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-00-0000	■ Clear	Anti-Scratch	■ Black
250-00-0020	■ Clear	Anti-Scratch & Fog	■ Clear
250-00-0001	□ Gray	Anti-Scratch	■ Black
250-00-0002	■ In/Outdoor	Anti-Scratch	■ Black
250-00-0900	■ Clear	Anti-Scratch	■ Clear
250-00-0920	■ Clear	Anti-Scratch & Fog	■ Black

ZENON Z13

KEY FEATURE	Flexible rubber temples		
FIT	Universal		
BRIDGE	Molded		
TEMPLE	Rubber Tips		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i> 🍁	
STYLE NUMBER	LENS	COATING	FRAME
250-06-0000	■ Clear	Anti-Scratch	■ Clear 🍁
250-06-0002	■ In/Outdoor	Anti-Scratch	■ Clear
250-06-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Clear
250-06-0080	■ Clear	Uncoated	■ Clear
250-06-0005	■ Silver	Anti-Scratch	■ Black
250-06-0006	■ Blue Mirror	Anti-Scratch	■ Black
250-06-5501	□ Gray	Anti-Scratch	□ Dark Gray 🍁
250-06-5521	□ Gray	Anti-Scratch/Anti-Fog	□ Dark Gray
250-06-5503	■ Light Blue	Anti-Scratch	■ Light Blue
250-06-5504	■ Dark Brown	Anti-Scratch	■ Dark Brown
250-06-5509	■ Amber	Anti-Scratch	■ Amber

ZENON Z14SN

KEY FEATURE	Flexible rubber temples and comfortable rubber nose bridge		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Rubber Tips		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-08-0000	■ Clear	Anti-Scratch	■ Clear
250-08-0002	■ In/Outdoor	Anti-Scratch	■ Clear
250-08-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Clear
250-08-0001	□ Gray	Anti-Scratch	■ Black
250-08-0005	■ Silver Mirror	Anti-Scratch	■ Black
250-08-0021	□ Gray	Anti-Scratch/Anti-Fog	□ Gray
250-08-5503	■ Light Blue	Anti-Scratch	■ Light Blue
250-08-5509	■ Amber	Anti-Scratch/Anti-Fog	■ Amber

LIGHTWEIGHT &

UNOBSTRUCTED PERIPHERAL VISION

SAFETY GLASSES

BOUTON® OPTICAL - EVA® SERIES



A PORTION OF ALL PROCEEDS FROM OUR EVA® EYEWEAR IS PROUDLY DONATED TO THE **AMERICAN CANCER SOCIETY**.

Breast cancer has impacted everyone in one way or another and Eva® eyewear provides a great venue to promote awareness. Perhaps one more woman in the workplace will get a mammogram because she sees the pink ribbons on all of her co-workers' glasses. PIP has partnered with the American Cancer Society® and donates a portion of all proceeds to assist in finding a cure for breast cancer. Please help PIP support this wonderful cause as we provide a VISION FOR A CAUSE!

EVA SERIES

DESIGNED TO





bouton
OPTICAL

SAFETY GLASSES

BOUTON® OPTICAL - EVA® SERIES



EVA®

KEY FEATURE	Safety eyewear designed specifically for women		
FIT	Women		
BRIDGE	Molded		
TEMPLE	Rubber Tips		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+ CSA Z94.3 - <i>Styles Indicated Below</i> 		
STYLE NUMBER	LENS	COATING	FRAME
250-10-0900	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink 
250-10-0920	<input type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	<input checked="" type="checkbox"/> Clear/Pink
250-10-0904	<input checked="" type="checkbox"/> Pink	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink 
250-10-5501	<input checked="" type="checkbox"/> Gray	Anti-Scratch	<input checked="" type="checkbox"/> Gray/Pink 



EVA® PETITE

KEY FEATURE	Women's style designed for slender faces		
FIT	Women		
BRIDGE	Molded		
TEMPLE	Rubber Tips		
BASE CURVE	11		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-11-0900	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink
250-11-0920	<input type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	<input checked="" type="checkbox"/> Clear/Pink
250-11-0904	<input checked="" type="checkbox"/> Pink	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink
250-11-5501	<input checked="" type="checkbox"/> Gray	Anti-Scratch	<input checked="" type="checkbox"/> Gray/Pink



LADY EVA® READER

KEY FEATURE	Safety readers engineered for Women			
FIT	Women			
BRIDGE	Molded			
TEMPLE	Rubber Tips			
BASE CURVE	10			
STANDARDS MET	ANSI Z87.1+			
STYLE NUMBER	LENS	COATING	FRAME	DIOPTRER
250-12-0100	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.00
250-12-0125	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.25
250-12-0150	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.50
250-12-0175	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.75
250-12-0200	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.00
250-12-0225	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.25
250-12-0250	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.50
250-12-0275	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.75
250-12-0300	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	3.00

FIT WOMEN

SHOW YOUR SUPPORT

SAFETY GLASSES

BOUTON® OPTICAL - OVER-THE-GLASS

LIGHTWEIGHT
RIMLESS DESIGN

VENTED
TEMPLES

bouton
OPTICAL

OVER-THE-GLASS STYLES

FIT OVER

PRESCRIPTION EYEWEAR



SCOUT

KEY FEATURE	Popular Visitor spec designed to fit over all personal glasses		
FIT	Over-The-Glass		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	4		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i> 🍁	
STYLE NUMBER	LENS	COATING	FRAME
250-99-0900	■ Clear	Anti-Scratch	■ Clear 🍁
250-99-0901	■ Gray	Anti-Scratch	■ Gray
250-99-0980	■ Clear	Uncoated	■ Clear

FITS OVER MOST PRESCRIPTION EYEWEAR OR USE AS A VISITOR SPECTACLE

**RANGER**

KEY FEATURE	Slimmer design fits over smaller personal eyewear		
FIT	Over-The-Glass		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	6		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-37-0900	■ Clear	Anti-Scratch	■ Clear
250-37-0980	■ Clear	Uncoated	■ Clear

**ZENON Z28**

KEY FEATURE	OTG design with adjustable length temples		
FIT	Over-The-Glass		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	4		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-03-0000	■ Clear	Anti-Scratch	□ Black
250-03-0001	■ Gray	Anti-Scratch	□ Black
250-03-0080	■ Clear	Uncoated	□ Black

**OVERSITE**

KEY FEATURE	Fully adjustable OTG design for a customized fit		
FIT	Over-The-Glass		
BRIDGE	Molded		
TEMPLE	Fully adjustable, Co-molded		
BASE CURVE	3		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-98-0080	■ Clear	Uncoated	□ Black/ Gray
250-98-0000	■ Clear	Anti-Scratch	□ Black/ Gray
250-98-0013	■ IR Filter 3.0	Anti-Scratch	□ Black/ Gray
250-98-0020	■ Clear	Anti-Scratch/Anti-Fog	□ Black/ Gray

SAFETY GLASSES

BOUTON® OPTICAL - RIMLESS

bouton
OPTICAL

RIMLESS

SUPERIOR

SAFETY, COMFORT & ENHANCED



WILCO

KEY FEATURE	Panoramic view with adjustable length temples		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Adjustable Spatula		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i> 🍁	
STYLE NUMBER	LENS	COATING	FRAME
250-92-0000	<input checked="" type="checkbox"/> Clear	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-92-0001	<input type="checkbox"/> Gray	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-92-0002	<input checked="" type="checkbox"/> In/Outdoor	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-92-0005	<input checked="" type="checkbox"/> Silver Mirror	Anti-Scratch	<input type="checkbox"/> Black
250-92-0009	<input checked="" type="checkbox"/> Amber	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-92-0020	<input checked="" type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black 🍁
250-92-0021	<input type="checkbox"/> Gray	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black



RUBBER
NOSE BRIDGE

PULSE

KEY FEATURE	Style and User Comfort in a Lightweight Design		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	9.75		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-49-0000	■ Clear	Anti-Scratch	■ Clear
250-49-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Clear
250-49-0021	□ Gray	Anti-Scratch/Anti-Fog	□ Gray
250-49-0022	■ In/Outdoor	Anti-Scratch/Anti-Fog	■ In/Outdoor



« DIRECTIONAL FLEX »
TECHNOLOGY

DIRECT FLEX

KEY FEATURE	Special Temple Design Adapts to Any Head Size		
FIT	Round		
BRIDGE	Molded		
TEMPLE	Molded		
BASE CURVE	12		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-29-0000	■ Clear	Anti-Scratch	■ Black
250-29-0001	□ Gray	Anti-Scratch	■ Black
250-29-0003	□ Light Blue	Anti-Scratch	■ Black
250-29-0009	■ Amber	Anti-Scratch	■ Black
250-29-0002	■ In/Outdoor	Anti-Scratch	■ Black
250-29-0005	□ Silver Mirror	Anti-Scratch	■ Black
250-29-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Black
250-29-0021	□ Gray	Anti-Scratch/Anti-Fog	■ Black

FEATURES



« DIRECTIONAL FLEX TECHNOLOGY »

UNIQUE TEMPLES FLEX
TO FIT LARGER HEADS



SAFETY GLASSES

BOUTON® OPTICAL - RIMLESS



RUBBER
NOSE BRIDGE

MONTERAY II

KEY FEATURE	Modern squared lens design with rubber temples and bridge		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Rubber Tips		
BASE CURVE	9.75		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-MT-10070	<input type="checkbox"/> Clear	Anti-Scratch	■ Black
250-MT-10071	<input type="checkbox"/> Clear	Anti-Scratch & Fog	■ Black
250-MT-10072	<input type="checkbox"/> Gray	Anti-Scratch	■ Black
250-MT-10074	<input type="checkbox"/> Amber	Anti-Scratch	■ Black
250-MT-10075	<input type="checkbox"/> In/Outdoor	Anti-Scratch	■ Black



« UNIQUE TEMPLE »
DESIGN

TRANZMISSION

KEY FEATURE	Wraparound Style and Special Temple Design for Comfort		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Rubber Tips		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-71-0000	<input type="checkbox"/> Clear	Anti-Scratch	■ Black
250-71-0002	<input type="checkbox"/> In/Outdoor	Anti-Scratch	■ Black
250-71-0020	<input type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	■ Black
250-71-0001	<input type="checkbox"/> Gray	Anti-Scratch	■ Black
250-71-0003	<input type="checkbox"/> Light Blue	Anti-Scratch	■ Black
250-71-0005	<input type="checkbox"/> Silver Mirror	Anti-Scratch	■ Black
250-71-0021	<input type="checkbox"/> Gray	Anti-Scratch/Anti-Fog	■ Black

LIGHTWEIGHT FOR
ALL DAY COMFORT

PREMIUM
ULTIMATE

PREMIUM




PREMIUM RIMLESS

PROTECTED EYE

COMFORT & STYLE

SAFETY GLASSES

BOUTON® OPTICAL - PREMIUM RIMLESS



BULLSEYE

KEY FEATURE	Modern Design Available in a Variety of Lenses		
FIT	Round		
BRIDGE	Molded		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	9		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-31-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Clear
250-31-0021	■ Gray	Anti-Scratch/Anti-Fog	■ Gray
250-31-0023	■ Light Blue	Anti-Scratch/Anti-Fog	■ Light Blue
250-31-0029	■ Amber	Anti-Scratch/Anti-Fog	■ Amber
250-31-0010	■ Clear	Anti-Reflective/ Anti-Scratch	■ Clear
250-31-0026	■ Blue Mirror	Anti-Scratch/Anti-Fog	■ Gray
250-31-0226	■ In/Outdoor	Anti-Scratch/Anti-Fog	■ Brown
250-31-0031	■ Gradient	Anti-Scratch/Anti-Fog	■ Clear



RADAR

KEY FEATURE	Single Lens Design with Co-Molded Temples		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Co-molded		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-45-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Gray
250-45-0021	■ Gray	Anti-Scratch/Anti-Fog	■ Gray
250-45-0010	■ Clear	Anti-Reflective/ Anti-Scratch	■ Gray
250-45-0226	■ In/Outdoor	Anti-Scratch/Anti-Fog	■ Gray
250-45-1020	■ Clear	Anti-Scratch/Anti-Fog	■ Red
250-45-1021	■ Gray	Anti-Scratch/Anti-Fog	■ Red
250-45-1010	■ Clear	Anti-Reflective/ Anti-Scratch	■ Red
250-45-1226	■ In/Outdoor	Anti-Scratch/Anti-Fog	■ Red

bouton
OPTICAL

SAFETY GLASSES

BOUTON® OPTICAL - PREMIUM RIMLESS

20% GREATER
FIELD OF VISION
THAN STANDARD MODELS



Q-VISION

KEY FEATURE	Wide Field of Vision Gives Excellent Protection		
FIT	Round		
BRIDGE	Rubber		
TEMPLE	Bayonet, Co-molded		
BASE CURVE	9.75		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-36-0020	■ Clear	Anti-Scratch/Anti-Fog	☑ Burgundy
250-36-0021	□ Gray	Anti-Scratch/Anti-Fog	☑ Burgundy
250-36-0010	■ Clear	Anti-Reflective/ Anti-Scratch	☑ Burgundy
250-36-0025	■ Silver Mirror	Anti-Scratch/Anti-Fog	☑ Burgundy
250-36-0226	■ I/O Blue	Anti-Scratch/Anti-Fog	☑ Burgundy
250-36-1020	■ Clear	Anti-Scratch/Anti-Fog	☑ Lime
250-36-1021	□ Gray	Anti-Scratch/Anti-Fog	☑ Lime
250-36-1010	■ Clear	Anti-Reflective/ Anti-Scratch	☑ Lime
250-36-1226	■ I/O Blue	Anti-Scratch/Anti-Fog	☑ Lime



SAFETY GLASSES

BOUTON® OPTICAL - PREMIUM RIMLESS



RECON

KEY FEATURE	Thin, Flexible Temples in a Non-Slip Design		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	9		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-32-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Clear
250-32-0021	□ Gray	Anti-Scratch/Anti-Fog	■ Gloss Black
250-32-0010	■ Clear	Anti-Reflective/ Anti-Scratch	■ Clear
250-32-0226	■ In/Outdoor	Anti-Scratch/Anti-Fog	■ Brown
250-32-0031	■ Gradient	Anti-Scratch/Anti-Fog	■ Gloss Black



CAPTAIN

KEY FEATURE	Contemporary Styling with Bayonet Temples for Excellent Fit		
FIT	Narrow		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-46-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Clear
250-46-0021	□ Gray	Anti-Scratch/Anti-Fog	□ Gray
250-46-0010	■ Clear	Anti-Reflective/ Anti-Scratch	■ Clear
250-46-0226	■ In/Outdoor	Anti-Scratch/Anti-Fog	■ Brown



SUPERSONIC

KEY FEATURE	Fully Adjustable Temples, and an Optional Dust Goggle Kit		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Fully Adjustable, Rubber Tips		
BASE CURVE	9		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-34-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Black
250-34-0021	□ Gray	Anti-Scratch/Anti-Fog	■ Black
250-34-0010	■ Clear	Anti-Reflective/ Anti-Scratch	■ Black
250-34-0226	■ I/O Blue	Anti-Scratch/Anti-Fog	■ Black
250-34-0031	■ Gradient	Anti-Scratch/Anti-Fog	■ Black
250-34-FOAM	--	Foam/Strap Kit	■ Black



bouton
OPTICAL

ADVANCED DESIGN &

EXTREME COMFORT



FOAM/STRAP KIT

SOLD SEPARATELY

SAFETY GLASSES

BOUTON® OPTICAL - READERS



ZENON Z12 READERS

KEY FEATURE	Reader version of the popular Z12 style in +0.25 diopters			
FIT	Universal			
BRIDGE	Rubber			
TEMPLE	Spatula, Co-Molded			
BASE CURVE	10			
STANDARDS MET	ANSI Z87.1+			

STYLE NUMBER	LENS	COATING	FRAME	DIOPTER
250-27-0010	Clear	Anti-Scratch	Clear	1.00
250-27-0012	Clear	Anti-Scratch	Clear	1.25
250-27-0015	Clear	Anti-Scratch	Clear	1.50
250-27-0017	Clear	Anti-Scratch	Clear	1.75
250-27-0020	Clear	Anti-Scratch	Clear	2.00
250-27-0022	Clear	Anti-Scratch	Clear	2.25
250-27-0025	Clear	Anti-Scratch	Clear	2.50
250-27-0025	Clear	Anti-Scratch	Clear	2.75
250-27-0030	Clear	Anti-Scratch	Clear	3.00
250-27-0115	Gray	Anti-Scratch	Gray	1.50
250-27-0120	Gray	Anti-Scratch	Gray	2.00
250-27-0125	Gray	Anti-Scratch	Gray	2.50
250-27-0130	Gray	Anti-Scratch	Gray	3.00



ZENON Z13 READERS

KEY FEATURE	Reader Version of the Popular Z13 style in +0.25 Diopters			
FIT	Universal			
BRIDGE	Molded			
TEMPLE	Rubber Tips			
BASE CURVE	10			
STANDARDS MET	ANSI Z87.1+			

STYLE NUMBER	LENS	COATING	FRAME	DIOPTER
250-26-0010	Clear	Anti-Scratch	Clear	1.00
250-26-0012	Clear	Anti-Scratch	Clear	1.25
250-26-0015	Clear	Anti-Scratch	Clear	1.50
250-26-0017	Clear	Anti-Scratch	Clear	1.75
250-26-0020	Clear	Anti-Scratch	Clear	2.00
250-26-0022	Clear	Anti-Scratch	Clear	2.25
250-26-0025	Clear	Anti-Scratch	Clear	2.50
250-26-0030	Clear	Anti-Scratch	Clear	3.00

RUBBER
TEMPLE TIPS

STAY

SAFE

WITH THE

bouton
OPTICAL

 **READING MAGNIFIERS**

SAFETY GLASSES

BOUTON® OPTICAL - READERS



LADY EVA® READER

KEY FEATURE	Safety readers engineered for Women			
FIT	Women			
BRIDGE	Molded			
TEMPLE	Rubber Tips			
BASE CURVE	10			
STANDARDS MET	ANSI Z87.1+			
STYLE NUMBER	LENS	COATING	FRAME	DIOPTER
250-12-0100	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.00
250-12-0125	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.25
250-12-0150	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.50
250-12-0175	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	1.75
250-12-0200	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.00
250-12-0225	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.25
250-12-0250	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.50
250-12-0275	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	2.75
250-12-0300	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Clear/Pink	3.00



RUBBER
NOSE BRIDGE

MAG READERS

KEY FEATURE	Safety Readers in a Semi-Rimless Design			
FIT	Universal			
BRIDGE	Rubber			
TEMPLE	Rubber Tips			
BASE CURVE	8			
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - Styles Indicated Below		🍁
STYLE NUMBER	LENS	COATING	FRAME	DIOPTER
250-25-0010	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Black	1.00 🍁
250-25-0015	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Black	1.50 🍁
250-25-0020	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Black	2.00 🍁
250-25-0025	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Black	2.50 🍁
250-25-0030	<input type="checkbox"/> Clear	Anti-Scratch	<input checked="" type="checkbox"/> Black	3.00 🍁
250-25-0115	<input type="checkbox"/> Gray	Anti-Scratch	<input checked="" type="checkbox"/> Black	1.50
250-25-0120	<input type="checkbox"/> Gray	Anti-Scratch	<input checked="" type="checkbox"/> Black	2.00
250-25-0125	<input type="checkbox"/> Gray	Anti-Scratch	<input checked="" type="checkbox"/> Black	2.50
250-25-0130	<input type="checkbox"/> Gray	Anti-Scratch	<input checked="" type="checkbox"/> Black	3.00

DOUBLE MAG READERS - TOP & BOTTOM DIOPTER

STYLE NUMBER	LENS	COATING	FRAME	DIOPTER
250-25-1515	<input type="checkbox"/> Clear	Anti-Scratch/ Fog	<input checked="" type="checkbox"/> Black	1.50
250-25-2020	<input type="checkbox"/> Clear	Anti-Scratch/ Fog	<input checked="" type="checkbox"/> Black	2.00
250-25-2525	<input type="checkbox"/> Clear	Anti-Scratch/ Fog	<input checked="" type="checkbox"/> Black	2.50



HYBRID

FUSELAGE READERS

KEY FEATURE	Top selling Fuselage Dust Goggle in a Reader Version			
FIT	Universal			
BRIDGE	Rubber			
TEMPLE	Bayonet, Rubber Tips			
BASE CURVE	8			
STANDARDS MET	ANSI Z87.1+			
STYLE NUMBER	LENS	COATING	FRAME	DIOPTER
250-51-0015	<input type="checkbox"/> Clear	Anti-Scratch/Fog	<input checked="" type="checkbox"/> Black	1.50
250-51-0020	<input type="checkbox"/> Clear	Anti-Scratch/Fog	<input checked="" type="checkbox"/> Black	2.00
250-51-0025	<input type="checkbox"/> Clear	Anti-Scratch/Fog	<input checked="" type="checkbox"/> Black	2.50
250-51-0030	<input type="checkbox"/> Clear	Anti-Scratch/Fog	<input checked="" type="checkbox"/> Black	3.00



DUST GOGGLE STRAP INCLUDED

READING POWER OF YOUR GLASSES

SAFETY GLASSES

BOUTON® OPTICAL - SEMI-RIMLESS



RUBBER
NOSE BRIDGE



CUSTOM IMPRINTED EYEWEAR

PIP has the ability to custom imprint your logo and/or personalized message onto our safety eyewear. Most styles can be printed on the temples or the lenses.

Imprinted eyewear has many benefits. Using your logo or brand promotes corporate identity, is proven to reduce leakage, and saves costs in the long run.

FOR MORE INFORMATION,
FOLLOW THE QR CODE
BELOW, OR VISIT
WWW.PIPUSA.COM



HI-VOLTAGE ARC

KEY FEATURE	Economic Eye Protection with Adjustable Length Temples		
FIT	Universal		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	4		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-24-0000	■ Clear	Anti-Scratch	□ Black
250-24-0001	■ Gray	Anti-Scratch	□ Black
250-24-0080	■ Clear	Uncoated	□ Black
250-24-0300	■ Clear	Anti-Scratch	■ Red White Blue
250-24-0301	■ Gray	Anti-Scratch	■ Red White Blue

HI-VOLTAGE AC

KEY FEATURE	Contemporary Styling with Bayonet Temples for Excellent Fit		
FIT	Narrow		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	10		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i> 🍁	
STYLE NUMBER	LENS	COATING	FRAME
250-21-0100	■ Clear	Anti-Scratch	■ Blue 🍁
250-21-0101	■ Gray	Anti-Scratch	■ Blue 🍁
250-21-0102	■ In/Outdoor	Anti-Scratch	■ Blue
250-21-0120	■ Clear	Anti-Scratch/Anti-Fog	■ Blue
250-21-0400	■ Clear	Anti-Scratch	□ Black 🍁
250-21-0401	■ Gray	Anti-Scratch	□ Black 🍁
250-21-0402	■ In/Outdoor	Anti-Scratch	□ Black
250-21-0403	■ Light Blue	Anti-Scratch	□ Black
250-21-0409	■ Amber	Anti-Scratch	□ Black
250-21-0420	■ Clear	Anti-Scratch/Anti-Fog	□ Black
250-21-0421	■ Gray	Anti-Scratch/Anti-Fog	□ Black

SAFETY GLASSES

BOUTON® OPTICAL - SEMI-RIMLESS



COMMANDER

KEY FEATURE	Comfortable with a Variety of Technical Treatments		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	9.5		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - All Styles Below	
STYLE NUMBER	LENS	COATING	FRAME
250-33-0020	■ Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-33-0021	<input type="checkbox"/> Gray	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-33-0010	■ Clear	Anti-Reflective/ Anti-Scratch	<input type="checkbox"/> Black
250-33-0226	■ I/O Blue	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-33-0041	<input type="checkbox"/> Polarized Gray	Anti-Scratch	<input type="checkbox"/> Black
250-33-1020	■ Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Bronze
250-33-1024	<input type="checkbox"/> Gray	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Bronze
250-33-1010	■ Clear	Anti-Reflective/ Anti-Scratch	<input type="checkbox"/> Bronze
250-33-1226	■ I/O Blue	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Bronze
250-33-1042	<input type="checkbox"/> Polarized Brown	Anti-Scratch	<input type="checkbox"/> Bronze

bouton
OPTICAL

SEMI-RIMLESS

COMMAND

ATTENTION

SAFETY GLASSES

BOUTON® OPTICAL - SEMI-RIMLESS

FEATURING UNIQUE
FOLDING TEMPLES



#1 STYLE ON THE MARKET

« UNIQUE TEMPLE »
DESIGN



ANSER

KEY FEATURE	Unique Folding Temples and a Large Variety of Lenses		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	9		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-AN-10110	■ Clear	Anti-Scratch	■ Black
250-AN-10111	■ Clear	Anti-Scratch/Anti-Fog	■ Black
250-AN-10112	□ Gray	Anti-Scratch	■ Black
250-AN-10113	■ Light Blue	Anti-Scratch	■ Black
250-AN-10114	■ In/Outdoor	Anti-Scratch	■ Black
250-AN-10115	■ Blue Mirror	Anti-Scratch	■ Black
250-AN-10116	■ Red Mirror	Anti-Scratch	■ Black
250-AN-10118	■ IR Filter 3.0	Anti-Scratch	■ Black
250-AN-10119	■ IR Filter 5.0	Anti-Scratch	■ Black
250-AN-10120	■ Amber	Anti-Scratch	■ Black
250-AN-10125	■ Silver Mirror	Anti-Scratch	■ Black
250-AN-10126	□ Gray	Anti-Scratch/Anti-Fog	■ Black
250-AN-10117	□ Gray	Anti-Scratch	■ Red
250-AN-10121	■ Brown	Anti-Scratch	■ Camouflage
250-AN-10122	■ Amber	Anti-Scratch	■ Camouflage
250-AN-10123	□ Gray	Anti-Scratch	■ Camouflage
250-AN-10124	■ Brown	Anti-Scratch/Anti-Fog	■ Camouflage
250-AN-10127	■ Amber	Anti-Scratch/Anti-Fog	■ Camouflage
250-AN-10128	■ Silver Mirror	Anti-Scratch	■ Camouflage
250-AN-10130	■ Clear	Anti-Scratch	■ Camouflage
250-AN-10131	■ Clear	Anti-Scratch/Anti-Fog	■ Camouflage

SAFETY GLASSES

BOUTON® OPTICAL - SEMI-RIMLESS

SPORTY SEMI-RIMLESS DESIGN

WRAPAROUND LENS FOR EXCELLENT SIDE COVERAGE

RUBBER NOSE BRIDGE

bouton
OPTICAL

SEMI-RIMLESS

SUPERIOR

SAFETY, COMFORT & SLEEK
WRAPAROUND LENS DESIGN



ADVERSARY

KEY FEATURE	Popular Wraparound Design Fits a Variety of Users		
FIT	Round		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i> 🍁	
STYLE NUMBER	LENS	COATING	FRAME
250-28-0000	■ Clear	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-28-0001	■ Gray	Anti-Scratch	<input type="checkbox"/> Black 🍁
250-28-0002	■ In/Outdoor	Anti-Scratch	<input type="checkbox"/> Black
250-28-0003	■ Light Blue	Anti-Scratch	<input type="checkbox"/> Black
250-28-0006	■ Silver Mirror	Anti-Scratch	<input type="checkbox"/> Black
250-28-0009	■ Amber	Anti-Scratch	<input type="checkbox"/> Black
250-28-0020	■ Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-28-0021	■ Gray	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black

SAFETY GLASSES

BOUTON® OPTICAL - SEMI-RIMLESS



BLIZZARD

KEY FEATURE	Sporty White Frame Stands Out When Working Outdoors		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+ CSA Z94.3 - All Styles Below		
STYLE NUMBER	LENS	COATING	FRAME
250-48-0021	■ Gray	Anti-Scratch/Anti-Fog	■ White
250-48-0006	■ Blue Mirror	Anti-Scratch	■ White
250-48-0226	■ I/O Blue	Anti-Scratch/Anti-Fog	■ White



SIDE SHIELD PROTECTION

TRADITIONAL SPECTACLE

KEY FEATURE	Classic Styling in a Durable Propionate Frame		
FIT	Universal		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	6		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
249-5907-400	■ Clear	Anti-Scratch /Anti-Fog	□ Smoke
249-5907-401	■ Gray	Anti-Scratch /Anti-Fog	□ Smoke
249-5907-207	■ IR Filter 3.0	Anti-Scratch /Anti-Fog	□ Smoke



FLASHFIRE

KEY FEATURE	Padded Upper Brow Provides Additional Comfort		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Rubber Tips		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-60-0620	■ Clear	Anti-Scratch/Anti-Fog	■ Silver/Blue
250-60-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Black/Red
250-60-0630	■ Green Mirror	Anti-Scratch/Anti-Fog	■ Silver/Green
250-60-0625	■ Red Mirror	Anti-Scratch/Anti-Fog	■ Silver/Red
250-60-0628	■ Silver Mirror	Anti-Scratch/Anti-Fog	■ Black/Red
250-60-0626	■ Blue Mirror	Anti-Scratch/Anti-Fog	■ Silver/Blue

TRADITIONAL TO TRENDY

FULL FRAME DESIGN OPTIONS



SUNBURST

KEY FEATURE	Sunglass Style is Perfect for Working Outdoors		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Co-molded		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-47-0041	■ Polarized Gray	Anti-Scratch/Anti-Fog	■ Black
250-47-0004	■ Red Mirror Plus	Anti-Scratch/Anti-Fog	■ Black
250-47-0005	■ Silver Mirror Plus	Anti-Scratch/Anti-Fog	■ Black
250-47-0006	■ Blue Mirror Plus	Anti-Scratch/Anti-Fog	■ Black
250-47-0007	■ Gold Mirror Plus	Anti-Scratch/Anti-Fog	■ Black
250-47-0020	■ Clear	Anti-Scratch/Anti-Fog	■ Black
250-47-0021	■ Gray	Anti-Scratch/Anti-Fog	■ Black
250-47-1008	■ Green Mirror Plus	Anti-Scratch/Anti-Fog	■ Black
250-47-1042	■ Polarized Brown	Anti-Scratch/Anti-Fog	■ Black

FULL FRAME DESIGN

VARIETY OF LENS TREATMENTS

SECURE FIT TEMPLE

FULL FRAME

RUGGED

DESIGN & STYLE FOR
ALL DAY COMFORT

bouton
OPTICAL

SAFETY GLASSES

BOUTON® OPTICAL - FOAM LINED

FOAM LINED

REMOVABLE
TEMPLES

bouton
OPTICAL

HYBRID DESIGN

ADAPTS TO ALL CONDITIONS

HYBRID



FUSELAGE

KEY FEATURE	Adapts to Any Working Condition with Dust Goggle Conversion		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Bayonet, Rubber Tips		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+	CSA Z94.3 - <i>Styles Indicated Below</i> 🍁	
STYLE NUMBER	LENS	COATING	FRAME
250-50-0420	■ Clear	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black 🍁
250-50-0421	■ Gray	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black 🍁
250-50-0422	■ In/Outdoor	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-50-0425	■ Silver Mirror	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-50-0426	■ Blue Mirror	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black
250-50-0429	■ Amber	Anti-Scratch/Anti-Fog	<input type="checkbox"/> Black

FUSELAGE READERS

STYLE NUMBER	LENS	COATING	FRAME	DIOPTR
250-51-0015	■ Clear	Anti-Scratch/Fog	<input type="checkbox"/> Black	1.50
250-51-0020	■ Clear	Anti-Scratch/Fog	<input type="checkbox"/> Black	2.00
250-51-0025	■ Clear	Anti-Scratch/Fog	<input type="checkbox"/> Black	2.50
250-51-0030	■ Clear	Anti-Scratch/Fog	<input type="checkbox"/> Black	3.00



DUST GOGGLE STRAP INCLUDED

SAFETY GLASSES

BOUTON® OPTICAL - FOAM-LINED

HYBRID



CEFIRO

KEY FEATURE	Foam Padded Design Converts to a Dust Goggle		
FIT	Narrow		
BRIDGE	Rubber		
TEMPLE	Bayonet		
BASE CURVE	8		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-CE-10090	<input type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	■ Black
250-CE-10091	<input type="checkbox"/> Gray	Anti-Scratch/Anti-Fog	■ Black
250-CE-10092	<input type="checkbox"/> In/ Outdoor	Anti-Scratch/Anti-Fog	■ Black
250-CE-10093	<input type="checkbox"/> Blue Mirror	Anti-Scratch/Anti-Fog	■ Black
250-CE-10095	<input type="checkbox"/> Silver Mirror	Anti-Scratch/Anti-Fog	■ Black



DUST GOGGLE STRAP INCLUDED

HYBRID



SUPERSONIC

KEY FEATURE	Fully Adjustable Temples, and an Optional Dust Goggle Kit		
FIT	Universal		
BRIDGE	Rubber		
TEMPLE	Fully Adjustable, Rubber Tips		
BASE CURVE	9		
STANDARDS MET	ANSI Z87.1+ CSA Z94.3 - All Styles Below		
STYLE NUMBER	LENS	COATING	FRAME
250-34-0020	<input type="checkbox"/> Clear	Anti-Scratch/Anti-Fog	■ Black
250-34-0021	<input type="checkbox"/> Gray	Anti-Scratch/Anti-Fog	■ Black
250-34-0010	<input type="checkbox"/> Clear	Anti-Reflective/ Anti-Scratch	■ Black
250-34-0226	<input type="checkbox"/> I/O Blue	Anti-Scratch/Anti-Fog	■ Black
250-34-0031	<input type="checkbox"/> Gradient	Anti-Scratch/Anti-Fog	■ Black
250-34-FOAM	--	Foam/Strap Kit	■ Black



FOAM/STRAP KIT
SOLD SEPARATELY

FOAM LINED



ZENON Z12F

KEY FEATURE	Foam lined version of the popular Z12		
FIT	Universal		
BRIDGE	Molded		
TEMPLE	Spatula		
BASE CURVE	9.5		
STANDARDS MET	ANSI Z87.1+		
STYLE NUMBER	LENS	COATING	FRAME
250-01-F020	<input type="checkbox"/> Clear	Anti-Scratch /Anti-Fog	■ Black
250-01-F021	<input type="checkbox"/> Gray	Anti-Scratch /Anti-Fog	■ Black
250-01-F022	<input type="checkbox"/> In/ Outdoor	Anti-Scratch /Anti-Fog	■ Black



FOAM LINING PROTECTS AGAINST DEBRIS & AIRBORNE PARTICLES

SAFETY GOGGLES

BOUTON® OPTICAL - ECONOMY

ECONOMY GOGGLES

SAFE & RELIABLE

FITS SNUG TO THE FACE

bouton
OPTICAL


INDIRECT VENTILATION

Indirect vented goggles help minimize fogging and should be used when there is liquid splash risk. Indirect vented goggles have hooded vents to allow indirect airflow from the work environment.



DIRECT VENTILATION

Direct vented goggles help minimize fogging and should be used when there is no liquid splash risk. Direct vented goggles have straight-line perforations that allow direct airflow from the work environment.



NON-VENTED

Non-Vented goggles have no openings for airflow or ventilation.



ECONOMICAL SOLUTIONS

FOR ALL APPLICATIONS



BASIC

KEY FEATURE	Popular Design for Economical Applications
APPLICATIONS	Industrial, Construction, Medical
FRAME MATERIAL	Vinyl
FIT	Will Fit Over Prescription Glasses
BASE CURVE	Flat
STANDARDS MET	ANSI Z87.1+

INDIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
248-4401-300	■ Clear	Uncoated	■ Clear	Elastic
248-4401-400	■ Clear	Anti-Scratch/Fog	■ Clear	Elastic

DIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
248-4400-300	■ Clear	Uncoated	■ Clear	Elastic
248-4400-400	■ Clear	Anti-Scratch/Fog	■ Clear	Elastic



SOFTSIDES

KEY FEATURE	Soft, flexible vinyl body molds comfortably to the face
APPLICATIONS	Industrial, Construction, Medical
FRAME MATERIAL	Vinyl
FIT	Will Fit Over Prescription Glasses
BASE CURVE	Flat
STANDARDS MET	ANSI Z87.1+

INDIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
248-5190-300B	■ Clear	Uncoated	■ Clear	Elastic
248-5190-400B	■ Clear	Anti-Scratch/Fog	■ Clear	Elastic

DIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
248-5090-300B	■ Clear	Uncoated	■ Clear	Elastic
248-5090-400B	■ Clear	Anti-Scratch/Fog	■ Clear	Elastic

NON-VENTED

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
248-5290-300B	■ Clear	Uncoated	■ Clear	Elastic
248-5290-400B	■ Clear	Anti-Scratch/Fog	■ Clear	Elastic



COMPACT

KEY FEATURE	Smaller Sizing for Slender Faces
APPLICATIONS	Industrial, Construction, Medical
FRAME MATERIAL	Vinyl
FIT	Will Fit Over Prescription Glasses
BASE CURVE	Flat
STANDARDS MET	ANSI Z87.1+

INDIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
251-519Y-300	■ Clear	Uncoated	■ Clear	Elastic

SAFETY GOGGLES

BOUTON® OPTICAL - PREMIUM

SUPERIOR COMFORT

HIGH PERFORMANCE GOGGLES




CONTEMPO

KEY FEATURE	Modern Styling with Swivel Headband Adjustment
APPLICATIONS	Industrial, Construction, Medical
FRAME MATERIAL	PVC
FIT	Will Fit Over Prescription Glasses
BASE CURVE	5.75
STANDARDS MET	ANSI Z87.1+

INDIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
251-5300-000	■ Clear	Anti-Scratch	■ Blue	Elastic
251-5300-400	■ Clear	Anti-Scratch/ Anti-Fog	■ Blue	Elastic
251-5300-400-RHB	■ Clear	Anti-Scratch/ Anti-Fog	■ Blue	Neoprene Rubber
251-5300-402	□ Gray	Anti-Scratch/ Anti-Fog	■ Blue	Elastic



FORTIS

KEY FEATURE	Lightweight Goggle with Comfortable Sealing Properties
APPLICATIONS	Industrial, Construction, Medical
FRAME MATERIAL	Synthetic Rubber
FIT	Will Fit Over Some Prescription Glasses
BASE CURVE	5
STANDARDS MET	ANSI Z87.1+

INDIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
251-80-0020	■ Clear	Anti-Scratch/ Anti-Fog	□ Gray	Elastic
251-80-0020-RHB	■ Clear	Anti-Scratch/ Anti-Fog	□ Gray	Neoprene Rubber



STONE

KEY FEATURE	Optional Visor Attachment for Face Protection
APPLICATIONS	Industrial, Construction, Medical
FRAME MATERIAL	PVC
FIT	Will Fit Over Prescription Glasses
BASE CURVE	5
STANDARDS MET	ANSI Z87.1+, ANSI D3 Droplet, CSA Z94.3

INDIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
251-60-0020	■ Clear	Anti-Scratch/ Anti-Fog	□ Gray	Elastic
251-60-000V	Visor Only			



▼ 251-60-000V

EXTENDED FACE PROTECTION

Sold Separately

bouton
OPTICAL

INDIRECT
VENTILATION

COMFORTABLE
HEADBAND

ANTI-FOG
DOUBLE LENS
TECHNOLOGY



REACTION

KEY FEATURE	Dual Lens Design for Ultimate Anti-Fog Properties
APPLICATIONS	Industrial, Construction, Medical
FRAME MATERIAL	PVC
FIT	Will Not Fit Over Prescription Glasses
BASE CURVE	5.75
STANDARDS MET	ANSI Z87.1+

INDIRECT VENTILATION

STYLE NUMBER	LENS	COATING	FRAME	HEADBAND
251-65-0020	<input checked="" type="checkbox"/> Clear	Anti-Scratch/ Anti-Fog	<input type="checkbox"/> Gray	Elastic
251-65-0020-RHB	<input checked="" type="checkbox"/> Clear	Anti-Scratch/ Anti-Fog	<input type="checkbox"/> Gray	Neoprene Rubber
251-65-0021-RHB	<input type="checkbox"/> Gray	Anti-Scratch/ Anti-Fog	<input type="checkbox"/> Gray	Neoprene Rubber



PREMIUM GOGGLES

ELIMINATE

FOGGING


FACE PROTECTION & ACCESSORIES

SAFETY VISORS | HEAD GEAR | HARD HAT ADAPTER


UNIVERSAL FIT SAFETY VISORS



▲ ALUMINUM BINDING



▲ MOLDED CYLINDRICAL



▲ MOLDED ASPHERICAL

SAFETY VISORS - UNIVERSAL FIT

PETG visors are suitable for general grinding applications. Polycarbonate visors are suitable for high heat and impact resistant situations, as well as general grinding applications.

- Made with virgin resin, which leads to better uniformity of the viewing area
- Universal hole pattern will fit most headgear and hard hat adapters in the market
- Ships with masking on both sides to prevent scratching

STYLE NUMBER	LENS	MATERIAL	THICKNESS	SIZE	ALUMINUM BINDING	SHAPE	STANDARDS MET
251-01-5211	■ Clear	PETG	0.040"	8" x 15.5"	No	Flat	ANSI Z87
251-01-5212	■ Medium Green	PETG	0.040"	8" x 15.5"	No	Flat	ANSI Z87
251-01-7214	■ Clear	PETG	0.040"	9" x 15.5"	Yes	Curved	ANSI Z87
251-01-5201	■ Clear	Polycarbonate	0.040"	8" x 15.5"	No	Flat	ANSI Z87+
251-01-7206	■ Clear	Polycarbonate	0.060"	8" x 15.5"	No	Flat	ANSI Z87+
251-01-7204	■ Clear	Polycarbonate	0.040"	9" x 15.5"	Yes	Curved	ANSI Z87+
251-01-7301	■ Clear	Polycarbonate	0.078"	8" x 15"	No	Molded-Cylindrical	ANSI Z87+
251-01-7401	■ Clear	Polycarbonate	0.078"	8" x 15"	No	Molded-Aspherical	ANSI Z87+

HEADGEAR

Ratchet suspension provides effortless size adjustment

- Lightweight, durable blue polypropylene
- Visor attaches easily with pin adjustment, and conveniently flips up out of the way when not in use
- Premium fine tooth ratchet offers more control for an exact fit
- Includes brow sweatband (Visor not included)



STYLE NUMBER	STYLE	COLOR
251-01-5200	Premium fine tooth ratchet	■ Blue
251-01-5400	Economy ratchet	■ Blue

HEADGEAR & HARD HAT ADAPTER

HARD HAT ADAPTER

Allows the attachment of a safety visor to a hard hat

- Fits all hard hats with universal accessory slots
- Pivoting blades allow visor to lift up when not in use

STYLE NUMBER	COLOR
251-01-5225	■ Black



For an adapter that can be used in conjunction with helmet mounted ear muffs, see the SureFit™ hard hat adapter and safety visors shown on page XXX.

BLACK NECK CORDS

Keeps glasses close at hand for a safer workplace

STYLE NUMBER	
252-L401	Rugged Nylon
252-L404	Economy Slim Nylon
252-L407	Adjustable Sports Cord



UNIVERSAL FLEX SIDESHIELDS

- Weaves through the temple for added side protection
- Molded to a bendable softness
- Temple will still fold correctly
- No parts or tools required
- Meets ANSI Z87.1+ requirements

STYLE NUMBER	
252-FX-0001	■ Clear

Patented product of Vision Aid

IDEAL FOR SAFETY GLASSES, GOGGLES OR FACESHIELDS



INDIVIDUALLY PACKAGED



STATIONARY DESIGN



PREVENT FOGGING

LENS CLEANING TOWELETTE DISPENSER

STYLE NUMBER	CLEANING FUNCTION	MATERIALS	RESTRICTIONS	WALL MOUNT	PACKAGING
252-LCT100	Anti-Fog, Anti-Static, Anti-Streaking	Pre-Moistened Towelettes	None	Yes	100 individual towelettes, 10 dispensers per case

LENS CLEANING STATION

252-LCS08	Anti-Fog/Anti-static	Spray cleaner & Lint-free Tissues	None	Yes	8 oz. bottle & two 300-count tissue boxes, 8 stations per case
-----------	----------------------	-----------------------------------	------	-----	--

FOG BUSTER

252-FB30	Anti-Fog	Pre-Moistened Towelettes	Mirrored or Anti-Reflective Coated	No	30 applications per box, 6 boxes per case
----------	----------	--------------------------	------------------------------------	----	---