



**Your experts for  
safety, facility  
and equipment  
identification**

Product Catalog

# SOCs, Pillows and Drum Covers

BradyID.com/s36

## Universal SOC

- All-purpose SOC to clean up oils, coolants, solvents and water-based fluids throughout your facility
- Gray color masks spills and stains — helping you resist the urge to pick up the absorbent before it is fully saturated

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
<b>ALLWIK Universal</b>							
AW124	SOC	3 in. x 12 ft.	9	12	12	40	4/case
AW806	SOC	3 in. x 8 ft.	9	12	12	30	6/case
AW430	SOC	3 in. x 4 ft.	9	30	26	15	30/case
AW412	SOC	3 in. x 4 ft.	9	12	12	36	12/case
<b>SLIKWIK Universal</b>							
SW46	SOC	3 in. x 3.5 ft.	3	20	50	16	40/case
<b>Cobra Coil Universal</b>							
CC400	SOC	3 in. x 4 ft.	8.5	8.5	29	48	12/case
<b>BASIC Universal</b>							
BSC40	SOC	3 in. x 3.5 ft.	15	84	47.5	12	40/case
BSC20	SOC	3 in. x 3.5 ft.	15	40.5	24	24	20/case
<b>Re-Form Universal</b>							
MS124	SOC	3 in. x 12 ft.	8.5	12	12	36	4/case
MS806	SOC	3 in. x 8 ft.	8.5	12	12	30	6/case
MS50	SOC	3 in. x 4 ft.	7	40	43	10	40/case
MS412	SOC	3 in. x 4 ft.	8.5	12	12	36	12/case
<b>SpillFix Granular</b>							
SF-10BOOM	SOC	4 in. x 10 ft.	4.5	6	20	48	2/case
SF-5BOOM	SOC	4 in. x 5 ft.	4.5	6	16	48	4/case



ALLWIK® Polypropylene SOC



SLIKWIK® Corn Cob SOC



Cobra Coil® Vermiculite SOC



BASIC Cellulose SOC



Re-Form™ Recycled Newsprint SOC



SpillFix® Granular SOC

## Oil-Only SOC

- Absorbs oil, grease, transmission fluid, coolant and other petroleum-based liquids
- Repels water and floats for outdoor applications
- Wringable and can be incinerated
- Strong wicking action; absorption begins instantly after contact with the spilled liquid, no need to turn the SOC

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
<b>Polypropylene Oil Only</b>							
OIL124	SOC	3 in. x 12 ft.	9	12	11	40	4/case
OIL806	SOC	3 in. x 8 ft.	9	12	11	30	6/case
OIL430	SOC	3 in. x 4 ft.	9	28	30	15	30/case
OIL412	SOC	3 in. x 4 ft.	9	12	11	36	12/case
<b>Re-Form Oil Only</b>							
RFO412	SOC	3 in. x 4 ft.	13.5	15	10.5	36	12/case



Oil-only Polypropylene SOC



Re-Form™ Oil-only SOC  
(80% all natural cotton fibers)

## Chemical SOC

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills
- BRIGHTSORB bright yellow color and print help prevent risk of slips, trips and falls

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
<b>BRIGHTSORB® High-Visibility Chemical</b>							
CH124	SOC	3 in. x 12 ft.	9	12	12	40	4/case
CH412	SOC	3 in. x 4 ft.	9	12	12	36	12/case
<b>HAZWIK Chemical</b>							
HAZ124	SOC	3 in. x 12 ft.	9	12	12	40	4/case
HAZ412	SOC	3 in. x 4 ft.	9	12	12	36	12/case



BRIGHTSORB Polypropylene SOC  
with high visibility color and print




HAZWIK® Polypropylene SOC




## HandySorb Mop System

- Handle extends up to six feet for areas you can't reach – eliminating the need for kneeling
- Patented quick-release operation for easy disposal
- “No-touch” pads and pillows keep your hands out of the mess
- Refill pads include reusable slide-on mop head adaptor to hook on the pads



Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Quantity
HANDYSORB-MOPKIT	Mop Starter Kit	19 in. x 15 in.	1.5	1.5	1 handle 3 pads
HANDYSORB-NTPAD	“No-Touch” Pads	19 in. x 15 in.	12.5	12.5	25 pads
HANDYSORB-NTPILLOW	“No-Touch” Pillows	18 in. x 18 in.	12.5	28	10 pillows
HANDYSORB-BASICPAD	Refill pads with reusable adaptor	19 in. x 15 in.	11	19.5	1 adaptor 100 pads



## Pillows

Absorbent pillows are ideal for use under spill pallets or machines and valves that are known to drip or leak. They are easy to retrieve, and can soak up fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

- All-purpose universal pillows are suitable for water-based fluids
- Oil-only pillows absorb petroleum-based liquids while repelling water
- Chemical pillows absorb chemicals, acids and bases and are ideal for extra protection during packaging and transport

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
<b>Universal</b>							
AW1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
AW99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case
<b>Oil Only</b>							
OIL1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
OIL99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case
<b>BRIGHTSORB Chemical</b>							
CH1818	Pillow	18 in. x 18 in.	12.5	14	10	15	16/case
<b>HAZWIK Chemical</b>							
HAZ1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
HAZ99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case



## Universal and Oil-Only Drum Covers

- Designed to fit 55-gallon drums — pre-cut holes fit drums with 1 or 2 bungholes
- Create a clean and safe work floor by helping to prevent pump drips from reaching the floor
- Universal absorbs water-, oil- and chemical-based liquids.  
Oil-only absorbs oil- and petroleum-based liquids while repelling water

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DTA25	Universal	22 in. dia.	12.5	6	6	60	25/case
DTO25	Oil only	22 in. dia.	12.5	6	6	60	25/case



## Marine Absorbents

### High absorbency on the water

Brady SPC marine absorbents are specially designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.



### Absorbent Booms

Brady SPC absorbent booms are designed to clean up oil spills on water by absorbing surface liquids.

Booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavy-duty tow rope. The booms are fastened with three stainless steel connectors to allow for linkage and fast deployment in emergency situations, as well as for strength during retrieval or when towing heavy booms saturated with oil.



#### Premium SPC Oil-Only Booms

- Oil-only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Strong, lint-free and gapless
- SPC5510 features two 5 in. x 10 ft. booms attached side by side for a double layer of absorption

#### Economical ENV® Oil-Only Booms

- Oil-only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Features interconnectivity and a lint-free blue sleeve

#### Universal Plus Chemical Booms

- Universal Plus booms absorb water-, oil- and chemical-based liquids
- Can be deployed indoors or outdoors



Premium SPC Oil Booms



SPC5510 features booms attached side by side for double absorbency



Economical ENV Oil Booms



Universal Plus Chemical Booms

Catalog #	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
<b>Premium SPC® Oil-Only Booms</b>							
SPC810	Boom	8 in. x 10 ft.	13.3	71	40	12	4/bale
SPC510	Boom	5 in. x 10 ft.	12.6	32	19	20	4/bale
SPC5510	Boom*	5 in. x 10 ft.	12.1	32	19	20	4/bale
SPC818	Boom	8 in. x 18 in.	12.5	28	17	16	10/bale
SPC518	Boom	5 in. x 18 in.	12.6	12	8	36	10/bale
<b>Economical ENV Oil-Only Booms</b>							
ENV810	Boom	8 in. x 10 ft.	13	65	38	12	4/bale
ENV510	Boom	5 in. x 10 ft.	12.6	32	19	20	4/bale
<b>Universal Plus Chemical Booms</b>							
SPCUN810	Boom	8 in. x 10 ft.	13.3	71	19	12	4/bale
SPCUN510	Boom	5 in. x 10 ft.	12.6	32	19	20	4/bale

\*Features two booms attached side by side for double absorbency



## Containment Booms

- Designed to work as a containment barrier in order to keep oil spills on water from spreading
- Ideal for use in holding ponds to retain waste and debris on the surface of the water

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
CB612	Boom	6 in. float, 12 in. skirt, 100 ft. sections	200	3	1/case
CB305	Boom	3 in. float, 4.5 in. skirt, 25 ft. sections	22.5	11	1/case



*Designed as a containment barrier to prevent spills from spreading*

## Sweeps and Pillows

- Sweeps feature a 2-ply construction with durable blue coverstock for extra strength (for use with oil- and petroleum-based fluids)
- Help skimming operations by effectively removing surface oil from the water
- 100 ft. sections are ideal for dragging behind or connecting between two ships

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SPC1900	Sweep	19 in. x 100 ft.	15	26	13	30	1/bale
SPC10	Pillow	14 in. x 25 in.	12.5	52	30	10	10/bale



## Oil Nets and Drag Nets

- Flat, chemical-resistant filaments in half-pound units float in water and trap heavy oil
- Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil
- Use as a sweep between boats or deployed along a shoreline

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
ODN08	Oil only	30 nets on 50 ft. rope	15	15	16	24	1/bale
ON030	Oil only	30 nets (no rope)	15	15	17	24	1/bale



ODN08



ON030  
(no rope)

# Granular and Neutralizers

BradyID.com/s36

## Granular and Neutralizers

### Loose, multi-purpose absorbents

Granular absorbents are loose, multi-purpose absorbents used for liquid spill clean-up, lab packing and stabilization of free liquids. This option is ideal for facilities that prefer or require the use of traditional granular absorbents.

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. In instances where a liquid spills on a rough surface, a granular absorbent can absorb liquids from the cracks and crevices.

### Need to know

#### OSHA silica ruling:

One of the most common compositions for granular absorbents is diatomaceous earth, which is 80-90% silica based.

OSHA's final rule on limiting exposure to respirable crystalline silica was issued in 2016 to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease. All of which have been linked to high levels of silica.

### SpillFix® Granular Absorbent

#### The new standard in loose absorbents

- Completely natural — no carcinogens, no dust indoors; landfill and incinerator safe outdoors
- Highly effective — absorbs hydrocarbons, chemicals and water-based solutions
- Workplace friendly — natural construction prevents damage to equipment or floors; a regular occurrence with clay-based granulars
- Deploy indoors or outdoors to clean up spills in hard to reach areas



SpillFix granular absorbs 4 times the liquid of traditional clay granulars

### SpillFix Granular Absorbent

- Premium absorbent solution constructed of 100% recycled material
- Lightweight and easy to deploy

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SF-20	20 lb bag	20 lbs	4.5	7	995	48	1 pallet
SF-7	7 lb bag	7 lbs	4.5	2	900	124	1 pallet
SF-JAR	3 qt. jar (pallet)	3 qt.	4	0.75	365	288	1 pallet
SF-JAR-CS	3 qt. jar (case)	3 qt.	4	0.75	7	-	6/case



### SpillFix Granular Boom

- The benefits of SpillFix granular contained in a biodegradable sleeve
- Wringable for added life

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SF-10BOOM	Boom	4 in. x 10 ft.	4.5	6	20	48	2/case
SF-5BOOM	Boom	4 in. x 5 ft.	4.5	6	16	48	4/case





## Re-Form™ Granular

- 100% recycled material — safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio — absorbs its own weight in oil

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
RFGANULAR	Re-Form granular	30 lbs	1	16.7	1,950	65	1 pallet



## SPC Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids (Not for use with aggressive fluids)
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DZ100	Universal granular	40 lbs	1	8.5	1,600	40	1 pallet



## Acid and Base Neutralizing Polymers

- Acid neutralizer provides safe spill control for most acids, including battery spills
- Base neutralizer used for lab equipment and most bases
- Color change lets you know neutralization has taken place; acid neutralizer changes to purple, base neutralizer changes to orange
- Non-toxic, non-corrosive and non-hazardous

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SPC-ACID	Acid neutralizer	2 lb	n/a	0.65	2	1200	1/each *
SPC-BASE	Base neutralizer	2 lb	n/a	0.65	2	1200	1/each *

\*Minimum order of 12 shakers.



Acid Neutralizer

Base Neutralizer

Absorbents

## Try absorbents without a commitment – request a free sample pack today

Making the switch from granular to absorbent pads can be overwhelming. With a Brady SPC sample pack, you can put absorbent pads to the test in your facility without making any commitments.

▶ Request a sample today at [BradyID.com/SPC](http://BradyID.com/SPC)



# Absorbents and Spill Control

BradyID.com/s36

## Drain Protection

EPA regulations require that facilities prevent fluids from entering the environment. To effectively prevent run-off from reaching storm drains, make sure to have the appropriate drain protection on hand.

### Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and feature a "metal eye" for easy insertion or removal. Then rinse and re-use when finished.

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PLUG6	Drain plug	6 in.	6	50	1/case
PLUG4	Drain plug	4 in.	4	50	1/case
PLUG3	Drain plug	3 in.	3	50	1/case
PLUG2	Drain plug	2 in.	2	50	1/case



### Drain Seals

- Resists water, oil and most aggressive fluids
- Easy application; soap and water clean up for re-use
- SLIKSTOPPER drain seals are made from flexible, chemical resistant PVC and help prevent spills from flowing into drainage systems
- Spill Magnet Seals are backed with a strong magnet to tightly seal drains

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PVC42	Slikstopper	42 in. x 42 in.	46	20	1/case
PVC36	Slikstopper	36 in. x 36 in.	34	35	1/case
PVC24	Slikstopper	24 in. x 24 in.	14	40	1/case
PVC18	Slikstopper	18 in. x 18 in.	9	80	1/case
96229	Spill Magnet	12 in. dia.	1	100	1/each



SLIKSTOPPER  
PVC Drain Seal



Spill Magnet™  
Drain Seal

### Storm Drain Guards

- Non-woven polypropylene drain guards keep oil, sediment and contaminants from entering the water system
- Holds up to 40 lbs of sediment; flow rate is 500 gpm new and 700 gpm bypass
- Select drain guards feature X-TEX filter strips which increase absorbency

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DGUARD14	Drain guard w/ X-TEX filter strips	36 in. x 48 in. x 18 in.	1.4	2	36	1/case
DGUARD1410	Drain guard w/ X-TEX filter strips	36 in. x 48 in. x 18 in.	14	20	20	10/case
DGUARD9	Drain guard	36 in. x 48 in. x 18 in.	0.9	1	36	1/case
DGUARD910	Drain guard	36 in. x 48 in. x 18 in.	9	10	20	10/case





## Drip Pans and Mats

SPC spill containment products are designed with efficiency in mind — keeping your employees and work environment safe from unexpected drum spills or leaks.

### Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DPA24	Drip Pan	10 in. x 10 in.	6	20	24/case



### Drip Pad

- Provide additional durability to your pads for tougher environments
- 22 oz pad is made of flexible PVC
- 30 oz pad is made of XR5 for additional strength under the toughest conditions
- Grommet included to allow pad to be tied down

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DRIP1720-Y	22 oz pad	17 in. x 20 in.	2	n/a	1/each
DRIP1720-B	30 oz pad	17 in. x 20 in.	2	n/a	1/each



### Spill Decks

- Low profile, 21.2-gallon capacity, 2-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips easily connect multiple decks — creating a 4, 6, 8 or more storage platform

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-SD2	2-drum spill deck	26 in. x 52 in. x 6 in.	21.2	2,500	31	15	1/each



### Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128 gallons
- 2-drum or 4-drum configuration

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-DP4	4-drum pallet	52 in. x 52 in. x 17 in.	128	2,200	89	10	1/each
SC-DP2	2-drum pallet	26 in. x 52 in. x 17 in.	68	1,100	46.5	10	1/each
SC-DPR	Pallet ramp	32.5 in. x 70 in.	n/a	650	47.5	3	1/each



Easy loading ramp (sold separately) works with both the 2-drum and 4-drum spill pallets.



# Absorbents and Spill Control

BradyID.com/s36

## Spill Berms

These collapsible secondary containment berms can be used to contain spills and leaks from vehicles, machinery, tanks, drums and other industrial equipment.

### Foam Side Wall Berm

- Portable, lightweight, flexible — folds up for storage and transport
- Re-useable berm is easy to clean and maintain
- Requires no assembly, tools or inflation — unfold and use immediately

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
FW181804-Y	Foam berm	18 in. x 18 in. x 4 in.	5	2	1/each
FW242404-Y	Foam berm	24 in. x 24 in. x 4 in.	9	2.4	1/each
FW363604-Y	Foam berm	36 in. x 36 in. x 4 in.	20	3.8	1/each
FW484804-Y	Foam berm	48 in. x 48 in. x 4 in.	36	5.5	1/each
FW486004-Y	Foam berm	48 in. x 60 in. x 4 in.	45	6.4	1/each
FW487204-Y	Foam berm	48 in. x 72 in. x 4 in.	54	7.4	1/each



### L-ROD Berm

- Fully collapsible and can be rapidly deployed
- RF welded construction made of chemical- and hydrocarbon-resistant polyester
- Aluminum L-rods support the berm walls, but are easily folded to allow for entry/exit of vehicles or machinery
- Re-useable berm is easy to clean and maintain

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
LROD101012	L-ROD berm	10 ft. x 10 ft. x 1 ft.	675	42	1/each
LROD101512	L-ROD berm	10 ft. x 15 ft. x 1 ft.	1,010	57	1/each
LROD102012	L-ROD berm	10 ft. x 20 ft. x 1 ft.	1,350	73	1/each
LROD151512	L-ROD berm	15 ft. x 15 ft. x 1 ft.	1,520	78	1/each
LROD202012	L-ROD berm	20 ft. x 20 ft. x 1 ft.	2,695	125	1/each



### Vehicle Spill Berms

- Self-contained berms feature single piece construction for enhanced durability
- Requires no assembly, tools or inflation

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
SB-1236	Vehicle Spill Berm	12 ft. x 36 ft. x 1 ft.	149	1/each	1/each
SB-1226	Vehicle Spill Berm	12 ft. x 26 ft. x 1 ft.	112	1/each	1/each





## Absorbent Storage

Absorbent storage centers help to ensure fast spill response by keeping absorbents close to the point of need when an unplanned spill occurs.

## Absorbent Centers

- Use as a deployment station or mobile spill control unit
- Fits up to a 38 inch roll and full bales of pads
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-3000	Absorbent Center Without Casters	50 in. x 26 in. x 21.5 in.	50	15	1/each
SC-ACC	Accessory Pack	Includes goggles, gloves, disposal bags with ties and an emergency handbook			1 pack
SC-4	Set of 5 casters	-	n/a	n/a	1 pack
SC-MB	Wall Mount	n/a	n/a	n/a	1 each



\* Absorbents sold separately.



Set Of Casters



Accessory Pack



Wall Mount

## Spill Control Cart

- Steel cart with locking handle (2 keys included)
- Convenient sturdy work surface with top surface 3 inch backstop and one fixed interior shelf
- Spill control cart ships empty. Select a cart fill option designed to maximize space. Fill options include: (100) 15 in. x 19 in. pads, (8) pillows, (5) 3 in. x 4 ft. SOC's, (5) disposal bags, goggles and nitrile gloves

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SC-Cart	Spill control cart	36 in. x 18 in. x 38-3/8 in.	180	1	1/each
SC-Cart-UF	Universal fill	20 in. x 20 in. x 20 in.	31	8	1/each
SC-Cart-OF	Oil-only fill	20 in. x 20 in. x 20 in.	31	8	1/each
SC-Cart-HF	Chemical fill	20 in. x 20 in. x 20 in.	31	8	1/each



\* Absorbents sold separately.

## Spill Control Cabinet

- Durable construction and keyhole slots for wall hanging with 2 fully adjustable shelves
- Plexiglass window allows for easy content inventory
- Spill control cabinet ships empty. Select a cart fill option designed to maximize space. Fill options include: (50) 15 in. x 19 in. pads, (6) pillows, (4) 3 in. x 4 ft. SOC's, (5) disposal bags, goggles, handbook and nitrile gloves

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SC-Cabinet	Spill control cabinet	19-7/8 in. x 14-1/4 in. x 32-3/4 in.	45	9	1/each
SC-Cabinet-UF	Universal fill	20 in. x 20 in. x 20 in.	21	12	1/each
SC-Cabinet-OF	Oil-only fill	20 in. x 20 in. x 20 in.	21	12	1/each
SC-Cabinet-HF	Chemical fill	20 in. x 20 in. x 20 in.	21	12	1/each



\* Absorbents sold separately.

## High-visibility spill station signs



LOSR03A 8 in. x 8 in. Acrylic



V1SR03A 6 in. x 9 in. x 4 in. Acrylic



V2SS24A 8 in. x 15 in. x 6 in. Acrylic

# Absorbents and Spill Control

BradyID.com/s36

## Emergency response spill kits to handle any type of spill

Accidents happen, so it's better to be prepared. Brady SPC offers a complete selection of spill kits in a variety of types and sizes to equip you with everything you need to clean-up spills when they occur. Quickly and easily clean-up oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.

### Liquids absorbed

<b>Universal</b>	For oil, water-based and chemical liquids
<b>Oil Only</b>	For oil and petroleum-based liquids
<b>Mixed (Universal and Oil Only)</b>	For indoor / outdoor use. Kits contain both all-purpose universal absorbents and water-repellent oil-only absorbents for petroleum and oil-based liquids
<b>Chemical</b>	For aggressive and hazardous liquids
<b>BRIGHTSORB® High-Visibility Safety Absorbents</b>	For all liquids. Bright safety messaging signals to those in and around the spill containment area to exercise caution
<b>Re-Form</b>	Universal absorbents that are eco-friendly
<b>TAA Compliant</b>	Complies with the Trade Agreements Act



### Trade Agreement (TAA) Compliant Kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or "substantially transformed" in a "designated country." The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries and Caribbean basin countries

### Where should Spill Kits be located?

Worker productivity and efficiencies can be improved dramatically by strategically placing spill kits or absorbent storage centers around the facility, closer to areas of need. For both emergency response and routine maintenance and safety, employees should not be wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Shipping docks



Freight vehicles



Plant floors



Maintenance areas



## Small Spill Response Kits

These kits are portable and have a small foot print — perfect for placement throughout your facility. Include them in each work cell, maintenance area, laboratory and on storage carts to ensure you're prepared when a spill occurs.

**Small**

Medium

Large



Available with BRIGHTSORB®  
High Visibility Absorbents

### MAXX® Packs

- Mini-packs in resealable zipper bags
- Kit dimensions: 15.5 in. x 19.5 in. x 20.5 in.

**Contents:** 20 pads (15 in. x 19 in.)

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
MXP-U20	Universal	30	14	24	5/case
MXP-O20	Oil only	35	15	24	5/case
MXP-C20	BRIGHTSORB Chemical	30	14	24	5/case



### BASIC Spill Kits

- Small selection of pads, SOC's and PPE makes these kits a perfect option for work cells, vehicles and small spaces
- Kit contained in a resealable, clear plastic bag
- Kit dimensions: 4.5 in. x 15 in. x 18 in.

**Contents:**

- 10 pads (15 in. x 19 in.)
- 2 SOC's (3 in. x 4 ft.)
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-BSC	* Universal	3	7	40	1/case
SKO-BSC	* Oil only	3	7	40	1/case

\* **WARNING:** Cancer and Reproductive Harm [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



### Attack Pac Spill Kit

- Space-saving, single-use kit, packed in puncture- and UV-resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

**Contents:**

- 15 pads (15 in. x 19 in.)
- 3 SOC's (3 in. x 4 ft.)
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-ATK	Universal	7	36.5	24	4/case
SKA-ATK-TAA	Universal	7	36.5	24	4/case
SKO-ATK	Oil only	7	23	24	4/case
SKH-ATK	Chemical	7	25	24	4/case
SKR-ATK	Re-Form	7	36.5	24	4/case

# Absorbents and Spill Control

BradyID.com/s36

**Small**

Medium

Large

## Small Spill Response Kits (cont.)



Available with BRIGHTSORB®  
High Visibility Absorbents

### Economy Spill Kit

- Highly-visible, yellow PVC bag for small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

#### Contents:

- 10 pads (15 in. x 19 in.)
- 2 SOC's (3 in. x 4 ft.)
- 1 pair nitrile gloves
- 1 instruction sheet
- 1 disposal bag

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-PP	Universal	5	24	20	5/case
SKA-PP-TAA	Universal TAA	5	24	20	5/case
SKO-PP	Oil Only	5	24	20	5/case
SKCH-PP	BRIGHTSORB High Visibility	5	24	20	5/case
SKH-PP	Chemical	5	24	20	5/case
SKR-PP	Re-Form	5	24	20	5/case

### Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit
- Kit dimensions: 25.5 in. x 17 in. x 21.5 in.

#### Contents:

- 32 pads (15 in. x 19 in.)
- 5 SOC's (3 in. x 4 ft.)
- 1 pillow (18 in. x 18 in.)
- 2 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-CFB	Universal	15	25	24	1/case
SKO-CFB	Oil Only	15	25	24	1/case
SKH-CFB	Chemical	15	25	24	1/case

### Emergency Spill Sak

- Portable economy spill kit packed in a reusable sack
- Absorbs up to 10 gallons per kit
- Kit dimensions: 32 in. x 20 in. x 12 in.

#### Contents:

- 10 pads (15 in. x 19 in.)
- 2 SOC's (3 in. x 12 ft.)
- 1 pillow (18 in. x 18 in.)
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-SAK	Universal	10	10	40	1/each
SKO-SAK	Oil Only	10	10	40	1/each
SKH-SAK	Chemical	10	10	40	1/each



Absorbents

**Small**

Medium

Large

## Small Spill Response Kits (cont.)



### 2-Gallon Spill Response Plus Kit

- Small sized absorbents are versatile, durable and low linting
- Ideal for hospitality, retail, restaurants or anywhere that requires a small pad
- Absorbs up to 4.5 gallons per kit
- Kit dimensions: 9.75 in. x 10.5 in.

#### Contents:

- 20 pads (7.5 in. x 10 in.)
- 1 disposable bag
- 1 pair of nitrile gloves
- 1 pair of goggles
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-SRP	Universal	4.5	2.5	48	1/each
SKO-SRP	Oil only	4.5	2.5	48	1/each
SKH-SRP	Chemical	4.5	2.5	48	1/each



### Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Kit dimensions: 18 in. x 17 in. x 39 in.

#### Contents:

- 1 roll (15 in. x 73 ft.)
- 5 SOC's (3 in. x 4 ft.)
- 8 pillows (10 in. x 10 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-K2	Universal	22	42	10	1/each
SKO-K2	Oil only	22	42	10	1/each
SKH-K2	Chemical	22	42	10	1/each
SKA-K2R	Universal refill*	22	25	20	1/each
SKO-K2R	Oil-only refill*	22	25	20	1/each
SKH-K2R	Chemical refill*	22	25	20	1/each

\*Refills do not include the container.

## Refills make restocking quick and easy

A critical step after a spill is cleaned up is to restock your spill kit in preparation for future spills. Many of the spill kits from Brady SPC have refills available, making it easy for you to restock with the appropriate products and quantities.





# Absorbents and Spill Control

BradyID.com/s36

**Small**

Medium

Large

## Small Spill Response: Vehicle Spill Kits

Spills are common during transportation. Make sure your fleet is outfitted with the appropriate kit to quickly attend to any spill when en route.



### Economy Vehicle Spill Kits

- Compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil-only products for mixed fluid applications
- Absorbs up to 7.75 gallons per kit

#### Contents:

- 10 oil-only pads (15 in. x 19 in.)
- 10 universal pads (15 in. x 19 in.)
- 2 SOC's (3 in. x 42 in.)
- 1 putty pat
- 2 disposable bags
- 1 pair of goggles
- 1 pair of nitrile gloves

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
BSCSK-CB	* Vehicle spill kit	7.75	7	50	1/each

\* **WARNING:** Cancer and Reproductive Harm [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



### Standard Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil-only products for mixed fluid applications
- Absorbs up to 11.5 gallons per kit

#### Contents:

- 20 oil-only pads (15 in. x 19 in.)
- 10 universal pads (15 in. x 19 in.)
- 3 SOC's (3 in. x 42 in.)
- 1 putty pat
- 2 disposable bags
- 1 pair of nitrile gloves
- 1 pair of goggles

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-VEH	Vehicle Spill Kit	11.5	9	50	1/each

### Poly-Edge™ Mountable Spill Kit

- Slotted footprint makes mounting easy
- Constructed of lightweight 100% polyethylene that will not rust or corrode
- Water-resistant gasket keeps stored items dry
- Absorbs: up to 20 gallons per kit
- Kit dimensions: 35 in. x 16 in. x 16 in.

#### Contents:

- 25 pads (15 in. x 19 in.)
- 4 SOC's (3 in. x 12 ft.)
- 1 drain cover
- 1 putty pat
- 2 disposable bags
- 1 hazmat suit
- 1 pair of goggles
- 1 pair of nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-TRK	Universal	20	40	12	1/each
SKO-TRK	Oil Only	20	40	12	1/each



Absorbents

## Small Spill Response: 6.5-Gallon Spill Kits

One of our most popular sized kits, these 6.5-gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.

**Small**

Medium

Large



Available with BRIGHTSORB®  
High Visibility Absorbents

### 6.5-Gallon Spill Bucket

- Easily accessible spill kit in a reusable bucket for a fast response to small spills
- Absorbs up to 5 gallons per kit  
Kit dimensions: 14 in. x 18 in.

#### Contents:

- 10 pads (15 in. x 19 in.)
- 3 SOC's (3 in. x 4 ft.)
- 2 disposal bags
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	5	9	36	1/each
SKA-BKT-TAA	Universal TAA	5	9	36	1/each
SKO-BKT	Oil only	5	9	36	1/each
SKCH-BKT	BRIGHTSORB chemical	5	8	36	1/each
SKH-BKT	Chemical	5	8	36	1/each



### Bodily Fluid Spill Kit

- Assortment of pads, neutralizer, SOC's and the appropriate PPE will make cleaning up bodily fluids safer and more efficient
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit  
Kit dimensions: 14 in. x 18 in.

#### Contents:

- Granular (1 lb.)
- 10 barrier-backed pads (15 in. x 19 in.)
- 2 disposal bags
- 1 case sanitary wipes
- 1 pair goggles
- 1 pair neoprene gloves
- 1 apron
- 1 small scoop and scraper

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-BF	Bodily fluid spill kit	4.5	9	36	1/each

# Absorbents and Spill Control

BradyID.com/s36

**Small  
Specialty**

## Small Spill Response: Specialty Kits

These specialty 6.5-gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.



### 6.5-Gallon Acid / Base Neutralizer Spill Kit

- Used to solidify a wide range of spills
- Polymers will neutralize and change color to let you know neutralization has taken place. Acid neutralizer changes to purple, base neutralizer changes to orange.
- Absorbs up to 4.5 gallons per kit  
Kit dimensions: 14 in. x 18 in.

#### Contents:

- 1.5 gallon bucket
- 2 SOC's (3 in. x 4 ft.)
- 1 pair nitrile gloves
- 1 neutralizer shaker (2 lb.)
- 2 disposal bags
- 1 Tyvek Suit
- 10 pads (15 in. x 19 in.)
- 1 pair goggles
- 1 small scoop

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-BKTACID	Acid Neutralizing Kit	4.5	16.5	36	1/each
SKA-BKTBASE	Base Neutralizer Kit	4.5	16.5	36	1/each
SPC-ACID	Acid Neutralizing Polymer Shaker Only (2lb)	0.65	2	1,200	1/each*
SPC-BASE	Base Neutralizing Polymer Shaker Only (2lb)	0.65	2	1,200	1/each*

\*Minimum order of 12 individual shakers.

Absorbents



### Battery Acid Spill Kit

- Granular, neutralizer and the appropriate absorbents will help simplify the battery acid spill clean up process
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit  
Kit dimensions: 14 in. x 18 in.

#### Contents:

- Granular (1 lb.)
- 2 SOC's (3 in. x 4 ft.)
- 1 apron
- 1 neutralizer shaker (2 lb.)
- 2 disposal bags
- 1 faceshield
- 1 pair goggles
- 1 pair neoprene gloves
- 1 small scoop and scraper
- 10 pads (15 in. x 19 in.)

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-BATT	Battery Acid Spill Kit	4.5	9	36	1/each



## Small Spill Response: Specialty Kits (cont.)

**Small  
Specialty**



### Mercury Spill Kit

- Mercury powder is specifically designed to neutralize mercury spills. Then wipe clean with absorbent pads and scoop up any particles that remain.
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit  
Kit dimensions: 14 in. x 18 in.

#### Contents:

- Mercury absorbent powder (2 lb.)
- 10 pads (15 in. x 19 in.)
- 2 disposal bags
- 1 pair goggles
- 1 pair neoprene gloves
- 1 small scoop and scraper

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-MERC	Mercury spill kit	4.5	9	36	1/each



### Formaldehyde Spill Kit

- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit  
Kit dimensions: 14 in. x 18 in.

#### Contents:

- Granular (1 lb.)
- 1 acid neutralizer shaker (2 lb.)
- 10 pads (15 in. x 19 in.)
- 2 disposal bags
- 1 pair goggles
- 1 pair neoprene gloves
- 1 respirator
- 1 small scoop and scraper

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-FORM	Formaldehyde spill kit	4.5	9	36	1/each

### Spill Kit Tamper Proof Label

When a spill occurs, you need your spill kit to be fully intact. Use Brady SPC tamper proof labels to indicate if a spill kit has been opened and may need replacing.

Catalog #	Type	Size	Qty.
TAMPER	Tamper proof label	3.5" x 5"	5/pack



# Absorbents and Spill Control

BradyID.com/s36

Small  
**Medium**  
Large

## Medium Spill Response: 20-Gallon Spill Kits

Easily deployable 20-gallon spill kits are perfect for medium-sized spills throughout your facility — particularly in areas with fluid transfer.



Available with BRIGHTSORB®  
High Visibility Absorbents

### 20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw-top lid for medium response
- Absorbs up to 17 gallons per kit  
Kit dimensions: 21 in. x 18 in.

#### Contents:

- 12 pads (15 in. x 19 in.)
- 3 SOCs (3 in. x 12 ft.)
- 2 pillows (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-20	Universal	17	26	12	1/each
SKA-20-TAA	Universal	17	26	12	1/each
SKO-20	Oil Only	17	26	12	1/each
SKCH-20	BRIGHTSORB High Visibility	17	26	12	1/each
SKH-20	Chemical	17	26	12	1/each
SKA20-R	Universal Refill*	17	13	16	1/each
SKO20-R	Oil-only refill*	17	13	16	1/each
SKH20-R	Chemical Refill*	17	13	16	1/each

\*Refills do not include the container.

### 20-Gallon Mixed Application Spill Kit

- For response to both water- and petroleum-based spills
- Absorbs up to 17 gallons per kit  
Kit dimensions: 21 in. x 18 in.

#### Contents:

- 6 universal pads (15 in. x 19 in.)
- 6 oil-only pads (15 in. x 19 in.)
- 1 universal pillow (18 in. x 18 in.)
- 1 oil-only pillow (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-20	Mixed	17	20	12	1/each

### 20-Gallon Rescue Spill Kit

- Included caution tape and a wet floor sign help prevent slips, trips and falls while a spill is being cleaned up
- Absorbs up to 17 gallons per kit  
Kit dimensions: 21 in. x 18 in.

#### Contents:

- 12 pads (15 in. x 19 in.)
- 3 SOCs (3 in. x 12 ft.)
- 2 pillows (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 roll caution tape (3 in. x 200 ft.)
- 1 wet floor sign (18 in.)
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-20-RESCUE	Universal	17	20	12	1/each
SKO-20-RESCUE	Oil Only	17	20	12	1/each
SKH-20-RESCUE	Chemical	17	20	12	1/each

Absorbents



## Medium Spill Response: 30-Gallon Spill Kits

Looking for something a little larger? Look no further than the 30-gallon kit. Absorbing up to 36 gallons, these kits are perfect for medium-sized spills. Store throughout your facility — particularly in areas where fluid transfer is prevalent.

Small  
**Medium**  
Large



### 30-Gallon Spill Kit

- UN-approved water- and chemical-resistant polyethylene container with screw-top lid
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 29 gallons per kit  
Kit dimensions: 21.125 in. x 28.5 in.

#### Contents:

- 25 pads (15 in. x 19 in.)
- 6 SOC's (3 in. x 12 ft.)
- 6 pillows (9 in. x 9 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA30	Universal	29	41	12	1/each
SKA30TAA	Universal TAA	29	41	12	1/each
SKO30	Oil only	29	41	12	1/each
SKH30	Chemical	29	41	12	1/each
SKA30-R	Universal refill*	29	28	12	1/each
SKO30-R	Oil-only refill*	29	26	12	1/each
SKH30-R	Chemical refill*	29	28	12	1/each

\*Refills do not include the container.



### 30-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water- and petroleum-based spills
- Absorbs up to 29 gallons per kit  
Kit dimensions: 21.125 in. x 28.5 in.

#### Contents:

- 15 universal pads (15 in. x 19 in.)
- 15 oil-only pads (15 in. x 19 in.)
- 3 universal SOC's (3 in. x 12 ft.)
- 3 oil-only SOC's (3 in. x 12 ft.)
- 3 universal pillows (18 in. x 18 in.)
- 3 oil-only pillows (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-30	Mixed	29	41	12	1/each



# Absorbents and Spill Control

BradyID.com/s36

Small  
Medium  
**Large**

## Large Spill Response: 55-Gallon Spill Kits

55-gallon spill kits are essential in any facility. Keep them near entrances and exits for emergency deployment to prevent facility spills from entering the environment.



Available with BRIGHTSORB®  
High Visibility Absorbents

### 55-Gallon Drum Spill Kit

- Lever-locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 38 gallons per kit
- Kit dimensions: 24 in. x 37 in.  
Wheeled kit dimensions: 23 in. dia. x 37 in.

#### Contents:

- 50 pads (15 in. x 19 in.)
- 4 SOCs (3 in. x 12 ft.)
- 8 pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA55	Universal	38	57	8	1/each
SKA55-TAA	Universal TAA	38	56	8	1/each
SKO55	Oil only	38	56	8	1/each
SKCH-55	Brightsorb chemical	38	52	8	1/each
SKH55	Chemical	38	52	8	1/each
SKA55W	Universal w/ wheels	38	57	8	1/each
SKO55W	Oil only w/ wheels	38	56	8	1/each
SKH55W	Chemical w/ wheels	38	52	8	1/each
SKA55-R	Universal refill*	38	37	8	1/each
SKO55-R	Oil-only refill*	38	37	8	1/each
SKH55-R	Chemical refill*	38	37	8	1/each

\*Refills do not include the container.

### 55-Gallon Mixed Application Spill Kit

- A single spill kit to respond to spills of water-based and petroleum-based spills
- Absorbs up to 46 gallons per kit
- Kit dimensions: 24 in. x 37 in.  
Wheeled kit dimensions: 23 in. dia. x 37 in.

#### Contents:

- 25 universal pads (15 in. x 19 in.)
- 25 oil-only pads (15 in. x 19 in.)
- 2 universal SOCs (3 in. x 12 ft.)
- 2 oil-only SOCs (3 in. x 12 ft.)
- 4 universal pillows (18 in. x 18 in.)
- 4 oil-only pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-55	Mixed	46	52	8	1/each
SKMA-55W	Mixed w/ Wheels	46	52	8	1/each

Absorbents

## Large Spill Response: 65-Gallon Spill Kits

If you require a larger spill kit but don't have a lot of space, the 65-gallon kit is the perfect solution. These kits have almost double the absorbents of a 55-gallon kit without doubling in size.

Small  
Medium  
**Large**



### 65-Gallon Spill Kit

- UN-approved water- and chemical-resistant polyethylene overpack drum with screw-top lid is reusable and meets DOT specifications
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31 in. x 33.5 in.  
Wheeled kit dimensions: 31 in. x 42 in.

#### Contents:

- 100 pads (15 in. x 19 in.)
- 7 SOC's (3 in. x 12 ft.)
- 7 pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA65	Universal	63	100	3	1/each
SKA65TAA	Universal TAA	63	100	3	1/each
SKO65	Oil only	63	100	3	1/each
SKH65	Chemical	63	100	3	1/each
SKA65W	Universal w/ wheels	63	100	3	1/each
SKO65W	Oil only w/ wheels	63	100	3	1/each
SKH65W	Chemical w/ wheels	63	100	3	1/each
SKA65-R	Universal refill*	63	40	3	1/each
SKO65-R	Oil-only refill*	63	40	3	1/each
SKH65-R	Chemical refill*	63	40	3	1/each

\*Refills do not include the container.



### 65-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 65 gallons per kit
- Kit dimensions: 31 in. x 33.5 in.  
Wheeled kit dimensions: 31 in. x 42 in.

#### Contents:

- 50 universal pads (15 in. x 19 in.)
- 50 oil-only pads (15 in. x 19 in.)
- 4 universal SOC's (3 in. x 12 ft.)
- 3 oil-only SOC's (3 in. x 12 ft.)
- 4 universal pillows (18 in. x 18 in.)
- 3 oil-only pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-65	Mixed	65	100	3	1/each
SKMA-65W	Mixed w/ Wheels	65	100	3	1/each

# Absorbents and Spill Control

BradyID.com/s36

Small  
Medium  
**Large**

## Large Spill Response: 95-Gallon Spill Kits

95-gallon kits will keep you prepared for almost any spill. Keep these on hand in areas where the likelihood of larger spills is greatest.



Available with BRIGHTSORB®  
High Visibility Absorbents

### 95-Gallon Overpack

- UN-approved water- and chemical-resistant polyethylene overpack drum with screw-top lid is reusable and meets DOT specifications
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 75 gallons per kit
- Kit dimensions: 31.5 in. x 35 in.  
Wheeled kit dimensions: 31.5 in. x 47 in.

#### Contents:

- 110 pads (15 in. x 19 in.)
- 12 SOC's (3 in. x 4 ft.)
- 8 SOC's (3 in. x 12 ft.)
- 8 pillows (18 in. x 18 in.)
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-95	Universal	75	107	2	1/each
SKO-95	Oil Only	75	107	2	1/each
SKCH-95	BRIGHTSORB chemical	75	104	2	1/each
SKH-95	Chemical	75	104	2	1/each
SKA-95W	Universal w/ wheels	75	107	2	1/each
SKO-95W	Oil only w/ wheels	75	107	2	1/each
SKH-95W	Chemical w/ wheels	75	104	2	1/each
SKA95-R	Universal refill*	75	60	3	1/each
SKO95-R	Oil-only refill*	75	60	3	1/each
SKH95-R	Chemical refill*	75	60	3	1/each

\*Refills do not include the container.

### 95-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 77 gallons per kit
- Kit dimensions: 31.5 in. x 35 in.  
Wheeled kit dimensions: 31.5 in. x 47 in.

#### Contents:

- 55 universal pads (15 in. x 19 in.)
- 55 oil-only pads (15 in. x 19 in.)
- 6 universal SOC's (3 in. x 4 ft.)
- 6 oil-only SOC's (3 in. x 4 ft.)
- 4 universal SOC's (3 in. x 12 ft.)
- 4 oil-only SOC's (3 in. x 12 ft.)
- 4 universal pillows (18 in. x 18 in.)
- 4 oil-only pillows (18 in. x 18 in.)
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-95	Mixed	77	107	2	1/each
SKMA-95W	Mixed w/ Wheels	77	107	2	1/each

Absorbents





## X-Large Spill Response: Mobile Spill Trucks

In the event of a substantial spill, keep your facility prepared. Mobile spill trucks are filled with all of the essentials you'll need for major spill clean-up.

Medium  
Large  
**X-Large**



### Mobile Spill Truck - Large

- Wheel-mounted polyethylene bins are chemical and water resistant. Spill trucks provide the highest level of readiness
- Absorbs up to 169 gallons per kit.
- Kit dimensions: 47 in. x 34 in. x 43 in.

#### Contents of

##### Universal and Oil-Only Kits:

- 200 pads (15 in. x 19 in.)
- 24 SOC's (3 in. x 4 ft.)
- 12 SOC's (3 in. x 12 ft.)
- 8 pillows (17 in. x 19 in.)
- 15 disposal bags
- 1 pair goggles
- 3 pair nitrile gloves
- Emergency Response Guidebook

#### Contents of

##### Marine Kit:

- 400 pads (15 in. x 19 in.)
- 4 booms (5 in. x 10 ft.)
- 1 sweep (19 in. x 100 ft.)
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-LT	Universal	134	164	1	1/each
SKO-LT	Oil only	126	185	1	1/each
SKM-LT	Marine	169	164	1	1/each



### Mobile Spill Truck - X-Large

- Mobile spill response kit in a water- and chemical-resistant large bin
- Absorbs up to 282 gallons per kit
- Kit dimensions: 57.5 in. x 40.5 in. x 47 in.

#### Contents of

##### Universal and Oil-Only Kits:

- 250 pads (15 in. x 19 in.)
- 36 SOC's (3 in. x 4 ft.)
- 20 SOC's (3 in. x 12 ft.)
- 8 pillows (18 in. x 18 in.)
- 30 disposal bags
- 3 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

#### Contents of

##### Marine Kit:

- 600 pads (15 in. x 19 in.)
- 8 booms (5 in. x 10 ft.)
- 1 sweeps (19 in. x 100 ft.)
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-XLT	Universal	184	221	1	1/each
SKO-XLT	Oil only	174	221	1	1/each
SKM-XLT	Marine	282	258	1	1/each

# Facility Marking Tape

BradyID.com/s36

## Create a visual workplace with facility and floor marking products

Visual Workplace is a lean concept that emphasizes putting critical information at the point of use. Companies that incorporate lean visuals throughout their facility are proven to have higher productivity, reduced waste, and improved safety.

Visuals can be something as simple as a line, shape or color band — whatever employees can understand at a glance. Or visuals can include signs, labels, displays and more.



### OSHA regulations now include aisle marking

OSHA has recently begun requiring, or implying, the need for marking and color coding.

#### OSHA - Use of Mechanical Equipment

1910.176(a) Where mechanical handling equipment is used, sufficient safe clearances shall be allowed for aisles, at loading docks, through doorways and wherever turns or passage must be made. Permanent aisles and passageways shall be appropriately marked.

#### OSHA - Letter of Interpretation

1910.22(b) The lines used to delineate aisles may be any color so long as they clearly define the area considered as aisle space. The lines may be composed of dots, square, strip or continuous. The recommended width of aisle markings varies from 2 in. to 6 in., therefore any width 2 in. or more is considered acceptable.

#### OSHA - Means of Egress

1910.35 OSHA will deem an employer demonstrating compliance with the exit route provisions of NFPA 101, Life Safety Code, or the exit route provisions of the IFC 2009, to be in compliance with 190.34, 1910.36 and 1910.37.

#### IFC - International Fire Code 2009

1024.1 Approved luminous egress path markings delineating the exit path shall be provided...having occupied floors located more than 75 ft. above the lowest level of fire department vehicle access.

1024.2.1 A solid and continuous stripe shall be applied to the horizontal leading edge of each step and shall extend the full length of each step.

1024.2.4 Perimeter and floor mounted demarcation lines shall be placed within 4 in. of the wall and extend to within 2 in. of the markings on the leading edge of landings. Demarcation lines shall be 1 in. to 2 in. wide with interruptions not exceeding 4 in.

## ToughStripe Max Floor Marking Tape (B-543)

- Resistance to cuts and scrapes in high-traffic forklift and industrial-vehicle traffic areas due to its increased thickness (1.25 mm)
- Aggressive adhesive performance to floor, but easily removes in one piece
- Tapered edges minimize "pick points" and traffic bumps
- Service temperature range of 0° F to 140° F (-18° C to 60° C)

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Yellow	149629	149636	149643
Ylw / Blk Striped	149630	149637	149644
Red	149634	149641	149648
Orange	149635	149642	-
White	149633	149640	149647
Green	149632	149639	149646
Blue	149631	149638	149645



**new**



## Toughstripe Floor Marking Tape (B-514)

- Ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths
- Exceeds OSHA and ANSI safety standards for clean, dry non-slip surfaces
- 0.2 mm thickness and service temperature 0° F to 140° F (-18° C to 60° C)
- Custom colors available

### Colors

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Yellow	104312	104342	104372
Red	104313	104343	104373
Orange	104316	104346	104376
White	104311	104341	104371
Green	104315	104345	104375
Blue	104314	104344	104374
Purple	134086	134087	134088
Brown	134089	134090	134091
Grey	134092	134093	134094
Black	104310	104340	104370

### Stripes

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Ylw / Blk	104317	104347	104377
Rd / Wht	104318	104348	104378
Rd / Ylw	132430	132431	132432
Org / Blk	132433	132434	132435
Wht / Blk	104319	104349	104379
Gm / Wht	132436	132437	132438
Blu / Ylw	132439	132440	132441

### Checkers

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Rd / Wht	121916	121917	121918
Blk / Wht	121913	121914	121915

### Overlamine Tape

Catalog #	Description	Size
142134	Overlamine	1 in. x 50 ft.
142136	Overlamine	1.125 in. x 100 ft.
142135	Overlamine	2 in. x 50 ft.
142137	Overlamine	2.250 in. x 100 ft.
142138	Overlamine	3 in. x 100 ft.
142139	Overlamine	4 in. x 100 ft.


## ToughStripe Floor Tape Applicator

- One applicator for all of your floor marking tapes — including thick, heavy-duty tapes and thin, temporary tapes
- Adjusts to fit 2 in. to 4 in. tape widths
- Lightweight, ergonomic design makes tape application easy
- Applicator winds tape liner onto an extra core as you go to make clean up fast and easy
- Small footprint fits in tight spaces

Catalog #	Description	Qty
150852	ToughStripe Floor Tape Applicator	1



**new**



Adjusts to fit 2 in. to 4 in. tape widths



# ToughStripe® Floor Marking

BradyID.com/s36

## ToughStripe Floor Marking Die-cut Shapes

- All the durability and high visibility of ToughStripe Floor Marking Tape, but in die-cut shapes



**Dots**

	3.5 in. Dia. 350/roll
Yellow	104403
Red	104400
White	104405
Green	104401
Blue	104402
Black	104404



**Arrows**

	2 in. x 5 in. 100/pack	3 in. x 8 in. 100/pack	4 in. x 10 in. 100/pack
Yellow	104415	104421	104427
Red	104412	104418	104424
White	104417	104423	104429
Green	104413	104419	104425
Blue	104414	104420	104426
Black	104416	104422	104428



**Footprints**

	10 ft. x 3.5 in. 5 right and 5 left/pack
Yellow	104409
Red	104406
White	104411
Green	104407
Blue	104408
Black	104410



**Corner Marks**

	2 in. x 5 in. 20/pack	3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104433	104445	104457
Red	104430	104442	104454
White	104435	104447	104459
Green	104431	104443	104455
Blue	104432	104444	104456
Black	104434	104446	104458



**Center Marks**

	2 in. x 5 in. 20/pack	3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104469	104475	104481
Red	104466	104472	104478
White	104471	104477	104483
Green	104467	104473	104479
Blue	104468	104474	104480
Black	104470	104476	104482



**Divider Marks**

	2 in. x 5 in. 20/pack	3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104439	104451	104463
Red	104436	104448	104460
White	104441	104453	104465
Green	104437	104449	104461
Blue	104438	104450	104462
Black	104440	104452	104464

## Pre-Spaced ToughStripe Shapes

Quickly lay straight, evenly spaced shapes. Simply lay down the continuous tape, then remove the clear transfer tape. No need to apply markings one by one.

	3.5 in. x 100 ft. 55 dots/18 in. apart	2 in. x 5 in. x 100 ft. 52 arrows/18 in. apart	2 in. x 8 in. x 100 ft. 46 dashes/18 in. apart
Yellow	104523	104529	104556
Red	104521	104526	142179
White	104522	104555	142177
Green	104520	104527	142181
Blue	104524	104528	142180
Black	104525	104554	142178



## Pre-Printed ToughStripe Tape

Stock or custom legends available (18 character limit)

Legend	Color	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
QA Inspection Area	Blk on Org	121364	121365	121366
Caution ESD Area	Blk on Ylw	121367	121368	121369



Facility Marking Tape



## Print-On-Demand ToughStripe Tape (B-483)

ToughStripe is available as a printable material for several of Brady's printers, allowing you to create custom floor labels for your facility. Simply print desired label from a select Brady printer, position label on floor and apply included B-634 polyester overlaminate for print protection.


**Benchtop printers**  
See page 49

**BMP®71 Portable Printer**  
See page 152

## Toughstripe Floor Marking Signs

Toughstripe B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- Black areas of signs are coated with anti-slip tread
- 3-mil thickness, service temperature 0° F to 130° F (18° C to 54° C)
- US Patent No 8,302,337



Arrow Symbol  
104489 - 17 in. dia.



Emergency Exit  
104495 - 17 in. dia.



Emergency Stairs  
104496 - 17 in. dia.



Exit Arrow  
104490 - 17 in. dia.



Fire Extinguisher  
104492 - 17 in. dia.



Fire Alarm  
104493 - 17 in. dia.



Fire Hose  
104494 - 17 in. dia.



Pedestrian Traffic Only  
104509 - 17 in. dia.



Watch Out For Fork Lift  
104501 - 17 in. dia.



Warning Forklift Traffic  
104512 - 17 in. dia.



Production Area  
104513 - 17 in. dia.



First Aid w/Arrow  
104486 - 17 in. dia.



Safety Shower  
104487 - 17 in. dia.



Eye Wash  
104507 - 17 in. dia.



Stop  
104511 - 17 in. dia.



Keep Aisles Clear  
104508 - 17 in. dia.



Radiation Area  
104488 - 14 in. x 18 in.



First Aid  
104491 - 14 in. x 18 in.



Do Not Enter  
104497 - 14 in. x 18 in.



Chemical Storage  
104498 - 14 in. x 18 in.



Watch Your Step  
104499 - 14 in. x 18 in.




No Smoking  
104500 - 14 in. x 18 in.




Ear Protection Area  
104502 - 14 in. x 18 in.



Eye Protection Area  
104503 - 14 in. x 18 in.



Hard Hat Area  
104504 - 14 in. x 18 in.



Safety Goggles Required  
104505 - 14 in. x 18 in.



Biohazard  
104506 - 14 in. x 18 in.



Safety Glasses Required  
104510 - 14 in. x 18 in.

# ToughStripe® Floor Marking

BradyID.com/s36

## ToughStripe Numbers and Letters

- Easy-to-see 6 in. x 8 in. numbers and letters are ideal for marking aisles, shipping and receiving docks, distribution centers and other areas of your facility
- Material removes cleanly without any unsightly adhesive residue or damage to the floor
- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A 1264.2-2006 and OSHA 1910.22



Legend	Black 20/sheets	White 20/sheets	Red 20/sheets	Green 20/sheets	Blue 20/sheets	Yellow 20/sheets
A	121691	121692	121693	121694	121695	121696
B	121697	121698	121699	121700	121701	121702
C	121703	121704	121705	121706	121707	121708
D	121709	121710	121711	121712	121713	121714
E	121715	121716	121717	121718	121719	121720
F	121721	121722	121723	121724	121725	121726
G	121727	121728	121729	121730	121731	121732
H	121733	121734	121735	121736	121737	121738
I	121739	121740	121741	121742	121743	121744
J	121745	121746	121747	121748	121749	121750
K	121751	121752	121753	121754	121755	121756
L	121757	121758	121759	121760	121761	121762
M	121763	121764	121765	121766	121767	121768
N	121769	121770	121771	121772	121773	121774
O	121775	121776	121777	121778	121779	121780
P	121781	121782	121783	121784	121785	121786
Q	121787	121788	121789	121790	121791	121792
R	121793	121794	121795	121796	121797	121798
S	121799	121800	121801	121802	121803	121804
T	121805	121806	121807	121808	121809	121810

Legend	Black 20/sheets	White 20/sheets	Red 20/sheets	Green 20/sheets	Blue 20/sheets	Yellow 20/sheets
U	121811	121812	121813	121814	121815	121816
V	121817	121818	121819	121820	121821	121822
W	121823	121824	121825	121826	121827	121828
X	121829	121830	121831	121832	121833	121834
Y	121835	121836	121837	121838	121839	121840
Z	121841	121842	121843	121844	121845	121846
0	121847	121848	121849	121850	121851	121852
1	121853	121854	121855	121856	121857	121858
2	121859	121860	121861	121862	121863	121864
3	121865	121866	121867	121868	121869	121870
4	121871	121872	121873	121874	121875	121876
5	121877	121878	121879	121880	121881	121882
6	121883	121884	121885	121886	121887	121888
7	121889	121890	121891	121892	121893	121894
8	121895	121896	121897	121898	121899	121900
9	121901	121902	121903	121904	121905	121906
Punctuation Set*	121907	121908	121909	121910	121911	121912

\* Each set includes: 40 periods, 20 commas, 20 question marks, 20 exclamation points, 20 forward slashes, 20 dashes and 20 ampersands.

## Premium 5S Marking Kits with ToughStripe Floor Marking Tape

Everything you need to 5S your facility, enhancing workplace organization and efficiency.

### Premium 5S Marking Kit Includes:

- ToughStripe Floor Marking Tape
  - 4 rolls of 2 in. ToughStripe floor tape (1 yellow, 1 red, 1 blue, 1 green)
  - 4 packs of 2 in. L-shaped corner marks (1 yellow, 1 red, 1 blue, 1 green)
- Toolboard / Workbench Marking Tapes
  - 4 rolls of 12 in. shadow vinyl (1 black, 1 red, 1 blue, 1 green)
  - 4 rolls of 0.5 in. border tape (1 black, 1 red, 1 blue, 1 green)
  - 4 rolls of 0.5 in. L-shaped corner marks (1 black, 1 red, 1 blue, 1 green)

Catalog #	Description
142109	Premium 5S Kit

### Premium 5S Kit with BMP®71 Label Printer Includes:

- All contents of Premium 5S Marking Kit above, plus:
- BMP71 Printer with hard carrying case and charger / AC power adaptor
- 3 white vinyl tape cartridges (0.5 in., 1 in., 2 in.)
- 1 yellow vinyl tape cartridge (2 in.)
- 2 ribbon cartridges (1 black, 1 red)

Catalog #	Description
142111	Premium 5S Kit with BMP71 Label Printer



**Learn more about the BMP®71 Label Printer on page 152**



## PaintStripe™ Floor Marking Stencil

- Faster application, exact measurement and precise control
- Two adhesive types to securely mask edges and provide easy removal on concrete and other floor surfaces
- Printed cut-lines and a repeating 12-inch ruler facilitate accurate length measurement and rapid alignment of 90° corners
- Ideal for areas where paint is preferred for line-marking, such as areas with aggressive or abrasive traffic conditions, or facilities that are unable to use aisle marking tapes due to wet floors, washdown conditions, floor-cleaning protocols or chemical exposures



### B-518 with lower adhesion for clean, polished floors

Catalog #	Surface Type	Style	Size	Qty
148820	Smooth Flooring	Line	2 in.	100 ft. roll
148808	Smooth Flooring	Line	2 in.	500 ft. roll
148814	Smooth Flooring	Line	3 in.	100 ft. roll
148819	Smooth Flooring	Line	3 in.	500 ft. roll
148806	Smooth Flooring	Line	4 in.	100 ft. roll
148816	Smooth Flooring	Line	4 in.	500 ft. roll
148815	Smooth Flooring	Dashed	2 in. x 8 in.	100 ft. roll
148823	Smooth Flooring	Dashed	2 in. x 8 in.	500 ft. roll





### B-519 with higher adhesion for dull or worn surfaces

Catalog #	Surface Type	Style	Size	Qty
148813	Rough Flooring	Line	2 in.	100 ft. roll
148822	Rough Flooring	Line	2 in.	500 ft. roll
148809	Rough Flooring	Line	3 in.	100 ft. roll
148821	Rough Flooring	Line	3 in.	500 ft. roll
148810	Rough Flooring	Line	4 in.	100 ft. roll
148807	Rough Flooring	Line	4 in.	500 ft. roll
148812	Rough Flooring	Dashed	2 in. x 8 in.	100 ft. roll
148818	Rough Flooring	Dashed	2 in. x 8 in.	500 ft. roll



## Paint vs. ToughStripe Tape

	Preparation and Execution	Environment	Removal	Brady Solutions	
 <b>Tape</b>	Requires less planning and preparation. Tape immediately bonds to floor.	Indoor, dry environments	Easier to remove if markings need to be rearranged	<b>Good:</b> B-726 Vinyl Tape	Cost-effective solution for short application periods
				<b>Better:</b> ToughStripe Tape	Longer application period and available in die-cuts and signs
				<b>Best:</b> ToughStripe Max Tape	Highest durability for forklift traffic
 <b>Paint</b>	Extensive surface preparation, ventilation and control of ignition or contamination sources. Downtime for drying.	Indoor and outdoor use, including wash down environments	Difficult to remove if markings need to be rearranged	<b>PaintStripe™ Floor Marking Stencil</b>	Paint stencil for longer, more permanent marking on rough or pitted floors



# Facility Marking Tape

BradyID.com/s36



## Aisle Marking Tapes

- Long-wearing B-726 vinyl tape
- Applies quickly and sticks tightly
- Not compatible with Universal Line Applicator

Color	2 in. x 36 yd.	3 in. x 36 yd.	4 in. x 36 yd.
Yellow	58200	58250	102838
Red	58201	58251	102836
Orange	102825	102829	102835
White	58203	58253	102837
Green	58202	58252	102834
Blue	58220	58221	102833
Black	58222	58223	102839
Brown	102828	102832	102840
Purple	102827	102831	-
Grey	102826	102830	-



## L-Shaped Corner Markings

- Use corner marks to quickly define storage locations on workbenches, desktops and shelves

Catalog #	Color	Size	Qty.
121415	Yellow	1 in. x 1 in.	750/roll
121413	Red	1 in. x 1 in.	750/roll
121416	Green	1 in. x 1 in.	750/roll
121414	Blue	1 in. x 1 in.	750/roll
121417	Black	1 in. x 1 in.	750/roll



## Border Marking Tape

- Ideal for solid borders, dividing lines
- Place color-coded bands on tools for easy identification

Catalog #	Color	Size
121124	Yellow	0.25 in. x 50 ft.
121129	Yellow	0.50 in. x 50 ft.
121122	Red	0.25 in. x 50 ft.
121127	Red	0.50 in. x 50 ft.
121125	Green	0.25 in. x 50 ft.
121130	Green	0.50 in. x 50 ft.
121128	Blue	0.25 in. x 50 ft.
121123	Blue	0.50 in. x 50 ft.
121126	Black	0.25 in. x 50 ft.
121131	Black	0.50 in. x 50 ft.



## Warning Tape

- B-950 vinyl with permanent adhesive stands up to tough indoor conditions
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Color	1 in. x 18 yd.	1.5 in. x 18 yd.	2 in. x 18 yd.	3 in. x 18 yd.
<b>Striped Tape</b>				
Blk/Ylw	55300	55301	55302	55303
Rd/Wht	55294	55295	55296	55297
Blk/Wht	55290	55291	55292	55293
Mag/Ylw	-	55312	55313	55314
Grn/Wht	-	-	90019	90020
<b>Checked Tape</b>				
Blk/Ylw	-	-	76317	76319
Blk/Wht	-	-	76316	76318



## T-Shaped Corner Markings

- Use corner marks to quickly define storage locations on workbenches, desktops and shelves

Catalog #	Color	Size	Qty.
121420	Yellow	1.5 in. x 1 in.	545/roll
121418	Red	1.5 in. x 1 in.	545/roll
121421	Green	1.5 in. x 1 in.	545/roll
121419	Blue	1.5 in. x 1 in.	545/roll
121422	Black	1.5 in. x 1 in.	545/roll



## Shadow Vinyl Rolls

- Quickly and easily create tool shadows to exact size and shape
- Simply place tool on vinyl, trace outline with pen and cut out with scissors

Catalog #	Color	Size
121119	Yellow	12 in. x 12 ft.
121117	Red	12 in. x 12 ft.
121120	Green	12 in. x 12 ft.
121118	Blue	12 in. x 12 ft.
121121	Black	12 in. x 12 ft.



## Reflective Tape

- Made of B-957 reflective tape
- Gives an extra margin of safety in low light conditions

Color	2 in. x 15 ft.	2 in. x 30 ft.	3 in. x 15 ft.	3 in. x 30 ft.
<b>Solid Tape</b>				
Yellow	78986	78141	78988	78144
Orange	78989	78142	78990	78145
White	78985	78140	78987	78143
<b>Striped Tape</b>				
Blk/Ylw	76308	78130	76312	78133
Rd/Wht	76309	78131	76313	78134
Blk/Wht	76310	78132	-	78135
<b>Checked Tape</b>				
Blk/Ylw	76321	78137	-	78139
Blk/Wht	-	78136	-	78138



Organize tools and equipment



Designate storage locations



Inventory and reorder levels



Warn of safety hazards