



**Your experts for
safety, facility
and equipment
identification**

Product Catalog

B30- and B33-Series Materials

BradyID.com/s36

Dissolvable Paper Labels (B-403)

- Designed for temporary applications where easy removal, re-identification or waste reduction are valued
- Ideal for labeling vials, tubes or general glassware, temporary asset tracking, animal housing identification and general use
- Completely dissolves in warm water within 30 seconds, leaving no adhesive residue




Figure 3



Dissolves within 30 seconds leaving no residue.

Service temp: -40° F to 172° F

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-1125-403-WT	B-403	White	1.125 (28.6)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-2250-403-WT	B-403	White	2.250 (57.15)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-3000-403-WT	B-403	White	3.000 (76.2)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-4000-403-WT	B-403	White	4.000 (101.6)	100 (30.5)	1 (cont.)	B30-R4300

Well and Microplate Labels (B-490, B-499)

- Designed with a short height and long width to fit the necessary information on the plate
- B-490 Polyester: White FreezerBondz label ideal for flat frozen surfaces
- B-499 Nylon Cloth: Thick white nylon cloth with permanent adhesive provides easy handling and conformability
- B-7425 Polypropylene: Moderate chemical resistance, ideal for labeling dry, room temperature specimen containers




Figure 2



B-490: Service temp: -320° F to 366° F

B-499: Service temp: -40° F to 194° F

B-7425: Service temp: -112° F to 158° F

Agency approvals: RoHS
Agency approvals: RoHS
Agency approvals: RoHS

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 2	B33-151-490	B-490	White	2.000 (50.8)	0.250 (6.4)	1	2500	B30-R4300
i3300, BBP33	Fig. 2	B33-151-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-151-7425	B-499	White	2.000 (50.8)	0.250 (6.4)	1	2000	B30-R4300

Tissue Cassette Labels (B-482)

- White polyester label with superior resistance to tissue processing chemicals and embedding procedures
- Use with the BSP™31 Label Attachment system for tissue cassette identification




Figure 2



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 2	B33-199-482	B-482	White	1.050 (26.7)	0.250 (6.4)	1	3000	B30-R6400
i3300, BBP33	Fig. 2	B33-213-482	B-482	White	1.050 (26.7)	0.313 (8)	1	3000	B30-R6400

*All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

B30- and B33-Series Materials

BradyID.com/s36

General Identification for Laboratory Storage, Equipment and Safety Labels (B-499, B-595, B-7569)

- Super-strong adhesives and colors ideal for marking laboratory equipment, containers, hoses and lab storage cabinets, shelves and drawers
- GHS labels available for marking chemicals in the lab and shipment boxes when collaborating with other labs
- Pre-printed sign header labels make your safety and housekeeping reminders stand out and stay put

B-499: Service temp: -40° F to 193° F Agency approvals:
 B-595: Service temp: -40° F to 180° F Agency approvals:
 B-7569: Service temp: -4° F to 167° F




Figure 1




Figure 2




Figure 3




Figure 70



Fits Printers	Figure	Catalog #	B#	Color /Legend	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Nylon Cloth - Permanent adhesive (B-499):									
i3300, BBP33	Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	4	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-165-499	B-499	White	0.800 (20.3)	1.437 (36.5)	4	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-125-499	B-499	White	0.900 (22.9)	0.500 (12.7)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-126-499	B-499	White	0.900 (22.9)	0.500 (12.7)	2	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-163-499	B-499	White	1.000 (25.4)	0.375 (9.5)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	1	1100	B30-R6000
i3300, BBP33	Fig. 2	B33-125-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1500	B30-R6000
Indoor / Outdoor Vinyl (B-595):									
All*	Fig. 3	B30C-500-595-WT	B-595	White	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-WT	B-595	White	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-YL	B-595	Yellow	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-YL	B-595	Yellow	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-RD	B-595	Red	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-RD	B-595	Red	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-BL	B-595	Blue	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-BL	B-595	Blue	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-GN	B-595	Green	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-GN	B-595	Green	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
Pre-Printed Pre-Cut Blank Sign Headers (B-595):									
All*	Fig. 70	B30-241-595-ANSIDA	B-595		2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSIDA	B-595		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
All*	Fig. 70	B30-241-595-ANSINO	B-595		2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSINO	B-595		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
Pre-Printed GHS / CLP Chemical (B-7569):									
All*	L4B Diamond + Text	B30-260-7569-CLP4B	B-7569		2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
		B30-261-7569-CLP4B	B-7569		2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
All*	L4C Diamond + Text	B30-18-7569-CLP4C	B-7569		1.000 (25.4)	3.000 (76.2)	1	1000	B30-R10000

Additional sizes and colors available for: B-595 on page 40; sign headers on page 44; GHS labels on page 42.
 U.S. Patent No. 5,823,689; 6,570,602 on B-595 vinyl. Additional patents pending.

*All supplies listed are compatible with the following printers unless otherwise noted:
 BradyPrinter S3000, S3100, i3300, BBP[®]30, BBP[®]31, BBP[®]33, BBP[®]35 and BBP[®]37 printers.

B30-Series Supply Kits

BradyID.com/s36

B30-Series Supply Kits

for BradyPrinter S3000, S3100, i3300,
BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers

Get started right and save a little, too, with a Brady supply starter kit. These kits contain the most commonly used labels and ribbons to ensure you have what you need to get going on your projects.



Basic Supply Starter Kit

Kit includes:

- (1) B30C-4000-595-YL - 4 in. yellow vinyl
- (1) B30C-4000-595-WT - 4 in. white vinyl
- (1) B30C-2250-595-RD - 2.25 in. red vinyl
- (1) B30-R10000 - Black print ribbon
- (1) B30-R10000-WT - White print ribbon

Catalog #	Description
146069	Basic Supply Starter Kit - Small

Printer sold separately.



Gauge Label Supply Kit for BBP37 Printer*

Kit includes:

- (2) B30C-4000-595-WT - 4 in. white vinyl
- (2) B30-R10000-GR-8 - Green / red paneled print ribbon; 8 in. panel length

Catalog #	Description
146070	Gauge Label Supply Kit - Small

* BBP37 printer required to cut gauge label. Printer sold separately.



Arc Flash Supply Kit

Large kit includes:


- (2) B30-25-595-ANSIWA - 4 in. x 6 in. B-595 ANSI warning header
- (1) B30-241-595-ANSIWA - 2.25 in. x 3 in. B-595 ANSI warning header
- (1) B30EP-174-593-WT - 1 in. x 4 in. B-593 white raised panel label
- (1) B30C-2250-595-OR - 2.25 in. B-595 orange vinyl
- (3) B30-R10000 - Black print ribbon

Small kit includes:

- (2) B30-25-595-ANSIWA - 4 in. x 6 in. ANSI warning header
- (1) B30-R10000 - Black print ribbon

Catalog #	Description
142061	Arc Flash Supply Kit - Large
146071	Arc Flash Supply Kit - Small
S3100W-ARC-KIT	BradyPrinter S3100 w/ Large Arc Flash Supply Kit

Printer sold separately unless otherwise noted.



GHS Supply Kit

Large kit includes:

- (1) B30-262-7569-CLP4B - 4 in. x 6 in. four-diamond GHS label
- (2) B30-261-7569-CLP4B - 3 in. x 4 in. four-diamond GHS label
- (1) B30-260-7569-CLP4B - 2 in. x 3 in. four-diamond GHS label
- (3) B30-R10000 - Black print ribbon

Small kit includes:

- (2) B30-262-7569-CLP4B - 4 in. x 6 in. four-diamond GHS label
- (1) B30-R10000 - Black print ribbon

Catalog #	Description
146072	GHS Supply Kit - Large
146073	GHS Supply Kit - Small
S3100W-GHS-KIT	BradyPrinter S3100 w/ Large GHS Supply Kit

Printer sold separately unless otherwise noted.



Safety and Compliance Supply Kit

Kit includes:

- (1) B30-25-595-ANSIDA - 4 in. x 6 in. B-595 ANSI danger header
- (1) B30-25-595-ANSIWA - 4 in. x 6 in. B-595 ANSI warning header
- (1) B30-25-595-ANSICA - 4 in. x 6 in. B-595 ANSI caution header
- (1) B30-25-595-ANSINO - 4 in. x 6 in. B-595 ANSI notice header
- (1) B30C-4000-526 - 4 in. B-526 photoluminescent
- (1) B30-263-595-NFPA - 4 in. x 6 in. B-595 NFPA right to know diamond
- (2) B30-R10000 - Black print ribbon
- (1) B30-R10000-RD - Red print ribbon

Catalog #	Description
142062	Safety Supply Kit - Large
S3100W-SAFE-KIT	BradyPrinter S3100 w/ Safety Supply Kit

Printer sold separately unless otherwise noted.



Lean / 5S Visual Workplace Supply Kit

Kit includes:

- (1) B30C-4000-595-WT - 4 in. B-595 white vinyl
- (1) B30C-2250-595-WT - 2.25 in. B-595 white vinyl
- (1) B30C-4000-595-YL - 4 in. B-595 yellow vinyl
- (1) B30C-2250-595-YL - 2.25 in. B-595 yellow vinyl
- (1) B30C-2250-581-WT - 2.25 in. B-581 repositionable vinyl
- (1) B30C-1125-581-WT - 1.125 in. B-581 repositionable vinyl
- (1) B30C-2500-509-WT - 2.25 in. magnetic vinyl
- (1) 142133 - Blank valve tag variety pack
- (1) B30-219-595-BLNKWT - Die-cut labels for valve tags
- (1) B30-25-595-ANSIWA - 4 in. x 6 in. B-595 caution header
- (2) B30-R10000 - Black print ribbon
- (1) B30-R10000-RD - Red print ribbon
- (1) B30-R10000-GN - Green print ribbon
- (1) B30-R10000-BL - Blue print ribbon

Catalog #	Description
142063	Lean / 5S Supply Kit - Large
S3100W-LEAN-KIT	BradyPrinter S3100 w/ Lean / 5S Supply Kit

Printer sold separately unless otherwise noted.



Pipe Identification Supply Kit

Kit includes:

- (1) B30C-4000-595-YL - 4 in. B-595 yellow vinyl
- (1) B30C-2250-595-YL - 2.25 in. B-595 yellow vinyl
- (1) B30C-1125-595-YL - 1.125 in. B-595 yellow vinyl
- (1) B30C-4000-595-GN - 4 in. B-595 green vinyl
- (1) B30C-2250-595-GN - 2.25 in. B-595 green vinyl
- (1) B30C-1125-595-GN - 1.125 in. B-595 green vinyl
- (1) B30C-1125-595-BL - 1.125 in. B-595 blue vinyl
- (1) B30C-2250-595-RD - 2.25 in. B-595 red vinyl
- (1) B30C-1125-595-RD - 1.125 in. B-595 red vinyl
- (1) B30EP-174-593-BK - 1 in. x 4 in. B-593 black raised panel
- (1) 142133 - Blank valve tag variety pack
- (1) B30-242-595-BLNKWT - Small die-cut labels for valve tags
- (3) B30-R10000 - Black print ribbon
- (2) B30-R10000-WT - White print ribbon

Catalog #	Description
142064	Pipe ID Supply Kit - Large
S3100W-PIPE-KIT	BradyPrinter S3100 w/ Pipe ID Supply Kit

Printer sold separately unless otherwise noted.



General Industrial Supply Kit

Kit includes:

- (1) B30C-4000-595-WT - 4 in. B-595 white
- (1) B30C-2250-595-WT - 2.25 in. B-595 white
- (1) B30C-1125-595-WT - 1.125 in. B-595 white vinyl
- (1) B30C-4000-595-YL - 4 in. B-595 yellow vinyl
- (1) B30C-2250-595-YL - 2.25 in. B-595 yellow vinyl
- (1) B30C-1125-595-YL - 1.125 in. B-595 yellow vinyl
- (1) B30EP-177-593-BK - 2.5 in. x 3 in. B-593 black raised panel
- (1) B30-25-595-ANSIDA - 4 in. x 6 in. B-595 ANSI danger header
- (1) B30-25-595-ANSICA - 4 in. x 6 in. B-595 ANSI caution header
- (1) B30C-2250-584-YL - 2.25 in. Reflective yellow
- (1) B30C-4250-551-WT - 4.25 in. White tag stock
- (2) B30-R10000 - Black print ribbon
- (1) B30-R10000-WT - White print ribbon
- (1) B30-R10000-RD - Red print ribbon

Catalog #	Description
142065	General Industrial Supply Kit - Large
S3100W-GEN-KIT	BradyPrinter S3100 w/ General Industrial Supply Kit

Printer sold separately unless otherwise noted.

B30-Series Print Ribbons

BradyID.com/s36

B30-Series Print Ribbons for BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers

- Tough, smear-proof ribbons that produce long-lasting printed text and can withstand years in industrial areas and outdoor conditions
- Self-contained cartridges drop straight into printer with a click – no calibrating, threading, wasted feeding and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for installed labels



**Drop and click print ribbons for
5-second ribbon supply changes**

Single-Color Print Ribbons

- Solid color ribbons for printing a single color onto a label
- Can be used for printing multi-color labels on BBP35 or BBP37 printers if a paneled multi-color ribbon is not on hand
- All ribbons 4.330 in. x 200 ft. (101.9 mm x 60.9 m)

Fits Printers	Catalog #	Color
All*	B30-R10000	Black
All*	B30-R6000	Black
All*	B30-R6200	Black
All*	B30-R6400	Black
All*	B30-R6600	Black
All*	B30-R4300	Black
All*	B30-R10000-WT	White
All*	B30-R4400-WT	White
All*	B30-R6700-WT	White*
All*	B30-R4500-SV	Silver*

Fits Printers	Catalog #	Color
All*	B30-R10000-RD	Red
All*	B30-R10000-GN	Green
All*	B30-R10000-BL	Blue
All*	B30-R10000-YL	Yellow*
All*	B30-R10000-YL2	Yellow*
All*	B30-R10000-OR	Orange
All*	B30-R10000-MA	Magenta
All*	B30-R10000-PRCCY	Process Cyan**
All*	B30-R10000-PRCYEL	Process Yellow**
All*	B30-R10000-PRCMAG	Process Magenta**



* B30-R4500-SV ribbon for use with B-342 black Permasleeves only; B30-R6700-WT ribbon for use with B-345 black Permasleeves only.

** B30-R10000-YL for printing yellow onto white. B30-R10000-YL2 for printing yellow onto other colors of B-595.

*** Process ribbons print a much lighter shade. They are designed to be used with other process ribbons and black ribbon to lay down a dot pattern for printing blended colors and process color objects with the BBP35/37.

Multi-Color Paneled Print Ribbons for BBP35 and BBP37

- Ribbons have 2- or 4-color panels for printing multiple colors onto a label
- Print multiple colors without having to swap in multiple ribbons



Two-color print ribbons

Fits Printers	Catalog #	Color	Panel Size Inch (mm)	Length Feet (m)
8 inch panel length. Typical yield: 100 panel sets per roll				
BBP35, 37 Only	B30-R10000-KR-8	Black and Red	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KY-8	Black and Yellow	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KB-8	Black and Blue	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KO-8	Black and Orange	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KG-8	Black and Green	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-GR-8	Green and Red	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
16 inch panel length. Typical yield: 60 panel sets per roll				
BBP35, 37 Only	B30-R10000-KR-16	Black and Red	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KY-16	Black and Yellow	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KB-16	Black and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KO-16	Black and Orange	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KG-16	Black and Green	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-RB-16	Red and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)

Four-color print ribbons

Fits Printers	Catalog #	Color	Panel Size Inch (mm)	Length Feet (m)
8 inch panel length. Typical yield: 50 panel sets per roll				
BBP35, 37 Only	B30-R10000-KRGB-8	Black, Red, Green and Blue	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRYG-8	Black, Red, Yellow and Green	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRYB-8	Black, Red, Yellow and Blue	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRBO-8	Black, Red, Blue and Orange	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-CMYK-8	Process Cyan, Magenta, Yellow, Black**	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
16 inch panel length. Typical yield: 30 panel sets per roll				
BBP35, 37 Only	B30-R10000-KRGB-16	Black, Red, Green and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRYB-16	Black, Red, Yellow and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-CMYK-16	Process Cyan, Magenta, Yellow, Black**	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)

** Process ribbons print a much lighter shade. They are designed to be used together with other process ribbons and black ribbon to lay down a dot pattern for printing blended colors and process color objects with the BBP35 and BBP37 printers.

B30-Series Print Ribbons

BradyID.com/s36

Print ribbon and label material compatibility

B-# Material		B30-R4300 (Black)	B30-R6000 (Black)	B30-R6200 (Black)	B30-R6400 (Black)	B30-R6600 (Black)	B30-R10000 (Black)	B30-R4500-SV* (Silver)	B30-R4400-WT (White)	B30-R6700-WT* (White)	B30-R10000-WT (White)	B30-R10000-YL (Yellow)	B30-R10000-YL2 (Yellow)	B30-R10000 (Colors)
B-342	Polyolefin	●	-	-	-	-	-	●*	-	-	-	-	-	-
B-344	Polyolefin	-	-	-	-	●	-	-	●*	-	-	-	-	-
B-345	Polyolefin	-	●	-	-	-	-	-	●	-	-	-	-	-
B-403	Paper	●	-	-	-	-	-	-	-	-	-	-	-	-
B-422	Polyester	-	●	-	-	-	-	-	●	-	-	-	-	-
B-423	Glossy white polyester	-	●	●	-	-	-	-	-	-	-	-	-	-
B-424	Matte white paper	●	-	-	-	-	-	-	-	-	-	-	-	-
B-425	Polypropylene	●	-	-	●	-	-	-	-	-	-	-	-	-
B-427	Vinyl	●	-	-	-	-	-	-	-	-	-	-	-	-
B-428	Metallized polyester	●	-	-	-	-	-	-	-	-	-	-	-	-
B-430	Polyester	-	●	-	-	-	-	-	-	-	-	-	-	-
B-432	Glossy clear polyester	-	●	-	-	-	-	-	●	-	-	-	-	-
B-434	Glossy metallized polyester	-	●	-	-	-	-	-	-	-	-	-	-	-
B-437	Polyvinylfluoride	●	-	-	-	-	-	-	-	-	-	-	-	-
B-438	Tamper evident metallized polyester	●	-	-	-	-	-	-	-	-	-	-	-	-
B-461	Polyester	●	-	-	-	-	-	-	-	-	-	-	-	-
B-472	Polyimide	●	-	-	-	-	-	-	-	-	-	-	-	-
B-480	Metallized polyester	-	-	-	●	-	-	-	-	-	-	-	-	-
B-481	Polyester	-	-	-	●	-	-	-	-	-	-	-	-	-
B-482	Polyester	-	-	-	●	-	-	-	-	-	-	-	-	-
B-483	Glossy white polyester	-	●	-	-	-	-	-	-	-	-	-	-	-
B-483	Toughstripe® floor marking tape	-	●	-	-	-	-	-	●	-	-	-	-	-
B-484A	Glossy white polyester	-	●	-	-	-	-	-	-	-	-	-	-	-
B-486	Matte metallized polyester	●	-	-	-	-	-	-	-	-	-	-	-	-
B-489	Matte white polyester	●	-	-	-	-	-	-	-	-	-	-	-	-
B-490	Polyester	●	-	-	-	-	-	-	-	-	-	-	-	-
B-492	Polyester	-	-	-	●	-	-	-	-	-	-	-	-	-
B-494	Color polyester	-	-	-	●	-	-	-	-	-	-	-	-	-
B-498	Cloth	-	-	●	-	-	-	-	-	-	-	-	-	-
B-499	Nylon	●	●	-	-	-	-	-	-	-	-	-	-	-
B-509	Printable magnetic	-	-	-	-	-	●	-	-	-	-	-	-	●*
B-526	Photoluminescent polyester	-	-	-	-	-	●	-	-	-	-	-	-	●*
B-549	Cold temperature polyester	-	-	-	-	-	●	-	-	-	●	-	-	●*
B-551	Non-adhesive tag	-	-	-	-	-	●	-	-	-	-	-	-	●*
B-565	Metallized polyester	-	-	-	-	-	●	-	-	-	-	-	-	-
B-569	Low-halide polyester	-	-	-	-	-	●	-	-	-	●	-	-	●*
B-581	Repositionable vinyl	-	-	-	-	-	●	-	-	-	●	-	-	●*
B-584	Retro reflective	-	-	-	-	-	●	-	-	-	-	-	-	●*
B-593	Raised panel polyester	-	●	-	-	-	-	-	●	-	-	-	-	-
B-595	Outdoor vinyl	-	-	-	-	-	●	-	-	-	●	●**	●**	●*
B-717	Polyimide	-	●	-	-	-	-	-	-	-	-	-	-	-
B-718	Polyimide	-	●	-	-	-	-	-	-	-	-	-	-	-
B-719	Polyimide	-	●	-	-	-	-	-	-	-	-	-	-	-
B-724	Matte amber polyimide	●	-	-	-	-	-	-	-	-	-	-	-	-
B-727	Glossy white polyimide	-	●	-	-	-	-	-	-	-	-	-	-	-
B-854	Toughwash® metal detectable	-	●	-	-	-	-	-	-	-	-	-	-	-
B-855	Toughwash	-	●	-	-	-	-	-	-	-	-	-	-	-
B-7425	Polypropylene	-	-	-	●	-	-	-	-	-	-	-	-	-
B-7425-AC	Polypropylene	-	-	-	●	-	-	-	-	-	-	-	-	-
B-7569	Vinyl film	-	-	-	-	●	-	-	-	-	-	-	-	-
B-7641	Polyolefin	●	●	-	-	●	-	-	-	-	-	-	-	-
B-7642	Polyolefin	●	-	-	●	-	-	-	-	-	-	-	-	-
B-7643	Polyurethane	-	●	-	-	-	-	-	●	-	-	-	-	-

Refer to the corresponding Tech Data Sheets for complete material information at BradyID.com/techdata.

* B30-R4500-SV ribbon for use with B-342 black PermaSleeves® only; B30-R6700-WT ribbon for use with B-345 black PermaSleeves® only.

**Colored ribbons optimized for use on white material. Test use on other material colors for suitability to your application.

***Use B30-R10000-YL for printing yellow onto white. Use B30-R10000-YL2 for printing yellow onto other colors of B-595.

Benchtop Printers

B30 / B33 Series

BBP[®]85 Sign and Label Printer

BradyID.com/s36

Benchtop Printers

BBP85



BRADY360
5 YEAR
WARRANTY

Learn more at
BradyID.com/bbp85

Printer at-a-glance

- Large output up to 10 in. wide
- Single- and multi-color printing
- PC-connect or standalone printing
- Touchscreen label creation
- 125 parts, 5 materials

Printing supplies

BBP85 label rolls page 78
BBP85 print ribbons page 83

BBP[®]85 SIGN & LABEL PRINTER

**There's big and bold.
Then there's big and bold
from Brady.**

The BBP85 Sign and Label Printer allows you to create extra-large 10 inch labels in multiple colors, and it has an easier-than-ever interface that anyone on your team can use. No more complex, tedious design steps. Now you can just walk up and print – anyone can do it.

Big Output. Little Fuss.

Create custom signs and labels right now. This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user lean / 5S and kaizen labeling events.

- Unmistakably large visuals up to 10 in. wide
- Just walk up and print – it really is that easy
- Simple touchscreen interface for standalone use, including label design apps to quickly create safety signs, pipe markers, GHS, arc flash, right-to-know labels and more
- Connect to your PC to print labels created through Brady Workstation apps
- USB port for importing files, fonts and graphics

Catalog #	Description
BBP85	BBP85 Sign and Label Printer*
B85-DC	BBP85 Printer Dust Cover
STYLUS-3PK	Replacement Stylus Pens (3 per pack)

* Printer ships with documentation CD, printer driver CD, power cord, USB cord, Quick Start Guide and cleaning kit.



Big, bold and better than ever



Large signs
up to 10 in. wide



Custom signs
on demand



Equipment ID



Low light applications



GHS labels



Pipe marking

BBP®85 Sign and Label Printer

BradyID.com/s36

Printer specifications

Overview	10 in. standalone and PC-connect printer for SFID with multi-color printing. Particularly popular for any large labeling needs. The ultimate in easy and accessible with multiple colors for larger output
Applications	Larger output of equipment labels, GHS labels, safety signs and multi-color labels
Label materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus reflective, 10-hour glow-in-the-dark and polyester.
Label formats	Continuous tapes, pre-printed and blank die-cut labels
Print technology	Thermal transfer
Print resolution	300 dpi
Print speed	1 in./sec.
Media widths	4 to 10 in.
Min. label dimension	4 in.
Color printing capabilities	Monocolor and multi-color printing
Auto cut-off	Yes
X-Y plotter cutting (cutout shapes / text)	No
PC-connect or standalone operation	Standalone and PC-connect printing
Connectivity options	Standard: USB, Ethernet Optional: Wi-Fi, Wi-Fi Direct
Compatible software	Brady Workstation Apps
Compatible materials	B85-series and PowerMark materials
Compatible ribbons	B85-series and Powermark ribbons
Calibration required	No (no waste)
Label creation and set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Ribbon and label roll installation	Labels: Supplied in cartridge, drops into place, 15-second changeover Ribbon: Supplied in cartridge, snaps into place, 5-second changeover
Warranty	5 years

* Patent No. 8,542,155; 8,783,983.
Additional patents pending.



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

▶ Learn more on page 176 or download a free trial at Workstation.BradylD.com

Brady360® 5-year Warranty



We stand behind our products and have strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With our team of certified tech support and repair technicians, you can rest easy knowing you have the support you need, every step of the way.

*Excludes repairs due to negligence. Excludes Wraptr™, BradyJet and portable models. For full coverage details and restrictions, visit BradyID.com/brady360

Benchtop Printers

BBP85

BBP®85 Label Materials

BradyID.com/s36

Indoor / Outdoor Grade Vinyl Tape (B-595)

- Durable, low-shrink vinyl with our most aggressive adhesive and 8-10 year outdoor durability
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks and wood, textured plastics, cast-iron and paper-jacketed pipes, powder-coated surfaces)

Service temp: -40° F to 180° F; Application temp: 0° F to 180° F
Average outdoor durability: 8-10 year outdoor vinyl label durability




Figure 33



Benchtop Printers

BBP85

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13538	B-595	White	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13549	B-595	White	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13651	B-595	White	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13551	B-595	White	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13562	B-595	White	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13539	B-595	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13550	B-595	Yellow	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13652	B-595	Yellow	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13552	B-595	Yellow	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13563	B-595	Yellow	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13540	B-595	Red	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13601	B-595	Red	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13654	B-595	Red	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13553	B-595	Red	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13610	B-595	Red	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13541	B-595	Blue	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13602	B-595	Blue	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13656	B-595	Blue	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13554	B-595	Blue	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13611	B-595	Blue	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13542	B-595	Green	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13603	B-595	Green	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13655	B-595	Green	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13555	B-595	Green	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13612	B-595	Green	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13543	B-595	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13604	B-595	Orange	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13653	B-595	Orange	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13556	B-595	Orange	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13613	B-595	Orange	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13544	B-595	Black	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13605	B-595	Black	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13557	B-595	Black	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13614	B-595	Black	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13545	B-595	Gold	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13606	B-595	Gold	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13558	B-595	Gold	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13615	B-595	Gold	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13546	B-595	Gray	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13607	B-595	Gray	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13559	B-595	Gray	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13616	B-595	Gray	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13547	B-595	Brown	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13608	B-595	Brown	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13560	B-595	Brown	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13617	B-595	Brown	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13548	B-595	Purple	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13609	B-595	Purple	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13561	B-595	Purple	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13618	B-595	Purple	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	59529	B-595	Clear	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59530	B-595	Clear	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59531	B-595	Clear	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	59532	B-595	Clear	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510

U.S. Patent No. 5,318,370; 5,823,689; 6,570,602. Additional patents pending.

Low-Halide Polyester (B-569)

- For labeling stainless steel and smooth surfaces
- Low-halide content for labeling stainless steel surfaces
- Applies best to very smooth surfaces and is ideal for mounting to rigid panels

Service temp: -40° F to 212° F; Application temp: 0° F to 212° F
Average outdoor durability: 3-5 years




Figure 33




Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13565	B-569	White	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13569	B-569	White	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13573	B-569	White	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13577	B-569	White	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13566	B-569	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13570	B-569	Yellow	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13574	B-569	Yellow	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13578	B-569	Yellow	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13567	B-569	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13571	B-569	Orange	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13575	B-569	Orange	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13579	B-569	Orange	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	99167	B-569	Ochre	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	99168	B-569	Ochre	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	99169	B-569	Ochre	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	99170	B-569	Ochre	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13564	B-569	Clear	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13568	B-569	Clear	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13572	B-569	Clear	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13576	B-569	Clear	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510

PowerMark™ Label Maker Materials

The BBP85 printer accepts many of the same materials that the PowerMark. Simply look for "BBP85" or "A" on the supply roll's label to verify compatibility with both models.

Questions?

Call Brady Tech Support at 1-800-643-8766.



BBP®85 Label Materials

BradyID.com/s36

Pre-Printed GHS / CLP Chemical Labels (B-7569)

- For GHS and hazard communication labeling
- Blank labels with pre-printed red diamonds save time during label printing
- 6 diamond layouts that match templates in Brady Workstation App and standalone printer app
- Indoor / outdoor vinyl withstands exposure to moisture, chemicals and handling

Service temp: -4° F to 180° F; Application temp: 50° F to 180° F
Average outdoor durability: 3-5 years



Fits Printers	Catalog #	B#	Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP85	130766	B-7569		L1 diamond + text 4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130772	B-7569		L1 diamond + text 6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130767	B-7569		L2 diamond + text 4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130773	B-7569		L2 diamond + text 6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130768	B-7569		L3A diamond + text 4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130774	B-7569		L3A diamond + text 6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130769	B-7569		L3B diamond + text 4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130775	B-7569		L3B diamond + text 6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130770	B-7569		L4A diamond + text 4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130776	B-7569		L4A diamond + text 6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130771	B-7569		L4B diamond + text 4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130777	B-7569		L4B diamond + text 6.100 (154.9)	8.300 (210.8)	1	70	13510

Pre-Printed Pre-Cut Blank Sign Headers (B-595, B-7569)

- For creating arc flash and safety warning labels in seconds
- Create custom, colorful safety labels using only a black ribbon
- Meet NFPA 70E, OSHA 1910.145 and ASME / ANSI Z535 standards
- Indoor / outdoor grade material conforms to rough, highly textured, and difficult to adhere to surfaces

B-595 vinyl: Service temp: -40° F to 180° F; Application temp: 0° F to 180° F
Average outdoor durability: 8-10 years outdoor vinyl durability

B-7569 vinyl: Service temp: -4° F to 167° F; Application temp: 50° F to 167° F
Average outdoor durability: Up to 3 years vinyl durability




Figure 70




Figure 82



Fits Printers	Figure	Catalog #	B#	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Roll	Rec. Ribbon
BBP85	Fig. 70	140886	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130750	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130749	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140887	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130753	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130752	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140888	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130756	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130755	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140889	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130759	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130758	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140885	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130762	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130761	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140890	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130765	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130764	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 82	140883	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 82	132393	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 82	140884	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 82	132395	B-595		7.000 (177.8)	10.000 (254.0)	60	13510

Creating On-Demand Rigid Signs

Rigid Sign Blanks

Create your own rigid signs using printed output from your Brady printer and rigid sign panels.

Three mounding techniques to choose from:

- Mount label to a rigid sign panel using the label's pressure sensitive adhesive
- Use the BLS1255 Laminating System to laminate output to a rigid sign panel
- Mount label behind a clear acrylic sign panel using the panel's included pressure sensitive adhesive



Aluminum panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146083	Alum.	Wht	2.500	6.260	10
146113	Alum.	Wht	2.500	10.250	10
13629	Alum.	Wht	4.250	6.250	10
106461	Alum.	Wht	4.250	10.250	10
146082	Alum.	Wht	4.250	14.250	10
13632	Alum.	Wht	7.250	10.250	10
106460	Alum.	Wht	7.630	10.380	10
106462	Alum.	Wht	10.250	10.250	10
13635	Alum.	Wht	10.250	14.250	10
146116	Alum.	Ylw	2.500	6.260	10
146117	Alum.	Ylw	2.500	10.250	10
13630	Alum.	Ylw	4.250	6.250	10
146114	Alum.	Ylw	4.250	10.250	10
146115	Alum.	Ylw	4.250	14.250	10
13633	Alum.	Ylw	7.625	10.375	10
13636	Alum.	Ylw	10.250	14.250	10
13631	Alum.	Org	4.250	6.250	10
13634	Alum.	Org	7.625	10.375	10
15Y885	Alum.	Org	10.250	14.250	10

Plastic panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146076	Plastic	Wht	2.500	6.250	10
146077	Plastic	Wht	2.500	10.250	10
13620	Plastic	Wht	4.250	6.250	10
146074	Plastic	Wht	4.250	10.250	10
146075	Plastic	Wht	4.250	14.250	10
13623	Plastic	Wht	7.630	10.380	10
146080	Plastic	Ylw	2.500	6.250	10
146081	Plastic	Ylw	2.500	10.250	10
13621	Plastic	Ylw	4.250	6.250	10
146078	Plastic	Ylw	4.250	10.250	10
146079	Plastic	Ylw	4.250	14.250	10
13622	Plastic	Org	4.250	6.250	10
13625	Plastic	Org	7.630	10.380	10
13628	Plastic	Org	10.250	14.250	10

Clear acrylic panels

Includes pressure sensitive adhesive backing to mount output behind the clear panel — protecting the graphics

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
13638	Acrylic	Clear	4.000	6.000	10
106464	Acrylic	Clear	4.250	10.250	10
13639	Acrylic	Clear	7.250	10.000	10
106463	Acrylic	Clear	7.250	10.250	10
13640	Acrylic	Clear	10.000	14.000	10
106465	Acrylic	Clear	10.25 in.	10.25 in.	10

BLS1255 Laminating System

BLS1255 laminator enables you to quickly and easily make custom rigid signs for your facility

- Mount signs to rigid panels to create signs for your facility
- Fast and easy to use
- No heat or electricity needed
- Laminate documents up to 12 in. wide



Catalog #	Description
105038	BLS1255 Laminating System
105041	12 in. x 50 ft. Double-Sided Polyester Overlamine



Laminates documents up to 12 in. wide

BBP®85 Label Materials

BradyID.com/s36

Pre-Printed Right-To-Know Chemical Labels (B-595)

- For quickly creating NFPA and color bar labels
- Blank die-cut labels pre-printed with chemical diamonds and color bars
- Indoor / outdoor grade material withstands exposure to moisture, chemicals and handling
- Allows printer to produce 5-color chemical labels in a single print pass

Service temp: -40° F to 180° F; Application temp: 0° F to 180° F
Average outdoor durability: 8 to 10 years outdoor vinyl label durability



Fits Printers	Catalog #	B#	Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP85	130808	B-595	 Diamond + text	4.000 (101.6)	6.000 (152.4)	1	95	13511
BBP85	130809	B-595	 Diamond + text	7.000 (177.8)	10.000 (254.0)	1	60	13510
BBP85	130810	B-595	 Diamond only	6.000 (152.4)	6.000 (152.4)	1	95	13511
BBP85	130811	B-595	 Color bar + text	4.000 (101.6)	6.000 (152.4)	1	95	13511
BBP85	130812	B-595	 Color bar + text	7.000 (177.8)	10.000 (254.0)	1	60	13510


Retro Reflective Tape (B-584)

- For highly reflective identification that shines back brightly when struck by light
- Ideal for labeling outdoor metal utility poles, pedestals, jobsite equipment and roof-top equipment especially in low light

Service temp: -40° F to 158° F; Average outdoor durability: 4 to 6 years
Application temp: 0° F to 158° F (yellow and orange), 50° F to 158° F (silver)



Figure 33



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13580	B-584	Silver	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13585	B-584	Silver	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13590	B-584	Silver	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	51584	B-584	Yellow	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	51585	B-584	Yellow	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	51586	B-584	Yellow	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13404	B-584	Orange	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13403	B-584	Orange	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13402	B-584	Orange	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510

BradyGlo™ High-Intensity Photoluminescent Tape (B-526)

- Identification that glows in the dark for up to 10 hours
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls, and vital equipment controls

Service temp: -40° F to 140° F; Application temp: 40° F to 140° F



Figure 33



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	105912	B-526	Luminous Green	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511 or 13595
BBP85, PMK	Fig. 33	105913	B-526	Luminous Green	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510 or 13514
BBP85, PMK	Fig. 33	105914	B-526	Luminous Green	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510 or 13514

BBP85 Printer Ribbons


Choose from a variety of heavy-duty, smear-proof ribbons, including single color and multi-color paneled ribbons. These ribbons are uniquely designed with memory cells that communicate information to the BBP85 printer.

Single color print ribbons

Fits Printers	Catalog #	Color	Size Inch (mm)	Length Foot (m)
BBP85, PMK	13511	Black	6.250 (158.0)	200 (60.9)
BBP85, PMK	13510	Black	8.800 (224.0)	200 (60.9)
BBP85, PMK	13513	White	6.250 (158.0)	200 (60.9)
BBP85, PMK	13512	White	8.800 (224.0)	200 (60.9)
BBP85, PMK	13595	Red	6.250 (158.0)	200 (60.9)
BBP85, PMK	13514	Red	8.800 (224.0)	200 (60.9)
BBP85, PMK	13596	Blue	6.250 (158.0)	200 (60.9)
BBP85, PMK	13515	Blue	8.800 (224.0)	200 (60.9)
BBP85, PMK	13597	Green	6.250 (158.0)	200 (60.9)
BBP85, PMK	13516	Green	8.800 (224.0)	200 (60.9)
BBP85, PMK	13598	Magenta	6.250 (158.0)	200 (60.9)
BBP85, PMK	13517	Magenta	8.800 (224.0)	200 (60.9)
BBP85, PMK	13599	Yellow	6.250 (158.0)	200 (60.9)
BBP85, PMK	13518	Yellow	8.800 (224.0)	200 (60.9)
BBP85, PMK	13600	Orange	6.250 (158.0)	200 (60.9)
BBP85, PMK	13519	Orange	8.800 (224.0)	200 (60.9)



Single color print ribbon



Two-color panel print ribbon



Four-color panel print ribbon

Two-color panel print ribbons

Fits Printers	Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length Feet (m)	Typical Yield From Ribbon
8 in. panels used to create two color signs up to 8 in. long						
BBP85, PMK	13523	Black and Red	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13522	Black and Red	8.800 (223.5)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13527	Black and Yellow	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13529	Black and Orange	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13704	Black and Green	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13706	Black and Green	8.800 (223.5)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
15 in. panels used to create two color signs up to 14 in. long						
BBP85, PMK	13521	Black and Red	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13520	Black and Red	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13525	Black and Blue	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13524	Black and Blue	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13526	Black and Yellow	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13528	Black and Orange	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13705	Black and Green	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13707	Black and Green	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)

Four-color panel print ribbons

Fits Printers	Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length Feet (m)	Typical Yield From Ribbon
8 in. panels used to create four color signs up to 8 in. long						
BBP85, PMK	13533	Black / Red / Blue / Yellow	6.250 (158.0)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13532	Black / Red / Blue / Yellow	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13537	Black / Red / Blue / Green	6.250 (158.0)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13536	Black / Red / Blue / Green	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	51448	Black / Red / Orange / Blue	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
15 in. panels used to create four color signs up to 14 in. long						
BBP85, PMK	13531	Black / Red / Blue / Yellow	6.250 (158.0)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13530	Black / Red / Blue / Yellow	8.800 (223.5)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13535	Black / Red / Blue / Green	6.250 (158.0)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13534	Black / Red / Blue / Green	8.800 (223.5)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)

BradyJet J2000 Color Label Printer

BradyID.com/s36

Benchtop Printers

J2000



new



Learn more at
BradyID.com/J2000

Printer at-a-glance

- Full-color CMYK inkjet printing
- Fast 2.5 in. per second print speeds
- Output up to 4 inches wide
- Small and lightweight at only 7 lbs
- 15 SFID parts, 2 materials

Printing supplies

J20-series materials page 85
J20-series ink cartridge see table



BradyJet J2000

COLOR LABEL PRINTER

Improve productivity and safety with color

Get the impactful color labels you need to create a safer, more efficient workplace. The BradyJet J2000 Color Label Printer is a compact on-demand, mid-volume inkjet solution for creating photo-quality color labels in a single pass, while improving efficiency and saving you money. With the BradyJet J2000 you'll benefit from:

Colorful identification – get more impactful identification with more than 16 million color options for your labels

Quick identification when you need it – efficient printing means you keep your workplace running smoothly

Savings on costs and space – get custom identification in a small footprint without the high cost of outsourced printing



**1 ink cartridge =
16 million colors**



Catalog #	Description
J2000	BradyJet J2000 Inkjet Label Printer
J2000-BWSSFID	BradyJet J2000 with Brady Workstation SFID Suite
J20-CMY	J20 Ink Cartridge
J20-PAD	J20 Ink Pads
J20-ROLL	J20 material roll for print head alignment

* Printer ships with ink cartridge, material roll for printhead alignment only, USB with drivers and manuals, power cord, USB cable and Quick Start Guide.

Improve productivity and safety



Photo signage



GHS labeling



Pipe marking



Lock labels



Facility tags



And more

BradyJet J2000 Color Label Printer

BradyID.com/s36

Printer specifications

Description	Full-color, high-resolution ink jet printer for creating photo-quality labels in a single pass, while reducing inventory of labeling supplies. Significantly smaller footprint than BradyJet J5000
Applications	GHS labels, pipe markers, warehouse marking, visual workplace labeling, lean / 5S labels, lockout tags, general ID Industrial ID, laboratory ID
Label material types	Inkjet receptive topcoated vinyl, polyester and tagstock
Types of labels	Continuous and die-cut labels
Print technology	Thermal inkjet
Print resolution	Up to 4800 dpi
Max print width	4 in.
Media widths	1.125 to 4.25 in.
Minimum label size	1.125 in.
Color printing capabilities	Full-color process; up to 16.7 million colors
Auto cut-off	Yes
X-Y plotter cutting	No
PC-connect or standalone operation	PC-connect only
Connectivity options	USB only
Compatible software	Brady Workstation Apps
Compatible materials	J20 series (all)
Calibration required	Required only on initial setup
Ink and label roll installation	Labels: Supplied as rolls, 20-second changeover Ink: Supplied as cartridge, 10-second changeover
Warranty	1 year*

*See BradyID.com/brady360 for coverage details.



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more



Learn more on page 176 or download a free trial at Workstation.BradyID.com

BradyJet J2000 Label Materials

BradyJet J2000 materials feature a topcoat that enhances the colors and protects your print from smudging and harsh conditions. These labels have been tested to withstand exposure to liquids, alcohol and chemicals, as well as indoor fluorescent and UV lighting.

Die-cut Labels

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll
Fig. 2	J20-260-2569	B-2569	Polyester	White	2.170 (55.11)	3.350 (85.09)	340
Fig. 2	J20-261-2569	B-2569	Polyester	White	2.950 (74.93)	4.330 (109.98)	270
Fig. 2	J20-262-2569	B-2569	Polyester	White	4.130 (104.90)	6.100 (154.94)	200
Fig. 2	J20-260-2595	B-2595	Vinyl	White	2.170 (55.11)	3.350 (85.09)	340
Fig. 2	J20-261-2595	B-2595	Vinyl	White	2.950 (74.93)	4.330 (109.98)	270
Fig. 2	J20-262-2595	B-2595	Vinyl	White	4.130 (104.90)	6.100 (154.94)	200

Continuous Material

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 3	J20C-1125-2569	B-2569	Polyester	White	1.125 (28.57)	100 (30.5)	1 cont.
Fig. 3	J20C-2250-2569	B-2569	Polyester	White	2.250 (57.15)	100 (30.5)	1 cont.
Fig. 3	J20C-4000-2569	B-2569	Polyester	White	4.000 (101.6)	100 (30.5)	1 cont.
Fig. 3	J20C-1125-2595	B-2595	Vinyl	White	1.125 (28.57)	100 (30.5)	1 cont.
Fig. 3	J20C-2250-2595	B-2595	Vinyl	White	2.250 (57.15)	100 (30.5)	1 cont.
Fig. 3	J20C-4000-2595	B-2595	Vinyl	White	4.000 (101.6)	100 (30.5)	1 cont.

Non-adhesive Tagstock

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Tag Length B Inch (mm)	Tags Per Roll
Fig. 13	J20-255-2551	B-2551	Tagstock	White	3.250 (82.55)	5.750 (146.05)	100
Fig. 3	J20C-3250-2551	B-2551	Tagstock	White	3.250 (82.55)	50 ft (15.24 m)	1 cont.
Fig. 3	J20C-2500-2551	B-2551	Tagstock	White	2.500 (63.50)	50 ft (15.24 m)	1 cont.




Figure 2




Figure 3




Figure 13

Benchtop Printers

J2000

BradyJet J5000 Color Label Printer

BradyID.com/s36

Benchtop Printers

J5000



BRADY360
1 YEAR
WARRANTY

Learn more at
BradyID.com/J5000

Printer at-a-glance

- Full-color CMYK inkjet printing
- High-resolution print ideal for photos
- Large output up to 8 in. wide
- PC-connect only
- 18 parts, 2 materials

Printing supplies

J50-series labels rolls.....page 88
J50-series Ink cartridges.....page 88



Easy to load supplies can be changed in seconds.

BradyJet J5000

COLOR LABEL PRINTER

High-resolution, high-speed full-color label creation

Get the impactful color labels you need to create a safer, more efficient workplace. The BradyJet J5000 Color Label Printer is an on-demand, inkjet solution for creating photo-quality color labels for indoor use in a single pass, while reducing your inventory of labeling supplies and material waste.

- 4,800 dpi print resolution for high-resolution clarity and fine detail
- Full-color photo reproduction and wide tonal range allows for labels with photos, graphics, illustrations, text, linear and 2D bar codes
- More than 16 million color possibilities with only 4 ink cartridges
- Large ink cartridges that reduce the amount of changeovers or replacements
- Fast print speeds up to 6 inches per second
- Print up to 5,000 high resolution labels per day, using only the ink and label materials needed to keep waste and inventory down
- Variety of label options with 2 to 8 inch wide continuous and die-cut materials



Catalog #	Description
J5000	BradyJet J5000 Color Label Printer*

* Printer ships with printhead with set-up ink cartridges, set-up CD, USB cable, power cord, Quick Start Guide.

High-resolution and full-color identification throughout your facility



Safety signage



Asset management



Pipe marking



GHS hazcomm



Standard work /
dance chart



Photo signage
and more

BradyJet J5000 Color Label Printer

BradyID.com/s36

Printer specifications

Description	8 in. PC-connect printer with high-resolution, high-speed color label printing. Ideal for creating full-color labels with images, logos, illustrations, barcodes and more. The ultimate in high-resolution printing in all colors
Applications	Arc flash labels (w/ red variables), equipment labels, GHS labels, pipe markers, safety signs and warning labels (multi-color), lean / 5S labels, multi-color labels, lock labels (w/ photos), asset management, department signage, finished goods
Label material types	Inkjet receptive topcoated vinyl and polyester
Types of labels	Continuous and die-cut labels
Print technology	Thermal inkjet
Print resolution	Up to 4800 dpi
Max print width	4 in.
Media widths	2 to 8 in.
Minimum label size	2 in.
Color printing capabilities	Full color process; up to 16.7 million colors
Auto cut-off	Yes
X-Y plotter cutting	No
PC-connect or standalone operation	PC-connect only
Connectivity options	USB, Ethernet and wireless
Compatible software	Brady Workstation Apps
Compatible materials	J50 series (all)
Calibration required	Required only on initial setup
Ink and label roll installation	Labels: Supplied as rolls, 20-second changeover Ink: Supplied as cartridge, 10-second changeover
Warranty	1 year*

*See BradyID.com/brady360 for full coverage details and restrictions.



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:


- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more



Learn more on page 176 or download a free trial at Workstation.BradylD.com

Full-color printing means less material to inventory

Three white BradyJet J5000 label rolls can create the same types of labels as these 14 colored and pre-printed rolls.



Benchtop Printers

J5000

BradyJet J5000 Label Materials

BradyID.com/s36

BradyJet J5000 Label Materials

BradyJet J5000 label materials feature a topcoat that enhances the colors and label appearance, and protects your print from smudging and harsh conditions. These labels have been tested to withstand exposure to liquids, alcohol and chemicals, as well as indoor fluorescent and UV lighting. Custom sizes of B-2595 and B-2569 available.



Die-cut Labels

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Labels Per Roll
Fig. 2	J50-260-2595	B-2595	Vinyl	White	3.35 (85.0)	2.17 (55.0)	340
Fig. 2	J50-261-2595	B-2595	Vinyl	White	4.33 (110.0)	2.95 (75.0)	270
Fig. 2	J50-262-2595	B-2595	Vinyl	White	6.10 (155.0)	4.13 (105.0)	200
Fig. 2	J50-267-2595	B-2595	Vinyl	White	8.30 (210.8)	6.10 (154.9)	120
Fig. 2	J50-265-2595	B-2595	Vinyl	White	10.00 (254.0)	7.00 (177.8)	100
Fig. 2	J50-260-2569	B-2569	Polyester	White	3.35 (85.0)	2.17 (55.0)	340
Fig. 2	J50-261-2569	B-2569	Polyester	White	4.33 (110.0)	2.95 (75.0)	270
Fig. 2	J50-262-2569	B-2569	Polyester	White	6.10 (155.0)	4.13 (105.0)	200
Fig. 2	J50-267-2569	B-2569	Polyester	White	8.30 (210.8)	6.10 (154.9)	120
Fig. 2	J50-265-2569	B-2569	Polyester	White	10.00 (254.0)	7.00 (177.8)	100




Figure 2

Continuous Tapes

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 3	J50C-2250-2595	B-2595	Vinyl	White	2.25 (57.5)	100 (30.5)	1 cont.
Fig. 3	J50C-4000-2595	B-2595	Vinyl	White	4.00 (101.6)	100 (30.5)	1 cont.
Fig. 3	J50C-6000-2595	B-2595	Vinyl	White	6.00 (152.4)	100 (30.5)	1 cont.
Fig. 3	J50C-8000-2595	B-2595	Vinyl	White	8.00 (203.2)	100 (30.5)	1 cont.
Fig. 3	J50C-2250-2569	B-2569	Polyester	White	2.25 (57.5)	100 (30.5)	1 cont.
Fig. 3	J50C-4000-2569	B-2569	Polyester	White	4.00 (101.6)	100 (30.5)	1 cont.
Fig. 3	J50C-6000-2569	B-2569	Polyester	White	6.00 (152.4)	100 (30.5)	1 cont.
Fig. 3	J50C-8000-2569	B-2569	Polyester	White	8.00 (203.2)	100 (30.5)	1 cont.




Figure 3

Non-adhesive Tag Stock

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Tags Per Roll
Fig. 13	J50-255-2551	B-2551	Vinyl Tag	White	3.250 (82.6)	5.750 (146.1)	100




Figure 13

Clear Acrylic Overlamine (B-910)

- Clear acrylic film with permanent adhesive provides improved label durability including outdoor UV resistance up to 3 years
- Hand apply after label is applied to surface
- Overlamine is slightly wider than BradyJet continuous tape

Catalog #	B#	Color	Roll Width Inch (mm)	Roll Length Feet (m)
149259	B-910	Clear	2.75 (69.9)	120 (36.6)
149258	B-910	Clear	4.5 (114.3)	120 (36.6)
149257	B-910	Clear	6.5 (165.1)	120 (36.6)
149260	B-910	Clear	8.5 (215.9)	120 (36.6)



BradyJet J5000 Ink Cartridges

Catalog #	Description
J50-CY	Cyan
J50-MA	Magenta
J50-YL	Yellow
J50-BK	Black — cartridge contains double the volume as colors
J50-CMYK	Multi-pack — 1 each of cyan, magenta, yellow, black cartridges



Creating On-Demand Rigid Signs

Rigid Sign Blanks

Create your own rigid signs using printed output from your Brady printer and rigid sign panels.

Three mounding techniques to choose from:

- Mount label to a rigid sign panel using the label's pressure sensitive adhesive
- Use the BLS1255 Laminating System to laminate output to a rigid sign panel
- Mount label behind a clear acrylic sign panel using the panel's included pressure sensitive adhesive



Aluminum panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146083	Alum.	Wht	2.500	6.260	10
146113	Alum.	Wht	2.500	10.250	10
13629	Alum.	Wht	4.250	6.250	10
106461	Alum.	Wht	4.250	10.250	10
146082	Alum.	Wht	4.250	14.250	10
13632	Alum.	Wht	7.250	10.250	10
106460	Alum.	Wht	7.630	10.380	10
106462	Alum.	Wht	10.250	10.250	10
13635	Alum.	Wht	10.250	14.250	10
146116	Alum.	Ylw	2.500	6.260	10
146117	Alum.	Ylw	2.500	10.250	10
13630	Alum.	Ylw	4.250	6.250	10
146114	Alum.	Ylw	4.250	10.250	10
146115	Alum.	Ylw	4.250	14.250	10
13633	Alum.	Ylw	7.625	10.375	10
13636	Alum.	Ylw	10.250	14.250	10
13631	Alum.	Org	4.250	6.250	10
13634	Alum.	Org	7.625	10.375	10
15Y885	Alum.	Org	10.250	14.250	10

Plastic panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146076	Plastic	Wht	2.500	6.250	10
146077	Plastic	Wht	2.500	10.250	10
13620	Plastic	Wht	4.250	6.250	10
146074	Plastic	Wht	4.250	10.250	10
146075	Plastic	Wht	4.250	14.250	10
13623	Plastic	Wht	7.630	10.380	10
146080	Plastic	Ylw	2.500	6.250	10
146081	Plastic	Ylw	2.500	10.250	10
13621	Plastic	Ylw	4.250	6.250	10
146078	Plastic	Ylw	4.250	10.250	10
146079	Plastic	Ylw	4.250	14.250	10
13622	Plastic	Org	4.250	6.250	10
13625	Plastic	Org	7.630	10.380	10
13628	Plastic	Org	10.250	14.250	10

Clear acrylic panels

Includes pressure sensitive adhesive backing to mount output behind the clear panel — protecting the graphics

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
13638	Acrylic	Clear	4.000	6.000	10
106464	Acrylic	Clear	4.250	10.250	10
13639	Acrylic	Clear	7.250	10.000	10
106463	Acrylic	Clear	7.250	10.250	10
13640	Acrylic	Clear	10.000	14.000	10
106465	Acrylic	Clear	10.25 in.	10.25 in.	10

BLS1255 Laminating System

BLS1255 laminator enables you to quickly and easily make custom rigid signs for your facility

- Mount signs to rigid panels to create signs for your facility
- Fast and easy to use
- No heat or electricity needed
- Laminate documents up to 12 in. wide

Catalog #	Description
105038	BLS1255 Laminating System
105041	12 in. x 50 ft. Double-Sided Polyester Overlamine



Laminates documents up to 12 in. wide

MiniMark™ Label Materials

BradyID.com/s36

MiniMark™
INDUSTRIAL LABEL PRINTER

The MiniMark printer has been discontinued, but Brady continues to manufacture and stock labels and ribbons for the printer.



Indoor / Outdoor Grade Vinyl (B-595)

- Conforms well to irregular, curved, rough and highly textured surfaces
- 8-10 year average outdoor durability in temperatures from -40° F to 180° F. Labels can be applied in temperatures from 0° F to 180° F
- Patent Number D481.414



Figure 33b



	0.500 in. x 100 ft. (12.7 mm x 30.48 m)	1.125 in. x 100 ft. (28.6 mm x 30.48 m)	2.250 in. x 100 ft. (57.2 mm x 30.48 m)	3.000 in. x 100 ft. (76.2 mm x 30.48 m)	4.000 in. x 100 ft. (101.6 mm x 30.48 m)	Rec. Ribbon
White	113186	113185	113184	113183	113182	103025
Yellow	113195	113194	113193	113192	113191	103025
Red	113199	113198	113197	—	113196	103026
Blue	113211	113210	113209	—	113208	103026
Green	113207	113206	113205	—	113204	103026
Black	113215	113214	113213	—	113212	103026
Brown	115762	115761	115760	—	115759	103026
Gold	—	115757	115756	—	115755	103025
Grey	115754	115753	113219	—	113218	103025
Purple	115752	115751	113217	—	113216	103026
Orange	113203	113202	113201	—	113200	103025
Clear	113190	113189	113188	—	113187	103025

General Purpose Indoor / Outdoor Vinyl (B-7569)

- Excellent for facility, safety, chemical and lean 5S labeling
- Five year average outdoor durability in temperatures from -40° F to 180° F. Labels can be applied in temperatures from 0° F to 180° F
- Patent Number D481.414



Figure 33b



	1.125 in. x 110 ft. (28.6 mm x 30.48 m)	2.250 in. x 110 ft. (57.2 mm x 30.48 m)	4.000 in. x 110 ft. (101.6 mm x 30.48 m)	Rec. Ribbon
White	120847	120854	120861	52042
Yellow	120848	120855	120862	52042
Red	120849	120856	120863	52042
Orange	120852	120859	120866	52042
Blue	120851	120858	120865	52044
Green	120850	120857	120864	52044
Black	120853	120860	120867	52044

Pre-Printed Header Stripe Supply for Arc Flash Labels and Signs (B-595)

- Pre-printed continuous stripe on top portion, then supply is cut-to-length according to length of text entered




Figure 71



Diagram	Catalog #	Material	Stripe Color	Label Height A Inch (mm)	Roll Length B Feet (m)	Stripe Width C Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 71	113221	B-595	Red	4.000 (101.6)	100 (30.48)	1.000 (25.4)	1 roll (cont.)	103025
Fig. 71	113230	B-595	Red	2.250 (57.15)	100 (30.48)	0.500 (12.7)	1 roll (cont.)	103025
Fig. 71	113222	B-595	Orange	4.000 (101.6)	100 (30.48)	1.000 (25.4)	1 roll (cont.)	103025
Fig. 71	113227	B-595	Orange	3.000 (76.2)	100 (30.48)	0.750 (19.05)	1 roll (cont.)	103025
Fig. 71	113228	B-595	Orange	2.250 (57.15)	100 (30.48)	0.500 (12.7)	1 roll (cont.)	103025
Fig. 71	113220	B-595	Yellow	4.000 (101.6)	100 (30.48)	1.000 (25.4)	1 roll (cont.)	103025
Fig. 71	113226	B-595	Yellow	3.000 (76.2)	100 (30.48)	0.750 (19.05)	1 roll (cont.)	103025
Fig. 71	113229	B-595	Yellow	2.250 (57.15)	100 (30.48)	0.500 (12.7)	1 roll (cont.)	103025

Tamper-Evident Metallized Polyester (B-438)

- Permanent adhesive
- Tape destructs into tiny fragments when tampered with, making removal very tedious and difficult




Figure 29



Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Fig. 29	52148	B-438	Silver	2.000 (50.8)	1.000 (25.4)	1	1,240	103025
Fig. 29	52149	B-438	Silver	3.000 (76.2)	1.000 (25.4)	1	1,225	103025
Fig. 29	52150	B-438	Silver	3.000 (76.2)	2.000 (50.8)	1	650	103025
Fig. 29	52152	B-438	Silver	3.000 (76.2)	110 ft. (33.5 m)	-	1 roll (cont.)	103025

MiniMark Print Ribbons

Ribbons for B-595 and B-438 materials

Catalog #	Roll Size	Color	Rolls Per Pack
103026	4 in. x 290 ft.	White	2
103025	4 in. x 290 ft.	Black	2

Ribbons for B-7569 material

Catalog #	Roll Size	Color	Rolls Per Pack
52044	4.4 in. x 290 ft.	White	2
52042	4.4 in. x 290 ft.	Black	2
52045	4.4 in. x 290 ft.	Red	2
52059	4.4 in. x 290 ft.	Green	2
52047	4.4 in. x 290 ft.	Blue	2



GlobalMark® Label Materials

BradyID.com/s36

GLOBALMARK[®] 2

INDUSTRIAL LABEL MAKER

The GlobalMark printer has been discontinued, but Brady continues to manufacture and stock labels and accessories for the printer.



GlobalMark2 Printer Accessories

Catalog #	Description
120994	Rolling case w/ handle and supplies pockets for benchtop printers
STYLUS-3PK	Stylus Pens (3/pk)
64MB-CF	256MB Memory Card
76811	Replacement Cutting Blade
76737	Transfer Tape (4.25 in. x 300 ft.)
20596	Grommets for Tags (100/pk)
20591	Hole Punch for Tags
81762	7 in. Nylon Cable Ties (100/pk)

Pre-Printed Blank Sign Headers (B-595)

- Allows printer to create multicolor signs fast - in a single print pass
- Headers meet NFPA 70E, OSHA 1910.145 and ASME / ANSI Z535 standards
- Indoor / outdoor grade material conforms to rough, highly textured, and "difficult to adhere to" surfaces

Service temp: -40°F to 180°F; Application temp: 0°F to 180°F
Average Outdoor Durability: 8-10 years




Figure 73



Diagram	Catalog #	B#	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Fig. 73	121550	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121558	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121552	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121560	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121551	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121559	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121549	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121557	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121553	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121561	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121554	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121562	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121563	B-595		1.125 (28.6) *	2.750 (69.8)	1	300	76739
Fig. 73	121547	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121564	B-595		2.250 (57.2) *	3.750 (95.2)	1	250	76739
Fig. 73	121555	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121548	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121556	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739

*Pre-sized to fit blank rigid valve tags below, but can also be used as general purpose label.



Blank Rigid Valve Tags

- Die-cut labels are sized to fit the recessed area on the tag
- Outdoor tag withstands temperatures -40° F to 180° F

Blank rigid valve tags

Catalog #	Color	Tag Size Inch	Recessed Area Inch
87696	White	2.1 x 3.6	1.5 x 3
87697	White	3.1 x 4.6	2.5 x 4
41922	Yellow	2.1 x 3.6	1.5 x 3
41923	Yellow	3.1 x 4.6	2.5 x 4
41924	Red	2.1 x 3.6	1.5 x 3
41925	Red	3.1 x 4.6	2.5 x 4
41926	Blue	2.1 x 3.6	1.5 x 3
41927	Blue	3.1 x 4.6	2.5 x 4
41928	Green	2.1 x 3.6	1.5 x 3
41929	Green	3.1 x 4.6	2.5 x 4
87694	Orange	2.1 x 3.6	1.5 x 3
87695	Orange	3.1 x 4.6	2.5 x 4

Catalog #	Color	Tag Size Inch	Recessed Area Inch
87712	Tan	2.1 x 3.6	1.5 x 3
87713	Tan	3.1 x 4.6	2.5 x 4
87710	Brown	2.1 x 3.6	1.5 x 3
87711	Brown	3.1 x 4.6	2.5 x 4
87698	Gray	2.1 x 3.6	1.5 x 3
87699	Gray	3.1 x 4.6	2.5 x 4
41920	Black	2.1 x 3.6	1.5 x 3
41921	Black	3.1 x 4.6	2.5 x 4
142133	Variety Pack*		

* Pack of 30 tags includes at least one of each size and color. Perfect for evaluating which sizes and colors you need.

Non-Adhesive and Pre-Cut Safety Tags (B-551)

- Non-adhesive semi rigid card stock with perforations between tags
 - Tags are pre-cut with hole and chamfered corners
 - Snap-in plastic grommets available for extra strength around mounting hole
- Service temp: -40°F to 193°F; Average Outdoor Durability: up to 2 years




Figure 69



Diagram	Catalog #	B#	Header	Tag Width A Inch (mm)	Tag Height B Inch (mm)	Tags Per Row	Tags Per Roll	Rec. Ribbon
Fig. 69	121543	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121544	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121545	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121546	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739

Right-to-Know Labels (B-595)

- Outdoor grade vinyl adhesive label in Color Bar or NFPA 704M diamond formats
- 4-color diamond or bars are pre-printed so that labels only require 1-color print pass (black) through the printer



Catalog #	B#	Legend	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
115763	B-595		4.000 (101.6)	6.250 (158.8)	1	170	96089
115766	B-595		2.250 (57.2)	4.000 (101.6)	1	240	96089
115772	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115765	B-595		4.000 (101.6)	4.000 (101.6)	1	240	96089
115773	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115764	B-595		4.000 (101.6)	6.250 (158.8)	1	170	96089
115767	B-595		2.250 (57.2)	4.000 (101.6)	1	240	96089
115771	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115768	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115770	B-595		1.125 (28.6)	3.000 (76.2)	1	300	96089
115769	B-595		1.125 (28.6)	3.000 (76.2)	1	300	96089

Overlamine for RTK Labels (B-674)

Protect your printed labels with a pressure sensitive polyester overlamine.

Catalog #	B#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Pkg
64984	B-674	Clear	1.500 (38.1)	2.500 (63.5)	50
58476	B-674	Clear	2.500 (63.5)	2.500 (63.5)	50
58706	B-674	Clear	3.500 (88.9)	5.500 (139.7)	50
64985	B-674	Clear	4.500 (114.3)	6.500 (165.1)	50

Indoor / Outdoor Grade Vinyl Tape (B-595)

- Conforms well to irregular, curved, rough and highly textured surfaces
- Low-shrink vinyl minimizes the amount of unsightly dust and grime buildup often found around the edges of other vinyl labeling supplies
- 8-10 year average outdoor durability in temperatures from -40° F to 180° F (-40° C to 82° C). Labels can be applied in temperatures from 0° F to 180° F



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	113109	B-595	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113110	B-595	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113111	B-595	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113112	B-595	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113113	B-595	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113114	B-595	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113115	B-595	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113116	B-595	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113117	B-595	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113118	B-595	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113119	B-595	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113120	B-595	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113121	B-595	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113122	B-595	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113127	B-595	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113128	B-595	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113129	B-595	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113130	B-595	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113123	B-595	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113124	B-595	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113125	B-595	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113126	B-595	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113131	B-595	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113132	B-595	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113133	B-595	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113134	B-595	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113135	B-595	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113136	B-595	Brown	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113137	B-595	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113138	B-595	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113139	B-595	Gold	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113140	B-595	Gold	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113141	B-595	Gold	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113142	B-595	Gold	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113143	B-595	Grey	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113144	B-595	Grey	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113145	B-595	Grey	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113146	B-595	Grey	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113147	B-595	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113148	B-595	Purple	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113149	B-595	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113150	B-595	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113151	B-595	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113152	B-595	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113153	B-595	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113154	B-595	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113105	B-595	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113106	B-595	Clear	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113107	B-595	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113108	B-595	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

Polyester Tape (B-569)

- Continuous outdoor grade polyester
- Best choice for marking stainless steel pipes and surfaces (low halide content)
- Ultra-smooth finish excellent for mounting to rigid panels and very smooth surfaces
- Applies best to very smooth surfaces



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig.33	76614	B-569	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76615	B-569	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76616	B-569	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76617	B-569	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76618	B-569	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76619	B-569	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76620	B-569	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76621	B-569	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76622	B-569	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76623	B-569	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76624	B-569	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76625	B-569	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76626	B-569	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76627	B-569	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76628	B-569	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76629	B-569	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76630	B-569	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76639	B-569	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76640	B-569	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76641	B-569	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76642	B-569	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76647	B-569	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76648	B-569	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76649	B-569	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76650	B-569	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76643	B-569	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76644	B-569	Brown	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76645	B-569	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76646	B-569	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76602	B-569	Tan	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76603	B-569	Tan	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76604	B-569	Tan	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76651	B-569	Grey	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76652	B-569	Grey	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76653	B-569	Grey	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76654	B-569	Grey	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76631	B-569	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76632	B-569	Purple	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76633	B-569	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76634	B-569	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76635	B-569	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76636	B-569	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76637	B-569	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76638	B-569	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76598	B-569	Pink	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76599	B-569	Pink	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76600	B-569	Pink	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76601	B-569	Pink	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76606	B-569	Lt. Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76607	B-569	Lt. Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76608	B-569	Lt. Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76609	B-569	Lt. Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	97738	B-569	Ochre	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97739	B-569	Ochre	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97740	B-569	Ochre	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97741	B-569	Ochre	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97742	B-569	Sky Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97743	B-569	Sky Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97744	B-569	Sky Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97745	B-569	Sky Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76610	B-569	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76611	B-569	Clear	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76612	B-569	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76613	B-569	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

ToughStripe® Print-On-Demand Floor Labels (B-483)

- Revolutionary B-483 material has ultra aggressive adhesive
- Withstands forklift and pallet jack traffic without tearing or lifting
- Easy 3-step process: print label, position on floor, apply overlamine
- Each roll ships with a roll of clear overlamine which must be applied over printed label and onto appropriate surface for best performance
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	142155	B-483	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142154	B-483	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142156	B-483	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142157	B-483	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142162	B-483	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142161	B-483	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142163	B-483	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142164	B-483	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142166	B-483	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142165	B-483	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142167	B-483	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142169	B-483	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142168	B-483	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142170	B-483	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142172	B-483	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142171	B-483	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142173	B-483	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142159	B-483	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142158	B-483	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142160	B-483	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142175	B-483	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142174	B-483	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142176	B-483	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739

Phosphorescent Tape (B-526)

- Permanent adhesive and glows in darkness for 10 hours
- Glows brighter and longer than B-582
- Complies with indoor use requirements specified in RS 6-1 and 6-1A of New York Local Law 26
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	105909	B-526	Phosphorescent	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	105910	B-526	Phosphorescent	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	105911	B-526	Phosphorescent	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739, 76743

Phosphorescent Tape (B-582)

- Permanent adhesive and glows in darkness for hours
- Meets ISO, and ASTM standards
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76711	B-582	Phosphorescent	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	76712	B-582	Phosphorescent	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	76713	B-582	Phosphorescent	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739, 76743

ToughWash® Tape (B-854, B-855)

- Withstands pressures of high heat, harsh chemicals and numerous washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream
- Ideal for use in the Food and Beverage industry
- Plotter-cutting shapes and text not allowed with this material




Diagram	Catalog #	B#	Legend	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash Metal Detectable Material							
Fig. 33	133134	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133133	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133141	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133140	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	139812	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133139	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
B-855 ToughWash Material							
Fig. 33	133159	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133158	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133166	B-855		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133165	B-855		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	139811	B-855		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133164	B-855		4.000 (101.06)	6.250 (158.8)	100	134352

Reflective Tape (B-584)

- Permanent adhesive / outdoor grade
- Shines back at viewer brightly when light shines on label
- Plotter-cutting shapes and text not allowed with this material




Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76705	B-584	Silver	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76706	B-584	Silver	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76707	B-584	Silver	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96060	B-584	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96061	B-584	Yellow	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96062	B-584	Yellow	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99219	B-584	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99220	B-584	Orange	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99221	B-584	Orange	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739

Tag Stock Material (B-551)

- Non-adhesive tag stock meets OSHA 50 lb. pull requirement
- Grommets and hole punch available
- Plotter-cutting shapes and text not allowed with this material



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76714	B-551	White	4.250 (107.9)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76715	B-551	White	3.250 (82.5)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76716	B-551	White	2.500 (63.5)	50 (15.2)	1 roll (cont.)	76739

Repositionable Vinyl Tape (B-581)

- Special adhesive allows you to easily remove the label and re-apply
- Ideal for indoor marking where frequent repositioning is required
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76697	B-581	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76698	B-581	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76699	B-581	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76700	B-581	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76701	B-581	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76702	B-581	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76703	B-581	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76704	B-581	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

Magnetic Tape (B-509)

- Non-adhesive
- Print directly onto magnetic material
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76686	B-509	White	4.000 (101.6)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76687	B-509	White	2.500 (63.5)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76688	B-509	Yellow	4.000 (101.6)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76689	B-509	Yellow	2.500 (63.5)	25 (7.62)	1 roll (cont.)	76739

Cold Temperature Tape (B-549)

- Permanently adheres to surfaces at temperatures as low as -10°F
- Great for use in any cold storage warehouse, cooler or freezer
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76691	B-549	White	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76692	B-549	White	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76693	B-549	White	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76694	B-549	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76695	B-549	Yellow	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76696	B-549	Yellow	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739

Metallized Polyester Tape (B-565)

- Permanent adhesive
- Non-cuttable supply suitable for continuous-style labels
- Cuttable supply ideal for multi-up, cut labels in basic rectangular and round shapes only. Not suitable for cut-out text or intricate shapes.



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76720	B-565	Non-cuttable Metallized	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76721	B-565	Non-cuttable Metallized	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76722	B-565	Non-cuttable Metallized	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	114533	B-565	Cuttable Metallized	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739

Transfer Tape For Cut Text

- Leaves cut characters pre-spaced for transferring from liner to the desired surface

Diagram	Catalog #	Label Width A Inch (mm)	Roll Length B Feet (m)
Fig. 33	76737	4.250 (107.9)	300 ft. (91.44 m)



Example of a
Single Color Ribbon

Examples of
Multi-Color Paneled Ribbons

GlobalMark2 Industrial Print Ribbons

- Super-tough smear-proof ribbons assure your printed text lasts for years outdoors and in an industrial environment
- Ribbons ship self-contained in cartridges that drop straight in the printer with a click
- No calibrating, threading, wasted feeding, hassles and the ink will always be facing the right direction
- 2- and 4-color paneled ribbons are used to print labels and signs containing more than 1 print color
- Patent D481,755

Single Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
76739	Black	4.110 (104.4)	200 (60.9)
134352	Black (for use with B-854 and B-855 ToughWash® material only)	4.110 (104.4)	200 (60.9)
96089	Black (for use with RTK labels)	4.110 (104.4)	200 (60.9)
76741	White	4.110 (104.4)	200 (60.9)
76743	Red	4.110 (104.4)	200 (60.9)
76745	Blue	4.110 (104.4)	200 (60.9)
76747	Green	4.110 (104.4)	200 (60.9)
76749	Magenta	4.110 (104.4)	200 (60.9)
76751	Yellow	4.110 (104.4)	200 (60.9)
76752	Orange	4.110 (104.4)	200 (60.9)
76759	Process Cyan	4.110 (104.4)	200 (60.9)
76760	Process Yellow	4.110 (104.4)	200 (60.9)
76761	Process Magenta	4.110 (104.4)	200 (60.9)

Two Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
Panels: 4.110 x 8.000 (104.4 x 203.2 mm) Typical yield: 100 labels (8 in.) from 8 in. paneled ribbon			
76739	Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76763	Black and Red	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
110220	Red and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76775	Black and Blue	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76767	Black and Yellow	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76771	Black and Orange	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76779	Black and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
Panels: 4.110 x 16.000 (104.4 x 406.4 mm) Typical yield: 60 labels (16 in.) from 16 in. paneled ribbon			
76762	Black and Red	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76774	Black and Blue	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76766	Black and Yellow	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76770	Black and Orange	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76778	Black and Green	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76782	Red and Blue	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)

Four Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
Panels: 4.110 x 8.000 (104.4 x 203.2 mm) Typical yield: 50 labels (8 in.) from 8 in. paneled ribbon			
76787	Black, Red, Blue and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
110221	Red, Green, Yellow and Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76791	Black, Red, Blue and Yellow	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76795	Cyan, Magenta, Yellow and Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
51447	Black, Red, Orange and Blue	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
Panels: 4.110 x 16.000 (104.4 x 406.4 mm) Typical yield: 30 labels (16 in.) from 16 in. paneled ribbon			
76786	Black, Red, Blue and Green	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76790	Black, Red, Blue and Yellow	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76794	Cyan, Magenta, Yellow and Black	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)

Labelizer® Plus and VersaPrinter™ Supplies

BradyID.com/s36

The Labelizer PLUS and VersaPrinter have been discontinued, but for a limited time Brady will continue to stock labels for these printers.



Labelizer® Plus Industrial Labeling System



VersaPrinter™ Label and Sign Maker

Indoor / Outdoor Vinyl Tape with Ribbon (B-595)

- Conforms well to irregular, curved or rough surfaces
- Ideal for general purpose industrial uses – stands up to grease, oil and most industrial chemicals

8-10 year average outdoor durability in temperatures from 180° F to -40° F (82° C to -40° C).
Can be applied as low as 0° F (-18° C)



Catalog #	B#	Ribbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
142760	B-595	Black on Clear	0.500 (12.7)	90 (27.4)	2
142759	B-595	Black on Clear	1.125 (28.6)	90 (27.4)	2
142758	B-595	Black on Clear	2.250 (57.2)	90 (27.4)	1
142757	B-595	Black on Clear	4.000 (101.6)	90 (27.4)	1
142762	B-595	White on Clear	2.250 (57.2)	90 (27.4)	1
142765	B-595	Black on Green	1.125 (28.6)	90 (27.4)	2
142764	B-595	Black on Green	2.250 (57.2)	90 (27.4)	1
142763	B-595	Black on Green	4.000 (101.6)	90 (27.4)	1
142750	B-595	Black on Yellow	0.500 (12.7)	90 (27.4)	2
142749	B-595	Black on Yellow	1.125 (28.6)	90 (27.4)	2
142748	B-595	Black on Yellow	2.250 (57.2)	90 (27.4)	1
142747	B-595	Black on Yellow	3.000 (76.2)	90 (27.4)	1
142746	B-595	Black on Yellow	4.000 (101.6)	90 (27.4)	1
142769	B-595	White on Green	0.500 (12.7)	90 (27.4)	2
142768	B-595	White on Green	1.125 (28.6)	90 (27.4)	2
142767	B-595	White on Green	2.250 (57.2)	90 (27.4)	1
142766	B-595	White on Green	4.000 (101.6)	90 (27.4)	1
142777	B-595	White on Blue	0.500 (12.7)	90 (27.4)	2
142776	B-595	White on Blue	1.125 (28.6)	90 (27.4)	2
142775	B-595	White on Blue	2.250 (57.2)	90 (27.4)	1
142774	B-595	White on Blue	4.000 (101.6)	90 (27.4)	1
142772	B-595	White on Red	0.500 (12.7)	90 (27.4)	2
142773	B-595	White on Red	1.125 (28.6)	90 (27.4)	2
142771	B-595	White on Red	2.250 (57.2)	90 (27.4)	1
142770	B-595	White on Red	4.000 (101.6)	90 (27.4)	1
142756	B-595	Black on Orange	0.500 (12.7)	90 (27.4)	2
142755	B-595	Black on Orange	1.125 (28.6)	90 (27.4)	2
142754	B-595	Black on Orange	2.250 (57.2)	90 (27.4)	1
142753	B-595	Black on Orange	4.000 (101.6)	90 (27.4)	1
142785	B-595	Black on Gray	0.500 (12.7)	90 (27.4)	2
142784	B-595	Black on Gray	1.125 (28.6)	90 (27.4)	2
142783	B-595	Black on Gray	2.250 (57.2)	90 (27.4)	1
142782	B-595	Black on Gray	4.000 (101.6)	90 (27.4)	1
142793	B-595	White on Brown	1.125 (28.6)	90 (27.4)	2
142792	B-595	White on Brown	2.250 (57.2)	90 (27.4)	1
142791	B-595	White on Brown	4.000 (101.6)	90 (27.4)	1
142787	B-595	White on Tan	1.125 (28.6)	90 (27.4)	2
142786	B-595	White on Tan	2.250 (57.2)	90 (27.4)	1
142790	B-595	White on Magenta	1.125 (28.6)	90 (27.4)	2
142789	B-595	White on Magenta	2.250 (57.2)	90 (27.4)	1
142788	B-595	White on Magenta	4.000 (101.6)	90 (27.4)	1
142781	B-595	White on Black	0.500 (12.7)	90 (27.4)	2
142780	B-595	White on Black	1.125 (28.6)	90 (27.4)	2
142779	B-595	White on Black	2.250 (57.2)	90 (27.4)	1
142778	B-595	White on Black	4.000 (101.6)	90 (27.4)	1