



High Speed, high volume printing made simple.

The IP™ Printer utilizes semi-automatic smart chip technology allowing the printer, ribbon, media roll and software to communicate. This reduces setup time and change-out time, and reduces calibration label waste.

High Speed

- Fast print speed — up to 8 inches per second

High Volume

- Designed for up to 5,000 labels per day at 12 hrs/5 days per week operation
- Can hold rolls of up to 10,000 labels

Quick Material Change-Outs

- Printer automatically identifies the material and ribbon loaded
- Perfect for users who are new to thermal transfer printing









Catalog #	Description
BP-IP300	Brady IP™ Printer - 300 DPI Standard
BP-IP600	Brady IP™ Printer - 600 DPI Standard



Centrifuge and PCR Tube Labels

Material & Tube Size	Diagram	Catalog #	Label Dimensions			Rec. Ribbon	Labels/ Roll	Qty per Roll
			A Inch (mm)	B Inch (mm)	C Inch (mm)			
B-461 – Ultra thin, self-laminating polyester label; when wrapped on itself, lasts in liquid nitrogen.								
Long Tail Overlap Label - text covered for solvent resistance; window to view liquid levels								
0.5 - 0.7ml	Fig. 15c	THT-123-461-3	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	IP-R4302	1	3,000/Roll
1.5 - 2.0ml	Fig. 15c	THT-127-461-3	2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	IP-R4300	1	3,000/Roll
1.5 - 2.0ml (larger text area)	Fig. 15c	THT-153-461-3	2.625 (66.7)	0.600 (15.2)	1.000 (25.4)	IP-R4300	1	3,000/Roll
Short Overlap Label - lowest profile; window to view liquid level								
1.5 - 2.0ml	Fig. 15c	THT-133-461-3	1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	IP-R4302	1	3,000/Roll
1.5 - 2.0ml (larger text area)	Fig. 15c	THT-122-461-3	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	IP-R4302	1	3,000/Roll
B-490 – When wrapped on itself, can label frosted, frozen or room temperature tubes; lasts in hot water baths & autoclaves.								
Short Overlap Label								
1.5 - 2.0ml	Fig. 2a	THT-155-490-3	1.625 (41.3)	0.600 (15.2)		IP-R4302	1	3,000/Roll
B-492 – Ultra thin; can label frosted/frozen (with overlap) or room temperature labels and lasts in liquid nitrogen, autoclaves and hot water baths.								
Short Overlap Label								
0.5 - 0.7ml	Fig. 25b	THT-152-492-3	1.000 (25.4)	0.375 (9.5)		IP-R6402	2	3,000/Roll
0.5 - 0.7ml Top & Side Label	Fig. 7	THT-163-492-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6402	1	3,000/Roll
Free Standing Label								
0.5 - 1.5ml Top Label	Fig. 5c	THT-143-492-3	0.375 (9.5)			IP-R6402	4	3,000/Roll
1.5 - 2.0ml Top Label	Fig. 5a	THT-144-492-3	0.500 (12.7)			IP-R6402	3	3,000/Roll
1.5 - 2.0ml	Fig. 25b	THT-152-492-3	1.000 (25.4)	0.375 (9.5)		IP-R6402	2	3,000/Roll
1.5 - 2.0ml Top & Side Label	Fig. 7	THT-163-492-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6400	1	3,000/Roll
1.5 - 2.0ml	Fig. 2a	THT-59-492-10	1.000 (25.4)	0.500 (12.7)		IP-R6400	1	10,000/Roll
1.5 - 2.0ml Top & Side Label	Fig. 7	THT-181-492-3	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	IP-R6400	1	3,000/Roll
1.5 - 2.0ml Top & Side Label	Fig. 7	THT-182-492-3	1.000 (25.4)	0.500 (12.7)	0.440 (11.2)	IP-R6400	1	3,000/Roll
14 - 15ml	Fig. 2a	THT-180-492-3	0.900 (22.9)	1.000 (25.4)		IP-R6400	1	3,000/Roll
B-499* – Nylon cloth material with a thick construction for easy handling; lasts in freezers and autoclaves.								
Free Standing Label								
0.5 - 1.5ml Top Label	Fig. 5c	THT-143-499-3	0.375 (9.5)			IP-R6000	4	3,000/Roll
1.5 - 2.0ml Top Label	Fig. 5a	THT-144-499-3	0.500 (12.7)			IP-R6000	3	3,000/Roll
1.5 - 2.0ml Top & Side Label	Fig. 7	THT-163-499-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6000	1	3,000/Roll
1.5 - 2.0ml	Fig. 2a	THT-125-499-3	0.900 (22.9)	0.500 (12.7)		IP-R6000	1	3,000/Roll
1.5 - 2.0ml Top & Side Label	Fig. 7	THT-126-499-3	0.900 (22.9)	0.500 (12.7)	0.500 (12.7)	IP-R6000	1	3,000/Roll
Short Overlap Label								
0.5 - 0.7ml	Fig. 25b	THT-152-499-3	1.000 (25.4)	0.375 (9.5)		IP-R6002	2	3,000/Roll
0.5 - 0.7ml Top & Side Label	Fig. 7	THT-163-499-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6000	1	3,000/Roll
B-7425 – Thin polypropylene material that lasts in liquid nitrogen; must be applied at room temperature.								
Short Overlap Label								
1.5-2.0ml	Fig. 2a	THT-256-7425-2	1.300 (33.0)	0.600 (15.2)		IP-R4302	1	2,000
1.5-2.0ml	Fig. 25a	THT-37-7425-2	1.500 (38.1)	0.500 (12.7)		IP-R4307	2	2,000
Free Standing Label								
0.6ml	Fig. 25b	THT-152-7425-2	1.000 (25.4)	0.375 (9.5)		IP-R4302	2	2,000
0.6ml	Fig. 2a	THT-257-7425-2	0.825 (21.0)	0.250 (6.4)		IP-R4302	1	2,000
0.6ml Top & Side Label	Fig. 24	THT-249-7425-2	1.000 (25.4)	0.375 (9.5)	0.375 dia (9.5)	IP-R4302	1	2000 sets
1.5-2.0ml	Fig. 2a	THT-59-7425-2	1.000 (25.4)	0.500 (12.7)		IP-R4302	1	2,000
1.5-2.0ml Top & Side Label	Fig. 24	THT-251-7425-2	1.000 (25.4)	0.500 (12.7)	0.440 dia (11.2)	IP-R4302	1	2000 sets

* B-499 not recommended for hot water baths.



Cryo Tube Labels

Material & Tube Size	Diagram	Catalog #	A Inch (mm)	B Inch (mm)	C Inch (mm)	Rec. Ribbon	Labels/ Roll	Qty per Roll
B-461 – Ultra thin, self-laminating polyester label; when wrapped on itself, lasts in liquid nitrogen, autoclaves and hot water baths.								
Long Tail Overlap Label - text covered for solvent resistance; window to view liquid levels								
0.6ml	Fig. 15c	THT-123-461-3	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	IP-R4302	1	3,000/Roll
1.0 - 8.0ml	Fig. 15c	THT-127-461-3	2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	IP-R4300	1	3,000/Roll
1.0 - 8.0ml (larger text area)	Fig. 15c	THT-131-461-3	2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	IP-R4300	1	3,000/Roll
1.0 - 8.0ml (larger text area)	Fig. 15c	THT-153-461-3	2.625 (66.7)	0.600 (15.2)	1.000 (25.4)	IP-R4300	1	3,000/Roll
Short Overlap Label - lowest profile; window to view liquid level								
1.0 - 8.0ml	Fig. 15c	THT-122-461-3	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	IP-R4302	1	3,000/Roll
1.0 - 8.0ml	Fig. 15c	THT-133-461-3	1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	IP-R4302	1	3,000/Roll
1.0 - 8.0ml (larger text area)	Fig. 15c	THT-183-461-1	1.750 (44.5)	1.000 (25.4)	1.000 (25.4)	IP-R4302	1	1,000/Roll
B-490 – When wrapped on itself, can label frosted, frozen or room temperature tubes; lasts in liquid nitrogen, autoclaves and hot water baths.								
Short Overlap Label								
0.6ml	Fig. 2a	THT-154-490-3	1.250 (31.8)	0.375 (9.5)		IP-R4302	1	3,000/Roll
1.0 - 8.0ml	Fig. 2a	THT-155-490-3	1.625 (41.3)	0.600 (15.2)		IP-R4302	1	3,000/Roll
Free Standing Label								
12 - 24ml	Fig. 2a	THT-156-490-3	1.900 (48.3)	1.000 (25.4)		IP-R4302	1	3,000/Roll
B-492 – Ultra thin; can label frosted/frozen (with overlap) or room temperature labels and lasts in liquid nitrogen, autoclaves and hot water baths.								
Short Overlap Label								
0.6ml	Fig. 25a	THT-152-492-3	1.000 (25.4)	0.375 (9.5)		IP-R6402	2	3,000/Roll
0.6ml Top & Side Label	Fig. 7	THT-163-492-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6400	1	3,000/Roll
Free Standing Label								
0.5 - 1.5ml Top Label	Fig. 5c	THT-143-492-3	0.375 (9.5)			IP-R6400	4	3,000/Roll
1.5 - 2.0ml Top Label	Fig. 5a	THT-144-492-3	0.500 (12.7)			IP-R6400	3	3,000/Roll
1.5 - 2.0ml Top Label	Fig. 25a	THT-152-492-3	1.000 (25.4)	0.375 (9.5)		IP-R6402	2	3,000/Roll
1.0 - 8.0ml Top & Side Label	Fig. 7	THT-163-492-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6400	1	3,000/Roll
1.0 - 8.0ml	Fig. 2a	THT-59-492-10	1.000 (25.4)	0.500 (12.7)		IP-R6400	1	10,000/Roll
1.0 - 8.0ml Top & Side Label	Fig. 7	THT-181-492-3	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	IP-R6400	1	3,000/Roll
1.0 - 8.0ml Top & Side Label	Fig. 7	THT-182-492-3	1.000 (25.4)	0.500 (12.7)	0.440 (11.2)	IP-R6400	1	3,000/Roll
1.0 - 8.0ml	Fig. 25a	THT-88-492-5	1.000 (25.4)	0.750 (19.1)		IP-R6402	2	5,000/Roll
1.0 - 8.0ml	Fig. 2a	THT-180-492-3	0.900 (22.9)	1.000 (25.4)		IP-R6400	1	3,000/Roll
1.0 - 8.0ml	Fig. 2a	THT-179-492-3	1.000 (25.4)	1.000 (25.4)		IP-R6400	1	3,000/Roll
12 - 24ml	Fig. 2a	THT-156-492-3	1.900 (48.3)	1.000 (25.4)		IP-R6400	1	3,000/Roll
B-499* – Nylon cloth material with a thick construction for easy handling; lasts in liquid nitrogen, freezers and autoclaves.								
Free Standing Label								
0.5 - 1.5ml Top Label	Fig. 5c	THT-143-499-3	0.375 (9.5)			IP-R6000	4	3,000/Roll
1.5 - 2.0ml Top Label	Fig. 5a	THT-144-499-3	0.500 (12.7)			IP-R6000	3	3,000/Roll
1.0 - 8.0ml	Fig. 25a	THT-152-499-3	1.000 (25.4)	0.375 (9.5)		IP-R6000	2	3,000/Roll
1.0 - 8.0ml Top & Side Label	Fig. 7	THT-163-499-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6000	1	3,000/Roll
1.0 - 8.0ml	Fig. 2a	THT-125-499-3	0.900 (22.9)	0.500 (12.7)		IP-R6000	1	3,000/Roll
1.0 - 8.0ml Top & Side Label	Fig. 7	THT-126-499-3	0.900 (22.9)	0.500 (12.7)	0.500 (12.7)	IP-R6000	1	3,000/Roll
Short Overlap Label								
0.6ml	Fig. 1c	THT-68-499-10	0.500 (12.7)	0.750 (19.1)		IP-R6002	4	10,000/Roll
0.6ml	Fig. 25a	THT-152-499-3	1.000 (25.4)	0.375 (9.5)		IP-R6000	2	3,000/Roll
0.6ml Top & Side Label	Fig. 7	THT-163-499-3	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	IP-R6000	1	3,000/Roll
B-7425 – Thin polypropylene material that lasts in liquid nitrogen; must be applied at room temperature.								
Short Overlap Label								
1.0-8.0ml	Fig. 2a	THT-256-7425-2	1.300 (33.0)	0.600 (15.2)		IP-R4302	1	2,000
1.0-8.0ml	Fig. 25a	THT-37-7425-2	1.500 (38.1)	0.500 (12.7)		IP-R4307	2	2,000
Free Standing Label								
0.5-0.7ml	Fig. 25a	THT-152-7425-2	1.000 (25.4)	0.375 (9.5)		IP-R4302	2	2,000
0.5-0.7ml Top & Side Label	Fig. 24	THT-249-7425-2	1.000 (25.4)	0.375 (9.5)	0.375 dia (9.5)	IP-R4302	1	2,000 sets
1.0-2.0ml	Fig. 2a	THT-257-7425-2	0.825 (21.0)	0.250 (6.4)		IP-R4302	1	2,000
1.0-8.0ml	Fig. 2a	THT-59-7425-2	1.000 (25.4)	0.500 (12.7)		IP-R4302	1	2,000
1.0-8.0ml	Fig. 25a	THT-88-7425-2	1.000 (25.4)	0.750 (19.1)		IP-R4302	2	2,000
1.0-8.0ml Top & Side Label	Fig. 24	THT-251-7425-2	1.000 (25.4)	0.500 (12.7)	0.440 dia (11.2)	IP-R4302	1	2,000 sets
12-24ml	Fig. 2a	THT-235-7425-2	1.500 (38.1)	1.000 (25.4)		IP-R4302	1	2,000

* B-499 not recommended for hot water baths.

Figure 2a




Figure 14c





Figure 15c



Straw and Rod Labels

Diagram	Catalog #	Label Dimensions		Rec. Ribbon	Labels per Row	Qty per Roll
		A Inch (mm)	B Inch (mm)			
B-427 – Self laminating vial label for cold temperatures only; lasts in liquid nitrogen and freezers.						
Fig. 14c	THT-116-427-5	1.000 (25.4)	1.000 (25.4)	IP-R4300	2	5,000/roll



Conical and Large Tube Labels

Material & Tube Size	Diagram	Catalog #	Label Dimensions			Rec. Ribbon	Labels per Row	Qty per Roll
			A Inch (mm)	B Inch (mm)	C Inch (mm)			
B-427 – All white vinyl label with good conformability.								
Free Standing Label								
50ml	Fig. 2a	THT-135-427-AW-3	1.500 (38.1)	0.750 (19.1)		IP-R4302	1	3,000/Roll
50ml	Fig. 2a	THT-137-427-AW-3	2.000 (50.8)	1.000 (25.4)		IP-R4302	1	3,000/Roll
B-461 – Ultra thin, self-laminating polyester label; when wrapped on itself, lasts in liquid nitrogen.								
Long Tail Overlap Label - text covered for solvent resistance; window to view liquid levels								
14 - 15ml conical	Fig. 15c	THT-134-461-3	3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	IP-R4307	1	3,000/Roll
50ml conical	Fig. 14c	THT-139-461-2	5.250 (133.4)	1.000 (25.4)	1.500 (38.1)	IP-R4300	2	2,000/Roll
Short Overlap Label - lowest profile; window to view liquid level								
50ml	Fig. 15c	THT-134-461-3	3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	IP-R4307	1	3,000/Roll
B-490 – When wrapped on itself, can label frozen or room temperature tubes; lasts in liquid nitrogen, autoclaves and hot water baths.								
Free Standing Label								
50ml	Fig. 2a	THT-156-490-3	1.900 (48.3)	1.000 (25.4)		IP-R4302	1	3,000/Roll
Short Overlap Label								
14 - 15ml	Fig. 2a	THT-157-490-3	2.200 (55.9)	1.500 (38.1)		IP-R4300	1	3,000/Roll
50ml	Fig. 2a	THT-158-490-3	3.750 (95.3)	1.500 (38.1)		IP-R4307	1	3,000/Roll
B-492 – Ultra thin; can label frosted/frozen (with overlap) or room temperature labels and lasts in liquid nitrogen, autoclaves and hot water baths.								
Free Standing Label								
14 - 15ml	Fig. 2a	THT-179-492-3	1.000 (25.4)	1.000 (25.4)		IP-R6400	1	3,000/Roll
50 ml	Fig. 2a	THT-156-492-3	1.900 (48.3)	1.000 (25.4)		IP-R6400	1	3,000/Roll
B-7425 – Thin polypropylene material that lasts in liquid nitrogen; must be applied at room temperature.								
Free Standing Label								
14-15ml	Fig. 2a	THT-136-7425-2	1.500 (38.1)	0.750 (19.1)		IP-R4302	1	2,000
14-15ml	Fig. 2a	THT-179-7425-2	1.000 (25.4)	1.000 (25.4)		IP-R4302	1	2,000
14-15ml	Fig. 2a	THT-258-7425-2	1.500 (38.1)	1.750 (44.5)		IP-R4302	1	2,000
50ml	Fig. 2a	THT-137-7425-2	2.000 (50.8)	1.000 (25.4)		IP-R4302	1	2,000



Tissue Cassette Labels

Diagram	Catalog #	Label Dimensions		Rec. Ribbon	Labels per Row	Qty per Roll
		A Inch (mm)	B Inch (mm)			
B-482 – For use on pre-processed tissue cassettes. For use with the BSP™31 Label Attachment System.						
Fig. 2a	THT-199-482-3	1.050 (26.7)	0.250 (6.4)	IP-R6400	1	3,000/Roll
Fig. 2a	THT-213-482-3	1.050 (26.7)	0.313 (8)	IP-R6400	1	3,000/Roll
B-498 – Re-identification for front, side, or top of processed cassettes.						
Fig. 2a	THT-252-498-3	0.750 (19.1)	0.250 (6.4)	IP-R6200	1	3,000/Roll
Fig. 2a	THT-253-498-3	1.000 (25.4)	0.188 (4.8)	IP-R6200	1	3,000/Roll
Fig. 2a	THT-254-498-3	0.750 (19.1)	0.750 (19.1)	IP-R6200	1	3,000/Roll



Tamper-Resistant Seal

Diagram	Catalog #	Label Dimensions		Rec. Ribbon	Labels per Row	Qty per Roll
		A Inch (mm)	B Inch (mm)			
B-351 – Tamper-resistant label designed to fracture easily to prevent one piece removal.						
Fig. 2a	THT-5-351-10	1.000 (25.4)	0.500 (12.7)	IP-R6207	3	10,000/roll
Fig. 2a	THT-53-351-3	2.000 (50.8)	0.500 (12.7)	IP-R6200	1	3,000/Roll
Fig. 2a	THT-17-351-3	2.000 (50.8)	1.000 (25.4)	IP-R6200	1	3,000/roll

Figure 1a




Figure 2a




Figure 3a





Figure 25a



Slide Labels

Diagram	Catalog #	Label Dimensions		Rec. Ribbon	Labels per Row	Qty per Roll
		A Inch (mm)	B Inch (mm)			
B-481 – Extremely chemical resistant; withstands H&E staining process and xylene exposure.						
Fig. 2a	THT-195-481-3	0.900 (22.9)	0.375 (9.5)	IP-R6400	1	3,000/Roll
Fig. 2a	THT-194-481-3	0.900 (22.9)	0.750 (19.1)	IP-R6400	1	3,000/Roll
Fig. 25a	THT-141-481-3	0.900 (22.9)	0.900 (22.9)	IP-R6400	2	3,000/Roll
Fig. 2a	THT-164-481-3	0.900 (22.9)	0.900 (22.9)	IP-R6400	1	3,000/Roll
Fig. 2a	THT-142-481-2.5*	2.500 (63.5)	0.200 (5.1)	IP-R6402	1	2,500/Roll
* Is for an oversized slide						
B-498 – Chemically-resistant polyester; resists short term xylene exposure, DMSO, IPA, and ethanol.						
Fig. 25a	THT-140-488-3	0.900 (22.9)	0.750 (19.1)	IP-R4302	2	3,000/Roll
Fig. 25a	THT-141-488-3	0.900 (22.9)	0.900 (22.9)	IP-R4302	2	3,000/Roll
Fig. 2a	THT-164-488-1	0.900 (22.9)	0.900 (22.9)	IP-R4302	1	1,000/Roll
Fig. 2a	THT-15-488-2.5	2.000 (50.8)	0.250 (6.4)	IP-R4300	1	2,500/Roll



General Lab ID (Bottles, Flasks, and Dishes)

Diagram	Catalog #	Label Dimensions		Rec. Ribbon	Labels per Row	Qty per Roll
		A Inch (mm)	B Inch (mm)			
B-424 – Paper label for general applications.						
Fig. 2a	THT-17-424-3	2.000 (50.8)	1.000 (25.4)	IP-R4300	1	3,000/Roll
Fig. 2a	THT-18-424-3	3.000 (76.2)	1.000 (25.4)	IP-R4307	1	3,000/Roll
B-430 – Clear label for dishes and bottles; lasts in freezers and autoclaves.						
Fig. 2a	THT-17-430-3	2.000 (50.8)	1.000 (25.4)	IP-R6000	1	3,000/Roll
Fig. 2a	THT-18-430-3	3.000 (76.2)	1.000 (25.4)	IP-R6002	1	3,000/Roll
Fig. 2a	THT-19-430-1	3.000 (76.2)	2.000 (50.8)	IP-R6002	1	1,000/Roll
Fig. 3a	THT-21-430	3.000 (76.2)	300 ft. (91.4 m)	IP-R6002	1	1/Roll
B-433 – Removable polyester label for general purposes.						
Fig. 2a	THT-59-433-10	1.000 (25.4)	0.500 (12.7)	IP-R6000	1	10,000/Roll
Fig. 2a	THT-17-433-3	2.000 (50.8)	1.000 (25.4)	IP-R6000	1	3,000/Roll
B-449 – Removable label with write on capabilities; lasts in freezers.						
Fig. 25a	THT-6-449-3	1.500 (38.1)	0.750 (19.1)	IP-R4307	2	3,000/Roll
B-488 – Chemically resistant polyester; resists short term xylene exposure, DMSO, IPA, and ethanol; lasts in freezer and autoclaves.						
Fig. 25a	THT-140-488-3	0.900 (22.9)	0.750 (19.1)	IP-R4302	2	3,000/Roll
Fig. 1a	THT-5-488-10	1.000 (25.4)	0.500 (12.7)	IP-R4307	3	10,000/Roll
Fig. 2a	THT-15-488-2.5	2.000 (50.8)	0.250 (6.4)	IP-R4302	1	2,500/Roll
B-498 – Thick, easy to handle, removable label; lasts in freezers.						
Fig. 2a	THT-59-498-10	1.000 (25.4)	0.500 (12.7)	IP-R6200	1	10,000/Roll
Fig. 2a	THT-199-498-3	1.050 (28.7)	0.250 (6.4)	IP-R6200	1	3,000/Roll
Fig. 2a	THT-17-498-3	2.000 (50.8)	1.000 (25.4)	IP-R6200	1	3,000/Roll
B-499 – Thick, easy to handle, permanent label; lasts in liquid nitrogen, freezers and autoclaves.						
Fig. 2a	THT-137-499-3	1.000 (25.4)	2.000 (50.8)	IP-R6000	1	3,000/Roll
Fig. 2a	THT-136-499-3	1.500 (38.1)	0.750 (19.1)	IP-R6000	1	3,000/Roll
B-7425 – Thin polypropylene material that lasts in liquid nitrogen; must be applied at room temperature.						
Fig. 2a	THT-179-7425-2	1.000 (25.4)	1.000 (25.4)	IP-R4302	1	2,000
Fig. 2a	THT-137-7425-2	2.000 (50.8)	1.000 (25.4)	IP-R4302	1	2,000
Fig. 2a	THT-258-7425-2	1.500 (38.1)	1.750 (44.5)	IP-R4302	1	2,000

* B-499 not recommended for hot water baths.



Microplate Labels

Diagram	Catalog #	Label Dimensions		Rec. Ribbon	Labels per Row	Qty per Roll
		A Inch (mm)	B Inch (mm)			
B-488 – Chemically resistant polyester; resists short term xylene exposure, DMSO, IPA, and ethanol; lasts in freezer and autoclaves.						
Fig. 2a	THT-15-488-2.5	2.000 (50.8)	0.250 (6.4)	IP-R4302	1	2,500/Roll
B-499 – Nylon cloth material with a thick construction for easy handling; lasts in liquid nitrogen, freezers and autoclaves.						
Fig. 2a	THT-151-499-3	2.000 (50.8)	0.250 (6.4)	IP-R6000	1	3,000/Roll
B-7425 – Thin polypropylene material that lasts in liquid nitrogen; must be applied at room temperature.						
Fig. 2a	THT-151-7425-2	2.000 (50.8)	0.250 (6.4)	IP-R4302	1	2,000
Fig. 2a	THT-53-7425-2	2.000 (50.8)	0.500 (12.7)	IP-R4302	1	2,000