SAFETY DATA SHEET



1. Identification

Product identifier CIMPULSE™ 51MP

METALWORKING FLUID

Other means of identification

SDS number Not applicable Product code B01895

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier

Company name DUBOIS CHEMICAL CANADA INC dba CIMCOOL® Canada

Address B1 – 1175 Appleby Line

Burlington, ON L7L 5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin irritation Category 2

Serious eye irritation Category 2A

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Material name: CIMPULSE™ 51MP

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

ResponseIF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

Version #: 09 Revision date: 02-02-2023 Issue date: 08-25-2016

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information 3% of the mixture consists of component(s) of unknown acute dermal toxicity.

The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	30 - 60
AMINOMETHYLPROPANOL		124-68-5	5 - 10
TRIETHANOLAMINE		102-71-6	5 - 10
ALCOHOLS, C12-15, ETHOXYLATED (>1 <2.5 MOL EO)		68131-39-5	1 - 5
ETHOXYLATED AMINE		68478-95-5	1 - 5
ETHOXYLATED DINONYLPHENOL PHOSPHATE		39464-64-7	1 - 5
MONOISOPROPANOLAMINE		78-96-6	1 - 5
Other components below reportable le	evels		30 - 60

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move to fresh air	. Call a physician if symptoms develop or persist. Under normal conditions of
IIIIIaialioii	WOVE TO HESH All.	. Call a bilysiciali il sylliptollis develob di belsist. Ulluel libilliai colluttolis di

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eve contact

attention if irritation develops and persists.

Rinse mouth thoroughly. Do not induce vomiting. Do not give liquids. If vomiting occurs, keep head Ingestion

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in **General information**

attendance.

5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted. General fire hazards

Material name: CIMPULSE™ 51MP SDS Canada

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3
US. ACGIH Threshold Limit Values		
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sci	nedule 1, Table 2)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. British Columbia OELs. (0 Safety Regulation 296/97, as amen		s for Chemical Substances, Occupational Health an
Safety Regulation 296/97, as amen		s for Chemical Substances, Occupational Health an Value
Safety Regulation 296/97, as amen Components TRIETHANOLAMINE (CAS	ded)	•
Safety Regulation 296/97, as amen Components TRIETHANOLAMINE (CAS 102-71-6)	Type TWA	Value 5 mg/m3
Safety Regulation 296/97, as amen Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Manitoba OELs (Reg. 217	Type TWA	Value 5 mg/m3
	Type TWA /2006, The Workplace Safety	Value 5 mg/m3 And Health Act)
Safety Regulation 296/97, as amen Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Manitoba OELs (Reg. 217) Components TRIETHANOLAMINE (CAS 102-71-6)	Type TWA /2006, The Workplace Safety Type TWA	Value 5 mg/m3 And Health Act) Value 5 mg/m3
Safety Regulation 296/97, as amen Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Manitoba OELs (Reg. 217/ Components TRIETHANOLAMINE (CAS	Type TWA /2006, The Workplace Safety Type TWA	Value 5 mg/m3 And Health Act) Value 5 mg/m3

Material name: CIMPULSE™ 51MP SDS Canada

Components Value Type

0.5 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components Value Type

TRIETHANOLAMINE (CAS **TWA** 5 mg/m3

102-71-6)

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components **Type** TRIETHANOLAMINE (CAS 15 minute 10 mg/m3

102-71-6)

8 hour 5 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is Eye/face protection

recommended.

Skin protection

Hand protection Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

9. Physical and chemical properties

Appearance TRANSLUCENT

Physical state Liquid. Liquid. **Form** Not available. Color Odor **CHEMICAL** Not available. **Odor threshold**

10.6 рH

Melting point/freezing point < -3 °F (< -19.4 °C) Initial boiling point and boiling > 212 °F (> 100 °C)

range

Flash point Not Applicable

Like water when diluted **Evaporation rate**

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Not available. Vapor pressure

Not available. Vapor density

Relative density 0.98

Solubility(ies)

100 % Water Miscible Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Decomposition temperature Not available. Not available.

Viscosity

Not available.

Other information

8.2 lbs/gal @ 60°F **Bulk density Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing. pH in aqueous solution 9.2 @ 5% Specific gravity 0.983 17 % VOC ASTM D2369

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Heat, flames and sparks. Contact with incompatible materials. Conditions to avoid

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation Health injuries are not known or expected under normal use.

Skin contact Causes skin irritation. Eve contact Causes eye irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

Information on toxicological effects

Acute toxicity

Test Results Components **Species**

ALCOHOLS, C12-15, ETHOXYLATED (>1 <2.5 MOL EO) (CAS 68131-39-5)

Acute Dermal Liquid

LD50

Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat 5000 - 10000 mg/kg

AMINOMETHYLPROPANOL (CAS 124-68-5)

Acute Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Material name: CIMPULSE™ 51MP SDS Canada

Test Results Components **Species** Oral Liquid LD50 Rat 2900 mg/kg ETHOXYLATED AMINE (CAS 68478-95-5) **Acute** Oral Liquid LD50 Rat 1000 - 2000 mg/kg ETHOXYLATED DINONYLPHENOL PHOSPHATE (CAS 39464-64-7) **Acute Dermal** Liquid LD50 Rabbit > 5000 mg/kg ATE-ANALOGY Oral Liquid LD50 Rat > 2000 mg/kg MONOISOPROPANOLAMINE (CAS 78-96-6) **Acute Dermal** Liquid LD50 Rabbit 1576 mg/kg SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES (CAS 64742-52-5) **Acute Dermal** Liquid LD50 Rabbit > 5000 mg/kg Inhalation Mist LC50 Rat > 5.1 mg/l, 4 hours ATE Oral Liquid LD50 Rat > 5000 mg/kg TRIETHANOLAMINE (CAS 102-71-6) **Acute Dermal** Liquid LD50 Rabbit > 2000 mg/kg Oral Liquid LD50 Rat 4190 mg/kg Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes eye irritation. irritation Corneal opacity value 0.0000 0.3333 Iris lesion value Conjunctival reddening 2.0000 value 1.6700 Conjunctival oedema value Recover days 14

Material name: CIMPULSE™ 51MP SDS Canada

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

TRIETHANOLAMINE (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

TRIETHANOLAMINE (CAS 102-71-6) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic

aromatic compound (PAC) using IP 346.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** ALCOHOLS, C12-15, ETHOXYLATED (>1 <2.5 MOL EO) (CAS 68131-39-5) **Aquatic** Fish LC50 Channel catfish (Ictalurus punctatus) 1.04 - 1.39 mg/l, 96 hours Acute EC50 Crustacea Daphnia 140 µg/l, 48 hours ECHA AMINOMETHYLPROPANOL (CAS 124-68-5) Aquatic Acute Crustacea EC50 Daphnia 193 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 190 mg/l, 96 hours MONOISOPROPANOLAMINE (CAS 78-96-6) Aquatic Fish LC50 Goldfish (Carassius auratus) 210 mg/l, 96 hours Acute Crustacea EC50 Daphnia 109 mg/l, 48 hours TRIETHANOLAMINE (CAS 102-71-6) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours Acute Fish LC50 450 - 1000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bluegill (Lepomis macrochirus)

Material name: CIMPULSE™ 51MP

SDS Canada

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ALCOHOLS, C12-15, ETHOXYLATED (>1 <2.5 MOL EO) 5.06 5.79 MONOISOPROPANOLAMINE -0.93**TRIETHANOLAMINE** -2.3

Mobility in soil This product is miscible with water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Material name: CIMPULSE™ 51MP 8/9

Version #: 09 Revision date: 02-02-2023 Issue date: 08-25-2016

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

16. Other information

Issue date 08-25-2016 **Revision date** 02-02-2023

Version # 09

NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Hazard identification: Supplemental information

Physical & Chemical Properties: Multiple Properties

Toxicological information: Skin contact

GHS: Classification

Material name: CIMPULSE™ 51MP 9/9

Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)