SAFETY DATA SHEET



1. Identification

Product identifier CIMSTAR® 10-700VLC

METALWORKING FLUID

Other means of identification

SDS number Not applicable B01258 **Product code**

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

Supplier

DUBOIS CHEMICAL CANADA INC dba CIMCOOL® Canada Company name

Address B1 - 1175 Appleby Line

Burlington, ON L7L 5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Category 2 **Health hazards** Serious eye irritation

> Reproductive toxicity Category 2

Environmental hazards Not classified.

Label elements



Signal word

Hazard statement Causes serious eye irritation. Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Material name: CIMSTAR® 10-700VLC SDS Canada 1/8

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Response

and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye

irritation persists: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

	Chemical name	Common name and synonyms	CAS number	%
	SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	10 - 30
	TRIS[(2-HYDROXYETHYL)AMMONIUM] ORTHOBORATE	I	68797-44-4	5 - 10
	ALCOHOLS, C6-10, ETHOXYLATED PROPOXYLATED		68987-81-5	1 - 5
	MONOISOPROPANOLAMINE		78-96-6	1 - 5
	TRIAZINETRIETHANOL		4719-04-4	1 - 5
	TOLYLTRIAZOLE, SODIUM SALT		64665-57-2	0.1 - 1
_	Other components below reportable	levels		60 - 80

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye Eye contact

irritation persists: Get medical advice/attention.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

General information If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that Suitable extinguishing media

are appropriate to local circumstances and the surrounding environment.

Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment Wear suitable protective equipment.

and precautions for firefighters

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the Specific methods

event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted. General fire hazards

Material name: CIMSTAR® 10-700VLC SDS Canada Issue date: 05-12-2017

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid contact with eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components SEVERELY-HYDROTREAT **ED NAPHTHENIC**

Value Type

TWA 5 mg/m3

Biological limit values

DISTILLATES (CAS 64742-52-5)

Appropriate engineering controls

ACGIH

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is Eye/face protection

recommended.

Skin protection

Hand protection Nitrile gloves are recommended. Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

CLEAR Appearance

Material name: CIMSTAR® 10-700VLC

Version # 04 Revision date: 07-13-2021 3/8 Issue date: 05-12-2017

Physical state Liquid. Liquid. **Form**

Not available. Color Odor **CHEMICAL** Odor threshold Not available.

9.5

Melting point/freezing point < 30 °F (< -1.1 °C) Initial boiling point and boiling > 212 °F (> 100 °C)

range

Not Applicable Flash point

Evaporation rate Like water when diluted

Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available.

Relative density

Solubility(ies)

100 % Water Miscible Solubility (water)

Partition coefficient

Not available.

1.02

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing. pH in aqueous solution 8.8 @ 5% Specific gravity 1.020 8 % **VOC ASTM D2369**

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation Health injuries are not known or expected under normal use. Skin contact Health injuries are not known or expected under normal use.

Causes eye irritation. Eye contact

Material name: CIMSTAR® 10-700VLC SDS Canada Ingestion

Expected to be a low ingestion hazard. Health injuries are not known or expected under normal

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

• .		• •
A CLITA	tavi	^it\/
Acute	LUAI	LILV

Components	Species	Test Results		
ALCOHOLS, C6-10, ETHOXYLA	TED PROPOXYLATED (CAS 68987-81-5)			
<u>Acute</u>				
Dermal				
Liquid				
LD50	Rabbit	> 2000 mg/kg ATE		
MONOISOPROPANOLAMINE (C	CAS 78-96-6)			
<u>Acute</u>				
Dermal				
Liquid	B.11.			
LD50	Rabbit	1576 mg/kg		
	JAPHTHENIC DISTILLATES (CAS 64742-52-5)			
Acute				
Dermal				
Liquid	Dakkit	5000 mm allen		
LD50	Rabbit	> 5000 mg/kg		
Inhalation <i>Mist</i>				
LC50	Rat	> 5.1 mg/l .4 hours ATE		
	rat	> 5.1 mg/l, 4 hours ATE		
Oral Liquid				
LIQUIO LD50	Rat	> 5000 mg/kg		
TOLYLTRIAZOLE, SODIUM SAL		> 3000 Hig/kg		
	1 (CAS 04003-31-2)			
<u>Acute</u> Dermal				
Solid				
LD50	Rabbit	> 2000 mg/kg		
Oral		2000 mg/kg		
Solid				
LD50	Rat	735 - 930 mg/kg		
TRIAZINETRIETHANOL (CAS 47		, oc coomigning		
Acute				
Dermal				
Liquid				
LD50	Rat	4000 mg/kg		
Oral				
Liquid				
LD50	Rat	1000 mg/kg		
TRIS[(2-HYDROXYETHYL)AMM	ONIUM] ORTHOBORATE (CAS 68797-44-4)			
<u>Acute</u>				
Dermal				
Liquid				
LD50	Rabbit	> 2504 mg/kg ATE		
Oral				
Liquid				
LD50	Rat	> 1515 mg/kg ATE		
Material name: CIMSTAR® 10-700V	LC	SDS Canada		

Skin corrosion/irritation

Health injuries are not known or expected under normal use.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic

aromatic compound (PAC) using IP 346.

Tolytriazole, a component of this product, is suspected of damaging the unborn child (per EC / List Reproductive toxicity

no.: 265-004-9).

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Prolonged inhalation may be harmful. **Chronic effects**

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species **Test Results**

ALCOHOLS, C6-10, ETHOXYLATED PROPOXYLATED (CAS 68987-81-5)

Aquatic

Acute

Crustacea EC50 Daphnia 1 - 10 mg/l, 48 hours Fish LC50 Pimephales promelas 1 - 10 mg/l, 96 hours

MONOISOPROPANOLAMINE (CAS 78-96-6)

Aquatic

Fish LC50 Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

Crustacea EC50 109 mg/l, 48 hours Daphnia

TOLYLTRIAZOLE, SODIUM SALT (CAS 64665-57-2)

Aquatic

Acute

Crustacea EC50 Daphnia 8.58 - 15.8 mg/l, 48 hours

Fish LC50 Rainbow Trout 25 mg/l, 96 hours

TRIAZINETRIETHANOL (CAS 4719-04-4)

Aquatic

Acute

EC50 11.9 mg/l, 48 hours ECHA Crustacea Daphnia Fish LC50 16 - 240 mg/l, 96 hours ECHA Fish

TRIS[(2-HYDROXYETHYL)AMMONIUM] ORTHOBORATE (CAS 68797-44-4)

Aquatic

Material name: CIMSTAR® 10-700VLC

Acute

Crustacea EC50 Daphnia 496 mg/l, 48 hours Fish LC50 Fish 617 mg/l, 96 hours

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

6/8

SDS Canada

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ALCOHOLS, C6-10, ETHOXYLATED PROPOXYLATED 3.01 MONOISOPROPANOLAMINE -0.93

TOLYLTRIAZOLE, SODIUM SALT 1.087, @ 25°C

TRIAZINETRIETHANOL -2

TRIS[(2-HYDROXYETHYL)AMMONIUM] ORTHOBORATE -4.37, @ 25°C pH7

Mobility in soil This product is miscible with water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not established.

15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS Canadian regulations

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Material name: CIMSTAR® 10-700VLC 7/8

Version #: 04 Revision date: 07-13-2021 Issue date: 05-12-2017

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

16. Other information

 Issue date
 05-12-2017

 Revision date
 07-13-2021

Version # 04

United States & Puerto Rico

NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Version #: 04 Revision date: 07-13-2021 Issue date: 05-12-2017 8 / 8

Yes