SAFETY DATA SHEET

1. Identification

Product identifier CIMSTAR® 60C

METALWORKING FLUID

Other means of identification

SDS number Not applicable B00256 **Product code**

METALWORKING FLUID Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

Supplier

Company name DUBOIS CHEMICAL CANADA INC dba CIMCOOL® Canada

Address B1 - 1175 Appleby Line

Burlington, ON L7L 5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard identification

Not classified. Physical hazards

Skin irritation Category 2 **Health hazards**

> Serious eye irritation Category 2

Environmental hazards Not classified.

Label elements



Signal word

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several Response minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

Material name: CIMSTAR® 60C Version #: 09 Revision date: 02-02-2021 1 / 10 Issue date: 12-01-2016

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	10 - 30
ALKANES C14-16, CHLORO		63449-39-8	5 - 10
AMINOMETHYLPROPANOL		124-68-5	1 - 5
MONOETHANOLAMINE		141-43-5	1 - 5
MONOISOPROPANOLAMINE		78-96-6	1 - 5
SODIUM ALKYLARYL SULFONATE		68081-81-2	1 - 5
Other components below reportable	levels		60 - 80

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

medical attention and sp treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

General information If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Wear suitable protective equipment.

and precautions for firefighters Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Environmental precautions

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

ACGIH

Components	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3
US. ACGIH Threshold Limit Value	es	
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
Canada. Alberta OELs (Occupation	onal Health & Safety Code. Scl	hedule 1, Table 2)
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm
Canada. British Columbia OELs. Safety Regulation 296/97, as ame		s for Chemical Substances, Occupational Health and
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety	And Health Act)
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components

Type

Value

MONOETHANOLAMINE
(CAS 141-43-5)

TWA

3 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Type Value

MONOETHANOLAMINE (CAS 141-43-5)

STEL 15 mg/m3

6 ppm

TWA 7.5 mg/m3

3 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

ComponentsTypeValueMONOETHANOLAMINE
(CAS 141-43-5)15 minute
8 hour6 ppm8 hour3 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is

recommended.

Skin protection

Hand protection Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.

Color Not available.

Odor CHEMICAL

Odor threshold Not available.

pH 9.9

Melting point/freezing point $< 21 \,^{\circ}\text{F} (< -6.1 \,^{\circ}\text{C})$ Initial boiling point and boiling $> 212 \,^{\circ}\text{F} (> 100 \,^{\circ}\text{C})$

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Material name: CIMSTAR® 60C SDS Canada

Version #: 09 Revision date: 02-02-2021 Issue date: 12-01-2016

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Not available.

Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 8.7 @ 5%

VOC ASTM D2369 11 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation Health injuries are not known or expected under normal use.

Skin contact Causes skin irritation.

Eye contact Causes eye irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

Information on toxicological effects

Acute toxicity

Components Species Test Results

ALKANES C14-16, CHLORO (CAS 63449-39-8)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat > 5000 mg/kg

Components Species Test Results

AMINOMETHYLPROPANOL (CAS 124-68-5)

Acute Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Oral *Liquid*

LD50 Rat 2900 mg/kg

MONOISOPROPANOLAMINE (CAS 78-96-6)

Acute
Dermal
Liquid

LD50 Rabbit

1576 mg/kg

SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES (CAS 64742-52-5)

Acute Dermal

Liquid

LD50 Rabbit > 5000 mg/kg

Inhalation

Mist

LC50 Rat > 5.1 mg/l, 4 hours ATE

Oral

Liquid

LD50 Rat > 5000 mg/kg

SODIUM ALKYLARYL SULFONATE (CAS 68081-81-2)

<u>Acute</u>

Dermal Solid

LD50 Rabbit 2000 mg/kg

Oral Solid

LD50 Rat 1080 mg/kg

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

MONOETHANOLAMINE (CAS 141-43-5) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic

aromatic compound (PAC) using IP 346.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity - Not

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Further informationThe classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

ALKANES C14-16, CHLORO (CAS 63449-39-8)

Aquatic Acute

Fish LC50 Bluegill (Lepomis macrochirus) > 0.1 mg/l, 96 hours

AMINOMETHYLPROPANOL (CAS 124-68-5)

Aquatic

Acute

Crustacea EC50 Daphnia 193 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 190 mg/l, 96 hours

MONOETHANOLAMINE (CAS 141-43-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

Acute

Crustacea EC50 Daphnia 65 mg/l, 48 hours ECHA

MONOISOPROPANOLAMINE (CAS 78-96-6)

Aquatic

Fish LC50 Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

Crustacea EC50 Daphnia 109 mg/l, 48 hours

SODIUM ALKYLARYL SULFONATE (CAS 68081-81-2)

Aquatic

Acute

Crustacea EC50 Daphnia 2.9 mg/l, 48 hours
Fish LC50 Bluegill (Lepomis macrochirus) 1.67 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31 MONOISOPROPANOLAMINE -0.93

Bioconcentration factor (BCF)

MONOETHANOLAMINE < 3.2, ESTIMATED

Mobility in soil This product is miscible in water.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: CIMSTAR® 60C SDS Canada

Version #: 09 Revision date: 02-02-2021 Issue date: 12-01-2016

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

UN3082 **UN number**

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16,

CHLORO), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally hazardous substance, liquid, n.o.s. (ALKANES C14-16, CHLORO)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 91

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN3082 **UN number**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16, **UN proper shipping name**

CHLORO), MARINE POLLUTANT (ALKANES C14-16, CHLORO)

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant Yes **EmS** F-A. S-F


ALKANES C14-16, CHLORO

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

IATA; IMDG; TDG



Material name: CIMSTAR® 60C SDS Canada Revision date: 02-02-2021 8 / 10 Version #: 09 Issue date: 12-01-2016

Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

16. Other information

Issue date 12-01-2016 02-02-2021 **Revision date**

Version # 09

Material name: CIMSTAR® 60C 9 / 10

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Version #: 09 Revision date: 02-02-2021 Issue date: 12-01-2016 NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Physical & Chemical Properties: Multiple Properties

 Material name: CIMSTAR® 60C
 SDS Canada

 Version #: 09
 Revision date: 02-02-2021
 Issue date: 12-01-2016
 10 / 10