



## Food Grade Dielectric Grease, 3.3 Wt Oz

No. 03085 | Item# 1003353 | Case# 1003352

### Product Description

Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Waterproofs electrical connections and components. Improves electrical performance in adverse weather conditions.

### Applications

Gaskets, transfer belts, conveyor belts, motors, plant machinery and handling equipment, rubber moldings, high temperature, low load, or high rpm slides, rollers, wheels, gears, chains & hoists

### Unit Package Description

6 Ounce Pressurized Tube with Select-a-BEAD® Nozzle

### Brand

CRC

### Generic Description 1

Non Curing Silicone Lubricating Compound

### Net Fill

3.3 Wt Oz

### UPC Code

078254030852

### Unit Dimensions

8.75H x 2.25W x 2.25D in

### Units Per Case

12

### Case Dimensions

8.75H x 7.37W x 7.37D in

### Cases Per Pallet

120

### Case Weight

6 lbs

### 1 2 of 5 Code

30078254030853

### Appearance

Opaque White Gel

### Base Type

Silicone

### Flash point (F)

>572°F

### Flash point (C)

>300°C

### Flammability Class - CPSC

None

### Spec Gravity Concentrate

0.97

### Plastic Safe

Safe on Most Plastics (Test small area)

### Film Type

Non-Curing Silicone Paste

### Dielectric Strength

>450 Volts/Mil

### NLGI Grade

2

### Working Temp (F)

-70 to 400°F



Last revised: 9/5/2019

Page 1 of 2



**Chemical Solutions to Keep You Moving™**

f t+ in • 800-272-8963 • [crcindustries.com](http://crcindustries.com)

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



|                                 |   |
|---------------------------------|---|
| Working Temp (C)                | -56.7 to 204.4°C                          |
| Propellant                      | Nitrogen                                  |
| NSF Category Code               | H1  |
| NSF Number                      | 151608                                    |
| Military Specification Number   | Meets requirements of SAE-AS-8660         |
| Federal Specification Number    | FDA-CFR-21-178.3570                       |
| Aerosol Flammability Level      | I   |
| DOT Proper Shipping Name        | Aerosols, Non-Flammable, Limited Quantity |
| VOC % (Consumer Product def)    | <1  |
| VOC g/L (Consumer Product def)  | <0.01                                     |
| VOC lbs/gal (Consumer Prod def) | <0.1                                      |
| VOC Category                    | Not Regulated                             |
| Removal (How To)                | Remove with Petroleum Distillates.        |