SAFETY DATA SHEET



1. Identification

Product name CoolPAK™ S4210

Other means of identification None.

Recommended use Metal Working Fluids.

Recommended restrictions No other uses are advised. Applicable for industrial settings only.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company NameMaster Fluid SolutionsAddress501 West Boundary

Perrysburg, Ohio 43551-1200

United States

Telephone 419-874-7902

Website www.masterfluidsolutions.com

E-mail info@masterfluids.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash hands thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Heavy Naphthenic		64742-52-5	20 - < 30
Triethanolamine		102-71-6	5 - < 10
TRADE SECRET		Proprietary	3 - < 5
TRADE SECRET		Proprietary	1 - < 3

Material name: CoolPAK™ S4210

Chemical name	Common name and synonyms	CAS number	<u></u>
TRADE SECRET		Proprietary	1 - < 3
Other components below	reportable levels		60 - < 70

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

In the unlikely event of swallowing contact a physician or poison control center. Ingestion

None known. Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment

Wear suitable protective equipment. Use standard firefighting procedures and consider the hazards of other involved materials.

and precautions for firefighters

Fire fighting equipment/instructions Containers should be cooled with water to prevent vapor pressure build up.

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Use

personal protective equipment as required.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

Environmental precautions

Prevent entry into waterways, sewer, basements or confined areas.

7. Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

8. Exposure controls/personal protection

Occupational exposure limits

64742-52-5)

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000) **Form** Components **Type** Value **PEL** Distillates (petroleum), 5 mg/m3 Mist. Hydrotreated Heavy Naphthenic (CAS

Material name: CoolPAK™ S4210 SDS US **US. ACGIH Threshold Limit Values (TLV)**

ComponentsTypeValueFormDistillates (petroleum),
Hydrotreated Heavy
Naphthenic (CAS
64742-52-5)TWA5 mg/m3Inhalable fraction.Triethanolamine (CAS
102-71-6)TWA5 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

ComponentsTypeValueFormDistillates (petroleum),
Hydrotreated Heavy
Naphthenic (CASSTEL10 mg/m3Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

64742-52-5)

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Physical state Liquid.

Color Colorless to yellow

Odor Mild pleasant
Odor threshold Not available.

pH Not available.

Melting point/freezing point 17.6 °F (-8 °C)
Initial boiling point and boiling 221 °F (105 °C)

range

Flash point >212.0 °F (>100.0 °C)

Evaporation rate <1 BuAc
Flammability (solid, gas) Not applicable
Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure Not available.
Vapor density Not available.

Relative density Solubility(ies)

Solubility (water) Soluble

Partition coefficient

Not available.

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

ASTM D92-90 Flash point class

9 - 10 pH in aqueous solution 0.985 - 1.1Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Powerful oxidizers. Strong acids. Incompatible materials

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Not classified. Skin contact

May be irritating to eyes. Eye contact

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics May be irritating to eyes.

Information on toxicological effects

Acute toxicity Not classified. Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

May be irritating to eyes.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified. None known. **Chronic effects**

12. Ecological information

Ecotoxicity Not available.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: CoolPAK™ S4210

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

California Proposition 65

For more information go to www.P65Warnings.ca.gov. California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Material name: CoolPAK™ S4210 sps us

16. Other information, including date of preparation or last revision

Issue date 03-05-2024

Version # 0

DisclaimerThe information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Material name: CoolPAK™ S4210