SAFETY DATA SHEET



1. Identification

Product identifier	KLEENKOOL ULTRA		
	METALWORKING FLUID		
Other means of identification			
SDS number	Not applicable		
Recommended use	METALWORKING FLUID		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	DOALL SAWING PRODUCTS A DOALL COMPANY 2375 Toughy Avenue Elk Grove Village, IL 60007		
Telephone (General Information)	888-362-5572, Ext 65047		
Emergency telephone number	1-800-424-9300 (CHEMTREC)		
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)		

2. Hazard(s) identification

(<i>i</i>		
Physical hazards		
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.
Precautionary statement Prevention	Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.
Response	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a poison center/ doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash before reuse.
Storage	Keep container tightly closed. Protect from sunlight. Store in a well-ventilated place. Store away from incompatible materials. Store in accordance with local/regional/national/international regulation.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	10 - 30
NEODECANOIC ACID		26896-20-8	3 - 7
AMINOMETHYLPROPANOL		124-68-5	1 - 5
HEXAHYDRO-1,3,5-TRIS (2-HYDROXYETHYL)-S- TRIAZINE		4719-04-4	0.1 - 1
Other components below reportable lev	vels		60 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms persist.
Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly. Do not induce vomiting. Drink 1 or 2 glasses of water. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Defatting of the skin. May cause allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Not applicable, non-combustible.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not
protective equipment and emergency procedures	breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water.	
	Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Prevent product from entering drains. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. Do not flush spill to drain. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination. Contact local authorities in case of spillage to drain/aquatic environment.	
7. Handling and storage		
Precautions for safe handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not ingest. Do not get this material on clothing. Avoid breathing mist or vapor. Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Use only in well-ventilated areas. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Wash contaminated clothing before reuse. Practice good housekeeping. Handle and open container with care. Do not empty into drains.	
Conditions for safe storage, including any incompatibilities	To maintain product quality, do not store in heat or direct sunlight. Use care in handling/storage. Keep containers closed when not in use. Keep away from food, drink and animal feedingstuffs. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Store in a well-ventilated place. Room temperature - normal conditions. Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.	
8. Exposure controls/personal protection		
Occupational exposure limits		
US. OSHA Table Z-1 Limits for	or Air Contaminants (29 CFR 1910.1000) Type Value	

US. NIOSH: Pocket Guide to Chemical Hazards

	Туре	Value	Form
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	Inhalable fraction and
	TWA	5 mg/m3	vapor.
	TWA	1 mg/m3	

US ACGIH Threshold Limit Values: Skin designation

Appropriate engineering controls	Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.
Individual protection measures, s	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.
Skin protection	
Hand protection	Use protective gloves made of: Nitrile.
Other	Wear suitable protective clothing and gloves.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	CLEAR
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	CHEMICAL
Odor threshold	Not available.
рН	9.3
Melting point/freezing point	< 32 °F (< 0 °C)
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	Not Applicable
Evaporation rate	Like water when diluted
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	100 % Water Miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information	
pH in aqueous solution	9.0 @ 5%
Specific gravity	1.07
VOC ASTM D2369	13 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use. Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Avoid contact with oxidizers or reducing agents. Strong acids. Strong oxidizing substances.
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, oxides of phosphorus, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful. Health injuries are not known or expected under normal use.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed. Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Defatting of the skin. May cause an allergic skin reaction.
Information on toxicological eff	ects

Acute toxicity May cause an allergic skin reaction. May be harmful if swallowed. Expected to be a usual industrial or commercial handling by trained personnel.		
Components	Species Test Results	
AMINOMETHYLPROPAN	OL (CAS 124-68-5)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	2900 mg/kg

Components	Species	Test Results	
NEODECANOIC ACID (CAS 2689	96-20-8)		
Acute			
Dermal			
LD50	Rabbit	> 3160 mg/kg	
Inhalation			
LD50	Rat	> 511 mg/m³	
		> 3 mg/l	
Oral	Det		
	Rat	2000 mg/kg	
TRIETHANOLAMINE (CAS 102-7	1-6)		
Acute Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral	Rabbit	2000 mg/kg	
LD50	Guinea pig	5300 mg/kg	
	Rat	8 g/kg	
* Estimates for product may b	e based on additional comp	oonent data not shown.	
Skin corrosion/irritation	Prolonged skin contact m	ay cause temporary irritation. Defatting, drying and cracking of skin.	
Serious eye damage/eye rritation	Causes serious eye irritat	tion. Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	า		
Respiratory sensitization	Not classified.		
Skin sensitization	May cause an allergic ski	n reaction. This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not consid	lered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogeni	icity	
TRIETHANOLAMINE (C	AS102-71-6)	3 Not classifiable as to carcinogenicity to humans.	
US. OSHA Specifically Regu Not listed.	ulated Substances (29 CFI	R 1910.1001-1050)	
Reproductive toxicity	This product is not expect	ted to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	May be harmful if swallow	ved and enters airways.	
Chronic effects	Prolonged exposure may	-	
Further information	Symptoms may be delayed		
12. Ecological information			
Ecotoxicity	Contains a substance wh	ich causes risk of hazardous effects to the environment.	
Components	Species	Test Results	
AMINOMETHYLPROPANOL	(CAS 124-68-5)		
Aquatic	Daphnia	193 mg/l, 48 hours	
Acute			
Crustanan	ECE0		

EC50 Crustacea Bluegill (Lepomis macrochirus 190 mg/l, 96 hours LC50

Fish

TRIETHANOLAMINE (CAS 1	02-71-6)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10610 - 13010 mg/l, 96 hours
* Estimates for product may b	e based on addi	tional component data not shown.	
Persistence and degradability	No data is ava	ilable on the degradability of this product.	
Bioaccumulative potential			
Partition coefficient n-octar TRIETHANOLAMINE	nol / water (log ł	Cow) -1	
Mobility in soil	This product is	s miscible in water.	
Other adverse effects		rse environmental effects (e.g. ozone deplo ocrine disruption, global warming potential)	
13. Disposal consideratio	ns		
Disposal instructions	chemical or us	rities before disposal. Do not contaminate p sed container. Dispose of contents/containen national/international regulations.	
Local disposal regulations	Dispose in acc	cordance with all applicable regulations.	
Hazardous waste code	The waste coo disposal comp	le should be assigned in discussion betwee any.	en the user, the producer and the waste
Waste from residues / unused products		accordance with local regulations. Empty c es. This material and its container must be uctions).	
Contaminated packaging	Since emptied	ers should be taken to an approved waste containers may retain product residue, fol ot re-use empty containers.	
14. Transport information			
DOT			

UN number	Not Regulated
UN proper shipping name	
Transport hazard class(es)	
Class	
Subsidiary risk	
Label(s)	
Packing group	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	
Packaging exceptions	
Packaging non bulk	
Packaging bulk	

ΙΑΤΑ

UN number Not Regulated UN proper shipping name Transport hazard class(es) Class

Subsidiary risk Packing group Environmental hazards ERG Code	
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed.
Cargo aircraft only IMDG	Allowed.
UN number UN proper shipping name	
Transport hazard class(es)	
Class Subsidiary risk	
Packing group Environmental hazards	
Marine pollutant EmS	No. F-A, S-B
Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code DOT	Read safety instructions, SDS and emergency procedures before handling. Not established.
EmS Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Read safety instructions, SDS and emergency procedures before handling.

IATA; IMDG

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.		
TSCA Section 12(b) Export N	Iotification (40 CFR 707, Sub	opt. D)	
HEXAHYDRO-1,3,5-TRIS TRIAZINE (CAS 4719-04- CERCLA Hazardous Substar	4)	1.0 % One-Time Export Notification only.	
SARA 304 Emergency releas Not regulated. US. OSHA Specifically Regu Not listed.		910.1001-1050)	

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	3	
SARA 302 Extremely haza	rdous substance		
Not listed.	No		
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting)			
Chemical name		CAS number	% by wt.
ther federal regulations Clean Air Act (CAA) Sectio	on 112 Hazardous Air Poll	utants (HAPs) List	
Clean Air Act (CAA) Section	on 112(r) Accidental Relea	se Prevention (40 CFR	68.130)
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
Food and Drug Administration (FDA)	Not regulated.		
S state regulations			der the OSHA Hazard Communication Stand ARA Sections 311 and 312.
US. California Control	led Substances. CA Depa	rtment of Justice (Calif	ornia Health and Safety Code Section 111
Not listed.	IV Cubatanaa Liat		
US. Massachusetts RT			
	ROPANOL (CAS 124-68-5) NE (CAS 102-71-6)		
TRIETHANOLAMIN			
TRIETHANOLAMIN	er and Community Right-t	o-Know Act	
TRIETHANOLAMIN US. New Jersey Worke	er and Community Right-t ROPANOL (CAS 124-68-5)		
TRIETHANOLAMIN US. New Jersey Worke	ROPANOL (CAS 124-68-5)		
TRIETHANOLAMIN US. New Jersey Worke AMINOMETHYLPI TRIETHANOLAMIN	ROPANOL (CAS 124-68-5) NE (CAS 102-71-6)		
TRIETHANOLAMIN US. New Jersey Worke AMINOMETHYLPI TRIETHANOLAMIN US. Pennsylvania Wor	ROPANOL (CAS 124-68-5)		
TRIETHANOLAMIN US. New Jersey Worke AMINOMETHYLPI TRIETHANOLAMIN US. Pennsylvania Wor	ROPANOL (CAS 124-68-5) NE (CAS 102-71-6) Ker and Community Right ROPANOL (CAS 124-68-5)		

California South Coast Air Quality Management District (SCAQMD) Rule 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 101 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 75 % to maintain compliance.

US. California Proposition 65

This product does not contains a chemical known to the State of California to cause cancer.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates this product co	mplies with the inventory requirements administered by the governing countr	y(s)

16. Other information, including date of preparation or last revision

Issue date	3- 19-2015
Revision date	
Version #	01
Further information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Physical & Chemical Properties: Multiple Properties GHS: Classification