



PFX

A901

PFX Jobber Drill



d_1 R _{h8} Inch	d_1 R _{h8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-code	USD
	1.50	0.0591	18	40	A9011.5	13.20
	1.55	0.0610	20	43	A9011.55	13.20
1/16	1.59	0.0625	22	48	A9011/16	13.20
	1.60	0.0630	20	43	A9011.6	13.20
	1.75	0.0689	22	46	A9011.75	13.20
	1.80	0.0709	22	46	A9011.8	13.20
	1.90	0.0748	22	46	A9011.9	13.20
5/64	1.98	0.0781	25	51	A9015/64	13.20
	2.00	0.0787	24	49	A9012.0	12.25
	2.10	0.0827	24	49	A9012.1	12.25
	2.15	0.0846	27	53	A9012.15	12.25
3/32	2.38	0.0937	32	57	A9013/32	12.25
	2.40	0.0945	30	57	A9012.4	12.25
	2.50	0.0984	30	57	A9012.5	12.20
	2.60	0.1024	30	57	A9012.6	12.50
	2.70	0.1063	33	61	A9012.7	12.50
7/64	2.78	0.1094	38	67	A9017/64	12.50
	2.90	0.1142	33	61	A9012.9	12.50
	3.00	0.1181	33	61	A9013.0	9.16
	3.10	0.1220	36	65	A9013.1	10.80
1/8	3.18	0.1250	41	70	A9011/8	10.80
	3.20	0.1260	36	65	A9013.2	10.65
	3.30	0.1299	36	65	A9013.3	10.10
	3.40	0.1339	39	70	A9013.4	11.30
	3.50	0.1378	39	70	A9013.5	11.30
	3.60	0.1417	39	70	A9013.6	12.10
9/64	3.57	0.1406	44	73	A9019/64	12.10

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	3.70	0.1457	39	70	A9013.7	11.40
	3.80	0.1496	43	75	A9013.8	13.50
	3.90	0.1535	43	75	A9013.9	13.50
5/32	3.97	0.1563	51	79	A9015/32	13.50
	4.00	0.1575	43	75	A9014.0	12.65
	4.10	0.1614	43	75	A9014.1	12.65
	4.20	0.1654	43	75	A9014.2	12.65
	4.30	0.1693	47	80	A9014.3	12.65
11/64	4.37	0.1719	54	83	A90111/64	12.65
	4.40	0.1732	47	80	A9014.4	12.15
	4.50	0.1772	47	80	A9014.5	13.55
	4.60	0.1811	47	80	A9014.6	14.10
	4.70	0.1850	47	80	A9014.7	13.90
3/16	4.76	0.1875	59	89	A9013/16	13.90
	4.80	0.1890	52	86	A9014.8	14.50
	4.90	0.1929	52	86	A9014.9	14.05
	5.00	0.1969	52	86	A9015.0	14.50
	5.10	0.2008	52	86	A9015.1	15.80
13/64	5.16	0.2031	62	92	A90113/64	15.80
	5.20	0.2047	52	86	A9015.2	15.80
	5.30	0.2087	52	86	A9015.3	16.05
	5.40	0.2126	57	93	A9015.4	17.00
	5.50	0.2165	57	93	A9015.5	19.00
7/32	5.56	0.2188	64	95	A9017/32	19.00
	5.60	0.2205	57	93	A9015.6	18.30
	5.70	0.2244	57	93	A9015.7	20.40
	5.80	0.2283	57	93	A9015.8	18.35
	5.90	0.2323	57	93	A9015.9	20.00
15/64	5.95	0.2344	67	98	A90115/64	20.00
	6.00	0.2362	57	93	A9016.0	20.00
	6.10	0.2402	63	101	A9016.1	22.40
	6.20	0.2441	63	101	A9016.2	22.40
	6.30	0.2480	63	101	A9016.3	22.65
1/4	6.35	0.2500	70	102	A9011/4	22.65
	6.40	0.2520	63	101	A9016.4	23.00
	6.50	0.2559	63	101	A9016.5	22.05
	6.60	0.2598	63	101	A9016.6	23.60
	6.70	0.2638	63	101	A9016.7	24.25
17/64	6.75	0.2656	73	105	A90117/64	24.25
	6.80	0.2677	69	109	A9016.8	25.80
	6.90	0.2717	69	109	A9016.9	23.90
	7.00	0.2756	69	109	A9017.0	29.05
	7.10	0.2795	69	109	A9017.1	31.90
9/32	7.14	0.2813	75	108	A9019/32	31.90
	7.20	0.2835	69	109	A9017.2	30.55
	7.30	0.2874	69	109	A9017.3	31.00

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	7.40	0.2913	69	109	A9017.4	34.15
	7.50	0.2953	69	109	A9017.5	30.25
19/64	7.54	0.2969	78	111	A90119/64	30.25
	7.60	0.2992	75	117	A9017.6	34.80
	7.70	0.3031	75	117	A9017.7	34.45
	7.80	0.3071	75	117	A9017.8	36.05
	7.90	0.3110	75	117	A9017.9	36.60
5/16	7.94	0.3125	81	114	A9015/16	36.60
	8.00	0.3150	75	117	A9018.0	30.75
	8.10	0.3189	75	117	A9018.1	35.70
	8.20	0.3228	75	117	A9018.2	34.05
	8.30	0.3268	75	117	A9018.3	34.60
21/64	8.33	0.3281	84	117	A90121/64	34.60
	8.40	0.3307	75	117	A9018.4	36.35
	8.50	0.3346	75	117	A9018.5	31.70
	8.60	0.3386	81	125	A9018.6	43.05
	8.70	0.3425	81	125	A9018.7	43.05
11/32	8.73	0.3438	87	121	A90111/32	43.05
	8.80	0.3465	81	125	A9018.8	41.40
	8.90	0.3504	81	125	A9018.9	44.75
	9.00	0.3543	81	125	A9019.0	40.20
	9.10	0.3583	81	125	A9019.1	43.90
23/64	9.13	0.3594	89	124	A90123/64	43.90
	9.20	0.3622	81	125	A9019.2	46.40
	9.30	0.3661	81	125	A9019.3	44.80
	9.40	0.3701	81	125	A9019.4	46.70
	9.50	0.3740	81	125	A9019.5	43.85
3/8	9.52	0.3750	92	127	A9013/8	43.85
	9.60	0.3780	87	133	A9019.6	48.15
	9.70	0.3819	87	133	A9019.7	50.20
	9.80	0.3858	87	133	A9019.8	50.90
	9.90	0.3898	87	133	A9019.9	51.80
25/64	9.92	0.3906	95	130	A90125/64	51.80
	10.00	0.3937	87	133	A90110.0	47.80
	10.20	0.4016	87	133	A90110.2	60.80
	10.30	0.4055	87	133	A90110.3	63.50
13/32	10.32	0.4063	98	133	A90113/32	63.50
	10.40	0.4094	87	133	A90110.4	68.10
	10.50	0.4134	87	133	A90110.5	61.70
27/64	10.72	0.4219	100	137	A90127/64	61.70
	10.80	0.4252	94	142	A90110.8	75.80
	11.00	0.4331	94	142	A90111.0	71.20
7/16	11.11	0.4375	103	140	A9017/16	71.20
	11.50	0.4528	94	142	A90111.5	82.40
29/64	11.51	0.4531	106	143	A90129/64	82.40
	11.80	0.4646	94	142	A90111.8	104.00

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
15/32	11.91	0.4688	110	146	A90115/32	104.00
	12.00	0.4724	101	151	A90112.0	75.60
31/64	12.30	0.4844	111	149	A90131/64	115.00
	12.50	0.4921	101	151	A90112.5	90.10
1/2	12.70	0.5000	101	151	A9011/2	87.60
	13.00	0.5118	101	151	A90113.0	97.80
33/64	13.10	0.5156	122	168	A90133/64	97.80
	13.50	0.5315	108	160	A90113.5	139.00
35/64	13.89	0.5469	122	168	A90135/64	139.00
	14.00	0.5512	108	160	A90114.0	140.00
9/16	14.29	0.5625	122	168	A9019/16	140.00
	14.50	0.5709	114	169	A90114.5	165.00
37/64	14.68	0.5781	122	168	A90137/64	165.00
	15.00	0.5906	114	169	A90115.0	169.00
19/32	15.08	0.5938	132	181	A90119/32	169.00
39/64	15.48	0.6094	132	181	A90139/64	169.00
	15.50	0.6102	120	178	A90115.5	197.00
5/8	15.88	0.6250	132	181	A9015/8	197.00
	16.00	0.6299	120	178	A90116.0	202.00