



PFX

A920

PFX Stub Drill



d_1 R _{h8} Inch	d_1 R _{h8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-code	USD
	1.00	0.0394	6	26	A9201.0	13.05
	1.10	0.0433	7	28	A9201.1	8.35
3/64	1.19	0.0469	13	35	A9203/64	8.35
	1.20	0.0472	8	30	A9201.2	7.95
	1.25	0.0492	8	30	A9201.25	7.95
	1.30	0.0512	8	30	A9201.3	7.58
	1.35	0.0531	9	32	A9201.35	7.58
	1.40	0.0551	9	32	A9201.4	9.63
	1.50	0.0591	9	32	A9201.5	7.08
	1.55	0.0610	10	34	A9201.55	7.08
1/16	1.59	0.0625	16	41	A9201/16	5.83
	1.60	0.0630	10	34	A9201.6	6.84
	1.70	0.0669	10	34	A9201.7	6.78
	1.75	0.0689	11	36	A9201.75	6.78
	1.80	0.0709	11	36	A9201.8	6.55
	1.90	0.0748	11	36	A9201.9	6.52
5/64	1.98	0.0781	17	43	A9205/64	5.39
	2.00	0.0787	12	38	A9202.0	6.44
	2.10	0.0827	12	38	A9202.1	6.40
	2.15	0.0846	13	40	A9202.15	6.40
	2.20	0.0866	13	40	A9202.2	6.33
	2.30	0.0906	13	40	A9202.3	9.43
	2.35	0.0925	14	43	A9202.35	9.43
3/32	2.38	0.0938	19	41	A9203/32	5.25
	2.40	0.0945	14	43	A9202.4	6.31
	2.50	0.0984	14	43	A9202.5	6.33

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	2.60	0.1024	14	43	A9202.6	6.37
	2.70	0.1063	16	46	A9202.7	6.40
7/64	2.78	0.1094	21	46	A9207/64	5.39
	2.80	0.1102	16	46	A9202.8	6.44
	2.90	0.1142	16	46	A9202.9	6.52
	3.00	0.1181	16	46	A9203.0	4.90
	3.10	0.1220	18	49	A9203.1	4.91
1/8	3.18	0.1250	22	48	A9201/8	5.34
	3.20	0.1260	18	49	A9203.2	5.29
	3.30	0.1299	18	49	A9203.3	4.67
	3.40	0.1339	20	52	A9203.4	7.76
	3.50	0.1378	20	52	A9203.5	7.92
9/64	3.57	0.1406	24	49	A9209/64	3.94
	3.60	0.1417	20	52	A9203.6	5.67
	3.70	0.1457	20	52	A9203.7	5.64
	3.80	0.1496	22	55	A9203.8	5.77
	3.90	0.1535	22	55	A9203.9	6.03
5/32	3.97	0.1563	25	52	A9205/32	6.14
	4.00	0.1575	22	55	A9204.0	4.43
	4.10	0.1614	22	55	A9204.1	4.40
	4.20	0.1654	22	55	A9204.2	9.15
	4.30	0.1693	24	58	A9204.3	7.08
11/64	4.37	0.1719	27	54	A92011/64	5.25
	4.40	0.1732	24	58	A9204.4	7.19
	4.50	0.1772	24	58	A9204.5	5.29
	4.60	0.1811	24	58	A9204.6	6.72
	4.70	0.1850	24	58	A9204.7	7.19
3/16	4.76	0.1875	29	56	A9203/16	7.15
	4.80	0.1890	26	62	A9204.8	7.19
	4.90	0.1929	26	62	A9204.9	8.52
	5.00	0.1969	26	62	A9205.0	9.46
	5.10	0.2008	26	62	A9205.1	8.52
13/64	5.16	0.2031	30	57	A92013/64	5.82
	5.20	0.2047	26	62	A9205.2	8.33
	5.30	0.2087	26	62	A9205.3	8.52
	5.40	0.2126	28	66	A9205.4	9.16
	5.50	0.2165	28	66	A9205.5	8.77
7/32	5.56	0.2188	32	60	A9207/32	9.17
	5.60	0.2205	28	66	A9205.6	9.02
	5.70	0.2244	28	66	A9205.7	9.16
	5.80	0.2283	28	66	A9205.8	8.77
	5.90	0.2323	28	66	A9205.9	11.25
15/64	5.95	0.2344	33	62	A92015/64	8.22
	6.00	0.2362	28	66	A9206.0	6.66
	6.10	0.2402	31	70	A9206.1	11.45
	6.20	0.2441	31	70	A9206.2	11.55

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	6.30	0.2480	31	70	A9206.3	11.65
1/4	6.35	0.2500	35	64	A9201/4	8.61
	6.40	0.2520	31	70	A9206.4	11.45
	6.50	0.2559	31	70	A9206.5	16.40
	6.60	0.2598	31	70	A9206.6	11.90
	6.70	0.2638	31	70	A9206.7	11.70
17/64	6.75	0.2656	37	67	A92017/64	11.75
	6.80	0.2677	34	74	A9206.8	12.45
	6.90	0.2717	34	74	A9206.9	14.50
	7.00	0.2756	34	74	A9207.0	9.45
	7.10	0.2795	34	74	A9207.1	15.75
9/32	7.14	0.2813	38	68	A9209/32	9.73
	7.20	0.2835	34	74	A9207.2	15.65
	7.30	0.2874	34	74	A9207.3	15.45
	7.40	0.2913	34	74	A9207.4	15.65
	7.50	0.2953	34	74	A9207.5	11.05
19/64	7.54	0.2969	40	70	A92019/64	16.90
	7.60	0.2992	37	79	A9207.6	16.85
	7.70	0.3031	37	79	A9207.7	17.25
	7.80	0.3071	37	79	A9207.8	16.50
	7.90	0.3110	37	79	A9207.9	18.95
5/16	7.94	0.3125	41	71	A9205/16	11.55
	8.00	0.3150	37	79	A9208.0	11.65
	8.10	0.3189	37	79	A9208.1	19.30
	8.20	0.3228	37	79	A9208.2	20.05
	8.30	0.3268	37	79	A9208.3	20.05
21/64	8.33	0.3281	43	75	A92021/64	20.05
	8.40	0.3307	37	79	A9208.4	20.05
	8.50	0.3346	37	79	A9208.5	15.25
	8.60	0.3386	40	84	A9208.6	21.00
	8.70	0.3425	40	84	A9208.7	20.60
11/32	8.73	0.3438	43	76	A92011/32	16.15
	8.80	0.3465	40	84	A9208.8	20.05
	8.90	0.3504	40	84	A9208.9	22.85
	9.00	0.3543	40	84	A9209.0	15.05
	9.10	0.3583	40	84	A9209.1	25.55
23/64	9.13	0.3594	44	78	A92023/64	25.55
	9.20	0.3622	40	84	A9209.2	26.90
	9.30	0.3661	40	84	A9209.3	27.00
	9.40	0.3701	40	84	A9209.4	25.55
	9.50	0.3740	40	84	A9209.5	32.40
3/8	9.52	0.3750	46	79	A9203/8	19.80
	9.60	0.3780	43	89	A9209.6	26.15
	9.70	0.3819	43	89	A9209.7	24.80
	9.80	0.3858	43	89	A9209.8	27.60
	9.90	0.3898	43	89	A9209.9	28.50

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
25/64	9.92	0.3906	48	83	A92025/64	28.55
	10.00	0.3937	43	89	A92010.0	22.60
	10.20	0.4016	43	89	A92010.2	27.90
	10.30	0.4055	43	89	A92010.3	30.35
13/32	10.32	0.4063	49	84	A92013/32	20.35
	10.50	0.4134	43	89	A92010.5	28.20
27/64	10.72	0.4219	51	86	A92027/64	38.70
	10.80	0.4252	47	95	A92010.8	40.75
	11.00	0.4331	47	95	A92011.0	39.40
7/16	11.11	0.4375	52	87	A9207/16	32.65
	11.50	0.4528	47	95	A92011.5	33.55
29/64	11.51	0.4531	54	90	A92029/64	47.80
	11.80	0.4646	47	95	A92011.8	46.90
15/32	11.91	0.4688	54	92	A92015/32	31.85
	12.00	0.4724	51	102	A92012.0	32.05
	12.20	0.4803	51	102	A92012.2	48.35
31/64	12.30	0.4844	56	94	A92031/64	51.70
	12.50	0.4921	51	102	A92012.5	41.85
1/2	12.70	0.5000	57	95	A9201/2	32.35
	13.00	0.5118	51	102	A92013.0	53.40
33/64	13.10	0.5156	60	98	A92033/64	53.40
	13.50	0.5315	54	107	A92013.5	51.90
35/64	13.89	0.5469	64	102	A92035/64	51.90
	14.00	0.5512	54	107	A92014.0	51.50
9/16	14.29	0.5625	64	102	A9209/16	51.50
	14.50	0.5709	56	111	A92014.5	57.60
37/64	14.68	0.5781	67	105	A92037/64	57.60
	14.75	0.5807	56	111	A92014.75	57.60
	15.00	0.5906	56	111	A92015.0	59.70
19/32	15.08	0.5938	67	105	A92019/32	59.70
39/64	15.48	0.6094	70	108	A92039/64	59.70
	15.50	0.6102	58	115	A92015.5	69.40
5/8	15.88	0.6250	70	108	A9205/8	69.40
	16.00	0.6299	58	115	A92016.0	68.80
41/64	16.27	0.6406	73	114	A92041/64	68.80
	16.50	0.6496	60	119	A92016.5	68.80
21/32	16.67	0.6563	73	114	A92021/32	68.80
	16.75	0.6594	60	119	A92016.75	68.80
	17.00	0.6693	60	119	A92017.0	76.60
43/64	17.07	0.6719	73	117	A92043/64	76.60
11/16	17.46	0.6875	73	117	A92011/16	76.60
	17.50	0.6890	62	123	A92017.5	96.80
45/64	17.86	0.7031	76	121	A92045/64	96.80
	18.00	0.7087	62	123	A92018.0	87.70
23/32	18.26	0.7188	76	121	A92023/32	87.70
	18.50	0.7283	64	127	A92018.5	87.70

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
47/64	18.65	0.7344	79	127	A92047/64	87.70
	19.00	0.7480	64	127	A92019.0	160.00
3/4	19.05	0.7500	79	127	A9203/4	160.00
49/64	19.45	0.7656	83	130	A92049/64	160.00
	19.50	0.7677	66	131	A92019.5	160.00
25/32	19.84	0.7813	83	130	A92025/32	160.00
	20.00	0.7874	66	131	A92020.0	107.00