


PFX

A940

PFX Long Series Drill



d_1 R _{h8} Inch	d_1 R _{h8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-code	USD
	1.00	0.0394	33	56	A9401.0	16.40
	1.10	0.0433	37	60	A9401.1	19.20
3/64	1.19	0.0469	29	57	A9403/64	19.20
	1.20	0.0472	41	65	A9401.2	18.45
	1.30	0.0512	41	65	A9401.3	17.60
	1.40	0.0551	45	70	A9401.4	18.35
	1.50	0.0591	45	70	A9401.5	13.55
1/16	1.59	0.0625	44	76	A9401/16	15.25
	1.60	0.0630	50	76	A9401.6	13.25
	1.70	0.0669	50	76	A9401.7	16.05
	1.80	0.0709	53	80	A9401.8	15.65
	1.90	0.0748	53	80	A9401.9	15.65
5/64	1.98	0.0781	51	95	A9405/64	11.50
	2.00	0.0787	56	85	A9402.0	12.50
	2.10	0.0827	56	85	A9402.1	15.50
	2.20	0.0866	59	90	A9402.2	15.35
	2.30	0.0906	59	90	A9402.3	15.50
3/32	2.38	0.0938	57	108	A9403/32	11.50
	2.40	0.0945	62	95	A9402.4	15.50
	2.50	0.0984	62	95	A9402.5	12.50
	2.60	0.1024	62	95	A9402.6	15.65
	2.70	0.1063	66	100	A9402.7	15.65
7/64	2.78	0.1094	64	117	A9407/64	13.90
	2.80	0.1102	66	100	A9402.8	15.90
	2.90	0.1142	66	100	A9402.9	16.05
	3.00	0.1181	66	100	A9403.0	10.35
	3.10	0.1220	69	106	A9403.1	10.55

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
1/8	3.18	0.1250	70	130	A9401/8	13.90
	3.20	0.1260	69	106	A9403.2	9.99
	3.30	0.1299	69	106	A9403.3	10.70
	3.40	0.1339	73	112	A9403.4	12.55
	3.50	0.1378	73	112	A9403.5	10.45
9/64	3.57	0.1406	76	137	A9409/64	10.35
	3.60	0.1417	73	112	A9403.6	10.30
	3.70	0.1457	73	112	A9403.7	12.45
	3.80	0.1496	78	119	A9403.8	11.55
	3.90	0.1535	78	119	A9403.9	10.60
5/32	3.97	0.1563	76	137	A9405/32	10.75
	4.00	0.1575	78	119	A9404.0	10.80
	4.10	0.1614	78	119	A9404.1	14.20
	4.20	0.1654	78	119	A9404.2	12.45
	4.30	0.1693	82	126	A9404.3	13.45
11/64	4.37	0.1719	86	146	A94011/64	13.10
	4.40	0.1732	82	126	A9404.4	13.75
	4.50	0.1772	82	126	A9404.5	12.90
	4.60	0.1811	82	126	A9404.6	14.00
	4.70	0.1850	82	126	A9404.7	15.10
3/16	4.76	0.1875	86	146	A9403/16	17.80
	4.80	0.1890	87	132	A9404.8	15.45
	4.90	0.1929	87	132	A9404.9	15.55
	5.00	0.1969	87	132	A9405.0	13.80
	5.10	0.2008	87	132	A9405.1	17.45
13/64	5.16	0.2031	92	152	A94013/64	16.35
	5.20	0.2047	87	132	A9405.2	16.40
	5.30	0.2087	87	132	A9405.3	17.85
	5.40	0.2126	91	139	A9405.4	15.00
	5.50	0.2165	91	139	A9405.5	17.55
7/32	5.56	0.2188	92	152	A9407/32	17.80
	5.60	0.2205	91	139	A9405.6	19.05
	5.70	0.2244	91	139	A9405.7	17.25
	5.80	0.2283	91	139	A9405.8	17.55
	5.90	0.2323	91	139	A9405.9	19.55
15/64	5.95	0.2344	95	156	A94015/64	19.85
	6.00	0.2362	91	139	A9406.0	20.05
	6.10	0.2402	97	148	A9406.1	20.75
	6.20	0.2441	97	148	A9406.2	20.60
	6.30	0.2480	97	148	A9406.3	20.65
1/4	6.35	0.2500	95	156	A9401/4	19.55
	6.40	0.2520	97	148	A9406.4	24.50
	6.50	0.2559	97	148	A9406.5	22.25
	6.60	0.2598	97	148	A9406.6	21.35
	6.70	0.2638	97	148	A9406.7	25.40
17/64	6.75	0.2656	98	159	A94017/64	21.40

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code		USD
	6.80	0.2677	102	156	A9406.8		24.60
	6.90	0.2717	102	156	A9406.9		26.70
	7.00	0.2756	102	156	A9407.0		23.60
	7.10	0.2795	102	156	A9407.1		39.20
9/32	7.14	0.2813	98	159	A9409/32		38.90
	7.20	0.2835	102	156	A9407.2		34.85
	7.30	0.2874	102	156	A9407.3		35.95
	7.40	0.2913	102	156	A9407.4		40.40
	7.50	0.2953	102	156	A9407.5		29.05
19/64	7.54	0.2969	102	162	A94019/64		30.90
	7.60	0.2992	109	165	A9407.6		42.55
	7.70	0.3031	109	165	A9407.7		39.60
	7.80	0.3071	109	165	A9407.8		34.50
	7.90	0.3110	109	165	A9407.9		32.30
5/16	7.94	0.3125	102	162	A9405/16		28.35
	8.00	0.3150	109	165	A9408.0		29.10
	8.10	0.3189	109	165	A9408.1		43.40
	8.20	0.3228	109	165	A9408.2		40.75
	8.30	0.3268	109	165	A9408.3		41.55
21/64	8.33	0.3281	105	165	A94021/64		41.90
	8.40	0.3307	109	165	A9408.4		38.65
	8.50	0.3346	109	165	A9408.5		33.25
	8.60	0.3386	115	175	A9408.6		50.60
	8.70	0.3425	115	175	A9408.7		48.45
11/32	8.73	0.3438	105	165	A94011/32		39.55
	8.80	0.3465	115	175	A9408.8		48.45
	8.90	0.3504	115	175	A9408.9		50.10
	9.00	0.3543	115	175	A9409.0		35.75
	9.10	0.3583	115	175	A9409.1		51.00
23/64	9.13	0.3594	108	171	A94023/64		39.80
	9.20	0.3622	115	175	A9409.2		56.70
	9.30	0.3661	115	175	A9409.3		60.80
	9.40	0.3701	115	175	A9409.4		62.00
	9.50	0.3740	115	175	A9409.5		41.15
3/8	9.52	0.3750	108	171	A9403/8		41.60
	9.60	0.3780	121	184	A9409.6	1)	60.40
	9.70	0.3819	121	184	A9409.7	1)	57.50
	9.80	0.3858	121	184	A9409.8	1)	53.80
	9.90	0.3898	121	184	A9409.9	1)	52.40
25/64	9.92	0.3906	111	178	A94025/64	1)	49.20
	10.00	0.3937	121	184	A94010.0	1)	42.45
	10.20	0.4016	121	184	A94010.2	1)	59.40
	10.30	0.4055	121	184	A94010.3	1)	74.00
13/32	10.32	0.4063	111	178	A94013/32	1)	49.50
	10.50	0.4134	121	184	A94010.5	1)	52.10

d ₁ R _h ₈ Inch	d ₁ R _h ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code		USD
27/64	10.72	0.4219	117	184	A94027/64	1)	83.70
	11.00	0.4331	128	195	A94011.0	1)	57.40
7/16	11.11	0.4375	117	184	A9407/16	1)	58.30
	11.20	0.4409	128	195	A94011.2	1)	77.70
	11.50	0.4528	128	195	A94011.5	1)	62.10
29/64	11.51	0.4531	121	190	A94029/64	1)	99.00
	11.80	0.4646	128	195	A94011.8	1)	82.10
15/32	11.91	0.4688	121	190	A94015/32	1)	67.50
	12.00	0.4724	134	205	A94012.0	1)	67.60
	12.20	0.4803	134	205	A94012.2	1)	88.90
31/64	12.30	0.4844	121	197	A94031/64	1)	116.00
	12.50	0.4921	134	205	A94012.5	1)	74.20
1/2	12.70	0.5000	121	197	A9401/2	1)	76.30
	13.00	0.5118	134	205	A94013.0	1)	76.80
33/64	13.10	0.5156	121	203	A94033/64	1)	96.10
17/32	13.49	0.5313	121	203	A94017/32	1)	96.10
	13.50	0.5315	140	214	A94013.5	1)	108.00
35/64	13.89	0.5469	124	210	A94035/64	1)	108.00
	14.00	0.5512	140	214	A94014.0	1)	110.00
9/16	14.29	0.5625	124	210	A9409/16	1)	125.00
	14.50	0.5709	144	220	A94014.5	1)	129.00
37/64	14.68	0.5781	124	222	A94037/64	1)	145.00
	15.00	0.5906	144	220	A94015.0	1)	135.00
19/32	15.08	0.5938	124	222	A94019/32	1)	149.00
39/64	15.48	0.6094	124	222	A94039/64	1)	149.00
	15.50	0.6102	149	227	A94015.5	1)	166.00
5/8	15.88	0.6250	124	222	A9405/8	1)	157.00
	16.00	0.6299	149	227	A94016.0	1)	158.00
41/64	16.27	0.6406	130	229	A94041/64	1)	158.00
	16.50	0.6496	154	235	A94016.5	1)	231.00
21/32	16.67	0.6563	130	229	A94021/32	1)	199.00
	17.00	0.6693	154	235	A94017.0	1)	193.00
43/64	17.07	0.6719	137	235	A94043/64	1)	193.00
11/16	17.46	0.6875	137	235	A94011/16	1)	210.00
	17.50	0.6890	158	241	A94017.5	1)	258.00
45/64	17.86	0.7031	143	241	A94045/64	1)	237.00
	18.00	0.7087	158	241	A94018.0	1)	205.00
23/32	18.26	0.7188	143	241	A94023/32	1)	246.00
47/64	18.65	0.7344	149	248	A94047/64	1)	272.00
	19.00	0.7480	162	247	A94019.0	1)	246.00
3/4	19.05	0.7500	149	248	A9403/4	1)	258.00
49/64	19.45	0.7656	152	251	A94049/64	1)	258.00

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code		USD
25/32	19.84	0.7813	152	251	A94025/32	¹⁾	258.00
	20.00	0.7874	166	254	A94020.0	¹⁾	278.00

¹⁾Not able to achieve 10xD