



D745

Metal slitting saw Coarse



d ₁ R mm	B mm	d ₂ R mm	z	e-code	USD
50.00	0.5	13	48	D74550.0X.5	33.30
50.00	0.6	13	48	D74550.0X.6	33.30
50.00	0.8	13	40	D74550.0X.8	33.30
50.00	1.0	13	40	D74550.0X1.0	33.30
50.00	1.2	13	40	D74550.0X1.2	34.95
50.00	1.5	13	32	D74550.0X1.5	37.70
50.00	1.6	13	32	D74550.0X1.6	37.70
50.00	2.0	13	32	D74550.0X2.0	41.40
50.00	2.5	13	32	D74550.0X2.5	50.70
50.00	3.0	13	24	D74550.0X3.0	56.60
63.00	0.5	16	64	D74563.0X.5	39.15
63.00	0.6	16	48	D74563.0X.6	39.15
63.00	0.8	16	48	D74563.0X.8	39.15
63.00	1.0	16	48	D74563.0X1.0	39.15
63.00	1.2	16	40	D74563.0X1.2	40.00
63.00	1.5	16	40	D74563.0X1.5	44.50
63.00	1.6	16	40	D74563.0X1.6	44.50
63.00	2.0	16	40	D74563.0X2.0	50.10
63.00	2.5	16	32	D74563.0X2.5	55.50
63.00	3.0	16	32	D74563.0X3.0	59.80
80.00	0.5	22	64	D74580.0X.5	48.60
80.00	0.6	22	64	D74580.0X.6	48.60
80.00	0.8	22	64	D74580.0X.8	48.60
80.00	1.0	22	48	D74580.0X1.0	48.60
80.00	1.2	22	48	D74580.0X1.2	52.00
80.00	1.5	22	48	D74580.0X1.5	54.50
80.00	1.6	22	48	D74580.0X1.6	54.50

d ₁ R mm	B mm	d ₂ R mm	z	e-code	USD
80.00	2.0	22	40	D74580.0X2.0	59.80
80.00	2.5	22	40	D74580.0X2.5	67.30
80.00	3.0	22	40	D74580.0X3.0	72.80
80.00	4.0	22	32	D74580.0X4.0	91.10
80.00	5.0	22	32	D74580.0X5.0	107.00
80.00	6.0	22	32	D74580.0X6.0	124.00
100.00	0.5	22	80	D745100.0X.5	58.00
100.00	0.6	22	80	D745100.0X.6	58.00
100.00	0.8	22	64	D745100.0X.8	58.00
100.00	1.0	22	64	D745100.0X1.0	58.00
100.00	1.2	22	64	D745100.0X1.2	59.80
100.00	1.5	22	48	D745100.0X1.5	68.40
100.00	1.6	22	48	D745100.0X1.6	68.40
100.00	2.0	22	48	D745100.0X2.0	75.60
100.00	2.5	22	48	D745100.0X2.5	84.00
100.00	3.0	22	40	D745100.0X3.0	92.10
100.00	4.0	22	40	D745100.0X4.0	111.00
100.00	5.0	22	40	D745100.0X5.0	129.00
100.00	6.0	22	32	D745100.0X6.0	152.00
125.00	1.0	22	80	D745125.0X1.0	82.00
125.00	1.2	22	64	D745125.0X1.2	84.00
125.00	1.5	22	64	D745125.0X1.5	92.10
125.00	1.6	22	64	D745125.0X1.6	92.10
125.00	2.0	22	64	D745125.0X2.0	98.70
125.00	2.5	22	48	D745125.0X2.5	107.00
125.00	3.0	22	48	D745125.0X3.0	119.00
125.00	4.0	22	48	D745125.0X4.0	147.00
125.00	5.0	22	40	D745125.0X5.0	182.00
125.00	6.0	22	40	D745125.0X6.0	208.00
160.00	1.0	32	80	D745160.0X1.0	109.00
160.00	1.2	32	80	D745160.0X1.2	109.00
160.00	1.5	32	80	D745160.0X1.5	115.00
160.00	1.6	32	80	D745160.0X1.6	115.00
160.00	2.0	32	64	D745160.0X2.0	129.00
160.00	2.5	32	64	D745160.0X2.5	152.00
160.00	3.0	32	64	D745160.0X3.0	169.00
160.00	4.0	32	48	D745160.0X4.0	208.00
160.00	5.0	32	48	D745160.0X5.0	265.00
160.00	6.0	32	48	D745160.0X6.0	309.00
200.00	1.0	32	100	D745200.0X1.0	152.00
200.00	1.2	32	100	D745200.0X1.2	152.00
200.00	1.5	32	80	D745200.0X1.5	161.00
200.00	1.6	32	80	D745200.0X1.6	161.00
200.00	2.0	32	80	D745200.0X2.0	172.00
200.00	2.5	32	80	D745200.0X2.5	199.00
200.00	3.0	32	64	D745200.0X3.0	224.00

d ₁ R mm	B mm	d ₂ R mm	z	e-code	USD
200.00	4.0	32	64	D745200.0X4.0	320.00
200.00	5.0	32	64	D745200.0X5.0	371.00
200.00	6.0	32	48	D745200.0X6.0	424.00
250.00	2.0	32	100	D745250.0X2.0	237.00
250.00	2.5	32	80	D745250.0X2.5	267.00
250.00	3.0	32	80	D745250.0X3.0	291.00
250.00	4.0	32	80	D745250.0X4.0	424.00
250.00	5.0	32	64	D745250.0X5.0	500.00
250.00	6.0	32	64	D745250.0X6.0	596.00
315.00	2.5	40	100	D745315.0X2.5	413.00
315.00	3.0	40	100	D745315.0X3.0	521.00