



R100

Jobber Drill



d_1 R _{h7} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-code	USD
1.00	0.0394	12	34	R1001.0	8.08
1.10	0.0433	14	36	R1001.1	9.39
1.20	0.0472	16	38	R1001.2	9.39
1.30	0.0512	16	38	R1001.3	9.39
1.40	0.0551	18	40	R1001.4	9.39
1.50	0.0591	18	40	R1001.5	10.55
1.60	0.0630	20	43	R1001.6	11.50
1.70	0.0669	20	43	R1001.7	11.50
1.80	0.0709	22	46	R1001.8	11.50
1.90	0.0748	22	46	R1001.9	11.50
2.00	0.0787	24	49	R1002.0	12.30
2.10	0.0827	24	49	R1002.1	14.20
2.20	0.0866	27	53	R1002.2	14.20
2.30	0.0906	27	53	R1002.3	14.20
2.40	0.0945	30	57	R1002.4	14.20
2.50	0.0984	30	57	R1002.5	14.35
2.60	0.1024	30	57	R1002.6	18.60
2.70	0.1063	33	61	R1002.7	18.60
2.80	0.1102	33	61	R1002.8	18.60
2.90	0.1142	33	61	R1002.9	18.60
3.00	0.1181	33	61	R1003.0	20.20
3.10	0.1220	36	65	R1003.1	23.70
3.20	0.1260	36	65	R1003.2	23.70
3.30	0.1299	36	65	R1003.3	23.70
3.40	0.1339	39	70	R1003.4	23.70
3.50	0.1378	39	70	R1003.5	24.30

d ₁ Rh ₇ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
3.60	0.1417	39	70	R1003.6	30.50
3.70	0.1457	39	70	R1003.7	30.50
3.80	0.1496	43	75	R1003.8	30.50
3.90	0.1535	43	75	R1003.9	30.50
4.00	0.1575	43	75	R1004.0	30.50
4.10	0.1614	43	75	R1004.1	31.15
4.20	0.1654	43	75	R1004.2	31.15
4.30	0.1693	47	80	R1004.3	31.15
4.40	0.1732	47	80	R1004.4	31.70
4.50	0.1772	47	80	R1004.5	31.15
4.60	0.1811	47	80	R1004.6	40.30
4.70	0.1850	47	80	R1004.7	40.30
4.80	0.1890	52	86	R1004.8	40.30
4.90	0.1929	52	86	R1004.9	40.30
5.00	0.1969	52	86	R1005.0	40.30
5.10	0.2008	52	86	R1005.1	49.75
5.20	0.2047	52	86	R1005.2	46.60
5.30	0.2087	52	86	R1005.3	46.60
5.40	0.2126	57	93	R1005.4	46.60
5.50	0.2165	57	93	R1005.5	47.75
5.60	0.2205	57	93	R1005.6	50.10
5.70	0.2244	57	93	R1005.7	50.10
5.80	0.2283	57	93	R1005.8	50.10
5.90	0.2323	57	93	R1005.9	50.10
6.00	0.2362	57	93	R1006.0	48.95
6.10	0.2402	63	101	R1006.1	59.30
6.20	0.2441	63	101	R1006.2	59.30
6.30	0.2480	63	101	R1006.3	59.30
6.40	0.2520	63	101	R1006.4	59.30
6.50	0.2559	63	101	R1006.5	62.10
6.60	0.2598	63	101	R1006.6	68.50
6.70	0.2638	63	101	R1006.7	68.50
6.80	0.2677	69	109	R1006.8	68.50
6.90	0.2717	69	109	R1006.9	68.50
7.00	0.2756	69	109	R1007.0	64.90
7.10	0.2795	69	109	R1007.1	71.60
7.20	0.2835	69	109	R1007.2	71.60
7.30	0.2874	69	109	R1007.3	71.60
7.40	0.2913	69	109	R1007.4	71.60
7.50	0.2953	69	109	R1007.5	67.80
7.60	0.2992	75	117	R1007.6	74.70
7.70	0.3031	75	117	R1007.7	74.70
7.80	0.3071	75	117	R1007.8	74.70
7.90	0.3110	75	117	R1007.9	74.70
8.00	0.3150	75	117	R1008.0	77.90
8.10	0.3189	75	117	R1008.1	85.00

d ₁ R _h ₇ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
8.20	0.3228	75	117	R1008.2	85.00
8.30	0.3268	75	117	R1008.3	85.00
8.40	0.3307	75	117	R1008.4	85.00
8.50	0.3346	75	117	R1008.5	84.00
8.60	0.3386	81	125	R1008.6	88.60
8.70	0.3425	81	125	R1008.7	88.60
8.80	0.3465	81	125	R1008.8	88.60
8.90	0.3504	81	125	R1008.9	88.60
9.00	0.3543	81	125	R1009.0	90.10
9.10	0.3583	81	125	R1009.1	92.10
9.20	0.3622	81	125	R1009.2	92.10
9.30	0.3661	81	125	R1009.3	92.10
9.40	0.3701	81	125	R1009.4	92.10
9.50	0.3740	81	125	R1009.5	92.10
9.60	0.3780	87	133	R1009.6	95.50
9.70	0.3819	87	133	R1009.7	95.50
9.80	0.3858	87	133	R1009.8	95.50
9.90	0.3898	87	133	R1009.9	95.50
10.00	0.3937	87	133	R10010.0	105.00
10.20	0.4016	87	133	R10010.2	122.00
10.50	0.4134	87	133	R10010.5	134.00
11.00	0.4331	94	142	R10011.0	140.00
11.50	0.4528	94	142	R10011.5	146.00
12.00	0.4724	101	151	R10012.0	151.00
13.00	0.5118	101	151	R10013.0	168.00
14.00	0.5512	108	160	R10014.0	174.00