



R120

Stub Drill



d ₁ R _h 7 mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
1.00	0.0394	6	26	R1201.0	10.45
1.10	0.0433	7	28	R1201.1	10.45
1.20	0.0472	8	30	R1201.2	11.05
1.30	0.0512	8	30	R1201.3	11.05
1.40	0.0551	9	32	R1201.4	11.05
1.50	0.0591	9	32	R1201.5	11.05
1.60	0.0630	10	34	R1201.6	11.50
1.70	0.0669	10	34	R1201.7	11.50
1.80	0.0709	11	36	R1201.8	11.50
1.90	0.0748	11	36	R1201.9	11.50
2.00	0.0787	12	38	R1202.0	13.80
2.10	0.0827	12	38	R1202.1	13.90
2.20	0.0866	13	40	R1202.2	14.00
2.30	0.0906	13	40	R1202.3	14.00
2.40	0.0945	14	43	R1202.4	15.55
2.50	0.0984	14	43	R1202.5	15.45
2.60	0.1024	14	43	R1202.6	16.20
2.70	0.1063	16	46	R1202.7	18.80
2.80	0.1102	16	46	R1202.8	19.35
2.90	0.1142	16	46	R1202.9	20.45
3.00	0.1181	16	46	R1203.0	18.95
3.10	0.1220	18	49	R1203.1	29.10
3.20	0.1260	18	49	R1203.2	29.30
3.30	0.1299	18	49	R1203.3	29.05
3.40	0.1339	20	52	R1203.4	33.30
3.50	0.1378	20	52	R1203.5	26.45

d ₁ R _h ₇ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
3.60	0.1417	20	52	R1203.6	29.60
3.70	0.1457	20	52	R1203.7	29.95
3.80	0.1496	22	55	R1203.8	31.50
3.90	0.1535	22	55	R1203.9	32.00
4.00	0.1575	22	55	R1204.0	29.85
4.10	0.1614	22	55	R1204.1	33.90
4.20	0.1654	22	55	R1204.2	33.80
4.30	0.1693	24	58	R1204.3	37.85
4.40	0.1732	24	58	R1204.4	37.85
4.50	0.1772	24	58	R1204.5	34.20
4.60	0.1811	24	58	R1204.6	36.10
4.70	0.1850	24	58	R1204.7	36.10
4.80	0.1890	26	62	R1204.8	36.85
4.90	0.1929	26	62	R1204.9	38.30
5.00	0.1969	26	62	R1205.0	37.75
5.10	0.2008	26	62	R1205.1	40.55
5.20	0.2047	26	62	R1205.2	48.75
5.30	0.2087	26	62	R1205.3	49.45
5.40	0.2126	28	66	R1205.4	50.80
5.50	0.2165	28	66	R1205.5	50.80
5.60	0.2205	28	66	R1205.6	57.50
5.70	0.2244	28	66	R1205.7	58.10
5.80	0.2283	28	66	R1205.8	59.80
5.90	0.2323	28	66	R1205.9	61.50
6.00	0.2362	28	66	R1206.0	59.50
6.10	0.2402	31	70	R1206.1	70.60
6.20	0.2441	31	70	R1206.2	70.60
6.30	0.2480	31	70	R1206.3	68.40
6.40	0.2520	31	70	R1206.4	70.60
6.50	0.2559	31	70	R1206.5	69.30
6.60	0.2598	31	70	R1206.6	84.90
6.70	0.2638	31	70	R1206.7	83.20
6.80	0.2677	34	74	R1206.8	84.90
6.90	0.2717	34	74	R1206.9	108.00
7.00	0.2756	34	74	R1207.0	81.60
7.10	0.2795	34	74	R1207.1	93.50
7.20	0.2835	34	74	R1207.2	93.50
7.30	0.2874	34	74	R1207.3	93.50
7.40	0.2913	34	74	R1207.4	93.50
7.50	0.2953	34	74	R1207.5	90.30
7.60	0.2992	37	79	R1207.6	101.00
7.70	0.3031	37	79	R1207.7	102.00
7.80	0.3071	37	79	R1207.8	108.00
7.90	0.3110	37	79	R1207.9	108.00
8.00	0.3150	37	79	R1208.0	95.30
8.10	0.3189	37	79	R1208.1	123.00

d ₁ R _h ₇ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
8.20	0.3228	37	79	R1208.2	123.00
8.30	0.3268	37	79	R1208.3	123.00
8.40	0.3307	37	79	R1208.4	123.00
8.50	0.3346	37	79	R1208.5	110.00
8.60	0.3386	40	84	R1208.6	125.00
8.70	0.3425	40	84	R1208.7	125.00
8.80	0.3465	40	84	R1208.8	127.00
8.90	0.3504	40	84	R1208.9	129.00
9.00	0.3543	40	84	R1209.0	111.00
9.10	0.3583	40	84	R1209.1	159.00
9.20	0.3622	40	84	R1209.2	144.00
9.30	0.3661	40	84	R1209.3	140.00
9.40	0.3701	40	84	R1209.4	144.00
9.50	0.3740	40	84	R1209.5	136.00
9.60	0.3780	43	89	R1209.6	144.00
9.70	0.3819	43	89	R1209.7	150.00
9.80	0.3858	43	89	R1209.8	151.00
9.90	0.3898	43	89	R1209.9	153.00
10.00	0.3937	43	89	R12010.0	133.00
10.20	0.4016	43	89	R12010.2	155.00
10.50	0.4134	43	89	R12010.5	155.00
11.00	0.4331	47	95	R12011.0	186.00
11.50	0.4528	47	95	R12011.5	216.00
12.00	0.4724	51	102	R12012.0	231.00