


E071




UNF Hand Tap Straight Flute






3.1 3.2 3.3 3.4 7.4

1.1 1.2 1.3 1.4 1.5 1.6 6.1 6.2 6.3 7.3 8.2 8.3

UNF	TPI	l_1 Inch	l_2 Inch	d_2 Inch	$\frac{\square}{a}$ Inch	z	Limits			l_4 Inch	e-code	USD
6	40	2"	0.5800	0.1410	0.1100	3	H2	33	2.90	0.5800	E0716-40NO1	11.60
6	40	2"	0.5800	0.1410	0.1100	3	H2	33	2.90	0.5800	E0716-40NO2	11.60
6	40	2"	0.5800	0.1410	0.1100	3	H2	33	2.90	0.5800	E0716-40NO3	11.60
6	40	2"	0.5800	0.1410	0.1100	3	H2	33	2.90	0.5800	E0716-40NO6	34.70
8	36	2.1/8	0.6500	0.1680	0.1310	4	H2	29	3.50	0.6500	E0718-36NO1	11.60
8	36	2.1/8	0.6500	0.1680	0.1310	4	H2	29	3.50	0.6500	E0718-36NO2	11.60
8	36	2.1/8	0.6500	0.1680	0.1310	4	H2	29	3.50	0.6500	E0718-36NO3	11.60
8	36	2.1/8	0.6500	0.1680	0.1310	4	H2	29	3.50	0.6500	E0718-36NO6	34.70
10	32	2.3/8	0.7600	0.1940	0.1520	4	H3	21	4.10	0.7600	E07110-32NO1	11.60
10	32	2.3/8	0.7600	0.1940	0.1520	4	H3	21	4.10	0.7600	E07110-32NO2	11.60
10	32	2.3/8	0.7600	0.1940	0.1520	4	H3	21	4.10	0.7600	E07110-32NO3	11.60
10	32	2.3/8	0.7600	0.1940	0.1520	4	H3	21	4.10	0.7600	E07110-32NO6	34.70
12	28	2.3/8	0.8100	0.2200	0.1650	4	H3	15	4.70	0.8100	E07112-28NO1	13.80
12	28	2.3/8	0.8100	0.2200	0.1650	4	H3	15	4.70	0.8100	E07112-28NO2	13.80
12	28	2.3/8	0.8100	0.2200	0.1650	4	H3	15	4.70	0.8100	E07112-28NO3	13.80
12	28	2.3/8	0.8100	0.2200	0.1650	4	H3	15	4.70	0.8100	E07112-28NO6	41.30
1/4	28	2.1/2	0.6500	0.2550	0.1910	4	H3	3	5.50	1.0630	E07111/4NO1	11.30
1/4	28	2.1/2	0.6500	0.2550	0.1910	4	H3	3	5.50	1.0630	E07111/4NO2	11.30
1/4	28	2.1/2	0.6500	0.2550	0.1910	4	H3	3	5.50	1.0630	E07111/4NO3	11.30
1/4	28	2.1/2	0.6500	0.2550	0.1910	4	H3	3	5.50	1.0630	E07111/4NO6	33.95
5/16	24	2.23/32	0.7700	0.3180	0.2380	4	H3	1	6.90	1.2598	E0715/16NO1	14.00
5/16	24	2.23/32	0.7700	0.3180	0.2380	4	H3	1	6.90	1.2598	E0715/16NO2	14.00
5/16	24	2.23/32	0.7700	0.3180	0.2380	4	H3	1	6.90	1.2598	E0715/16NO3	14.00

UNF	TPI	l ₁ Inch	l ₂ Inch	d ₂ R Inch	 a Inch	z	Limits			l ₄ Inch	e-code	USD
5/16	24	2.23/3 2	0.7700	0.3180	0.2380	4	H3	I	6.90	1.2598	E0715/16NO6	42.15
3/8	24	2.15/1 6	0.8100	0.3810	0.2860	4	H3	Q	8.50	1.3780	E0713/8NO1	15.95
3/8	24	2.15/1 6	0.8100	0.3810	0.2860	4	H3	Q	8.50	1.3780	E0713/8NO2	15.95
3/8	24	2.15/1 6	0.8100	0.3810	0.2860	4	H3	Q	8.50	1.3780	E0713/8NO3	15.95
3/8	24	2.15/1 6	0.8100	0.3810	0.2860	4	H3	Q	8.50	1.3780	E0713/8NO6	48.05
7/16	20	3.5/32	0.9055	0.3230	0.2420	4	H3	25/64	9.90	-	E0717/16NO1	27.40
7/16	20	3.5/32	0.9055	0.3230	0.2420	4	H3	25/64	9.90	-	E0717/16NO2	27.40
7/16	20	3.5/32	0.9055	0.3230	0.2420	4	H3	25/640	9.90	-	E0717/16NO3	27.40
7/16	20	3.5/32	0.9055	0.3230	0.2420	4	H3	25/64	9.90	-	E0717/16NO6	82.20
1/2	20	3.3/8	0.9055	0.3670	0.2750	4	H3	29/64	11.50	-	E0711/2NO1	32.35
1/2	20	3.3/8	0.9055	0.3670	0.2750	4	H3	29/64	11.50	-	E0711/2NO2	32.35
1/2	20	3.3/8	0.9055	0.3670	0.2750	4	H3	29/64	11.50	-	E0711/2NO3	32.35
1/2	20	3.3/8	0.9055	0.3670	0.2750	4	H3	29/64	11.50	-	E0711/2NO6	96.70
9/16	18	3.19/3 2	0.9843	0.4290	0.3220	4	H3	33/64	12.90	-	E0719/16NO1	47.60
9/16	18	3.19/3 2	0.9843	0.4290	0.3220	4	H3	22/64	12.90	-	E0719/16NO2	47.60
9/16	18	3.19/3 2	0.9843	0.4290	0.3220	4	H3	33/64	12.90	-	E0719/16NO3	47.60
9/16	18	3.19/3 2	0.9843	0.4290	0.3220	4	H3	33/64	12.90	-	E0719/16NO6	144.00
5/8	18	3.13/1 6	0.9843	0.4800	0.3600	4	H3	37/64	14.50	-	E0715/8NO1	57.60
5/8	18	3.13/1 6	0.9843	0.4800	0.3600	4	H3	37/64	14.50	-	E0715/8NO2	57.60
5/8	18	3.13/1 6	0.9843	0.4800	0.3600	4	H3	37/64	14.50	-	E0715/8NO3	57.60
5/8	18	3.13/1 6	0.9843	0.4800	0.3600	4	H3	37/64	14.50	-	E0715/8NO6	173.00
3/4	16	4.1/4	1.1811	0.5900	0.4420	4	H3	11/16	17.50	-	E0713/4NO1	79.50
3/4	16	4.1/4	1.1811	0.5900	0.4420	4	H3	11/16	17.50	-	E0713/4NO2	79.50
3/4	16	4.1/4	1.1811	0.5900	0.4420	4	H3	11/16	17.50	-	E0713/4NO3	79.50
3/4	16	4.1/4	1.1811	0.5900	0.4420	4	H3	11/16	17.50	-	E0713/4NO6	239.00
7/8	14	4.11/1 6	1.1811	0.6970	0.5230	4	H4	13/16	20.40	-	E0717/8NO1	110.00
7/8	14	4.11/1 6	1.1811	0.6970	0.5230	4	H4	13/16	20.40	-	E0717/8NO2	110.00
7/8	14	4.11/1 6	1.1811	0.6970	0.5230	4	H4	13/16	20.40	-	E0717/8NO3	110.00
7/8	14	4.11/1 6	1.1811	0.6970	0.5230	4	H4	13/16	20.40	-	E0717/8NO6	331.00
1"	12	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.25	-	E0711X12NO1 ¹⁾	152.00
1"	12	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.50	-	E0711X12NO2 ¹⁾	152.00
1"	12	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.25	-	E0711X12NO3 ¹⁾	152.00

UNF	TPI	l ₁ Inch	l ₂ Inch	d ₂ R Inch	 a Inch	z	Limits			l ₄ Inch	e-code		USD
1"	12	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.25	-	E0711X12NO6	¹⁾	459.00
1"	14	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.25	-	E0711X14NO1	¹⁾	147.00
1"	14	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.50	-	E0711X14NO2	¹⁾	147.00
1"	14	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.50	-	E0711X14NO3	¹⁾	147.00
1"	14	5.1/8	1.4173	0.8000	0.6000	4	H4	59/64	23.50	-	E0711X14NO6	¹⁾	441.00
1.1/8	12	5.7/16	1.3976	0.8950	0.6710	4	H4	1.3/64	26.50	-	E0711.1/8NO1	¹⁾	245.00
1.1/8	12	5.7/16	1.3976	0.8950	0.6710	4	H4	1.3/64	26.50	-	E0711.1/8NO2	¹⁾	245.00
1.1/8	12	5.7/16	1.3976	0.8950	0.6710	4	H4	1.3/64	26.50	-	E0711.1/8NO3	¹⁾	245.00
1.1/4	12	5.3/4	1.6338	1.0210	0.7650	6	H4	1.5/32	29.50	-	E0711.1/4NO1	¹⁾	310.00
1.1/4	12	5.3/4	1.6338	1.0210	0.7650	6	H4	1.5/32	29.50	-	E0711.1/4NO2	¹⁾	310.00
1.1/4	12	5.3/4	1.6338	1.0210	0.7650	6	H4	1.5/32	29.50	-	E0711.1/4NO3	¹⁾	310.00
1.3/8	12	6.1/16	1.8700	1.1090	0.8300	6	H4	1.9/32	32.75	-	E0711.3/8NO1	¹⁾	384.00
1.3/8	12	6.1/16	1.8700	1.1090	0.8300	6	H4	1.9/32	32.75	-	E0711.3/8NO2	¹⁾	384.00
1.3/8	12	6.1/16	1.8700	1.1090	0.8300	6	H4	1.9/32	32.75	-	E0711.3/8NO3	¹⁾	384.00
1.1/2	12	6.3/8	1.8700	1.2330	0.9250	6	H4	1.27/64	36.00	-	E0711.1/2NO1	¹⁾	447.00
1.1/2	12	6.3/8	1.8700	1.2330	0.9250	6	H4	1.27/64	36.00	-	E0711.1/2NO2	¹⁾	447.00
1.1/2	12	6.3/8	1.8700	1.2330	0.9250	6	H4	1.27/64	36.00	-	E0711.1/2NO3	¹⁾	447.00

¹⁾Bright Finish