


## A952

Morse Taper Shank Extra Length Drill



$d_1$ R <sub>h8</sub> mm	$d_1$ decimal Inch	$l_2$ mm	$l_1$ mm	MK	e-code	USD
8.00	0.3150	210	330	1	A9528.0	171.00
8.50	0.3346	210	330	1	A9528.5	171.00
9.00	0.3543	220	345	1	A9529.0	181.00
10.00	0.3937	235	360	1	A95210.0	227.00
10.50	0.4134	235	360	1	A95210.5	232.00
11.00	0.4331	250	375	1	A95211.0	254.00
11.50	0.4528	250	375	1	A95211.5	262.00
12.00	0.4724	260	395	1	A95212.0	275.00
12.50	0.4921	260	395	1	A95212.5	301.00
13.00	0.5118	260	395	1	A95213.0	286.00
13.50	0.5315	275	410	1	A95213.5	310.00
14.00	0.5512	275	410	1	A95214.0	277.00
14.50	0.5709	275	425	2	A95214.5	283.00
15.00	0.5906	275	425	2	A95215.0	304.00
15.50	0.6102	295	445	2	A95215.5	311.00
16.00	0.6299	295	445	2	A95216.0	267.00
16.50	0.6496	295	445	2	A95216.5	277.00
17.00	0.6693	295	445	2	A95217.0	314.00
17.50	0.6890	310	465	2	A95217.5	328.00
18.00	0.7087	310	465	2	A95218.0	396.00
18.50	0.7283	310	465	2	A95218.5	462.00
19.00	0.7480	310	465	2	A95219.0	442.00
19.50	0.7677	325	490	2	A95219.5	473.00
20.00	0.7874	325	490	2	A95220.0	440.00
21.00	0.8268	325	490	2	A95221.0	531.00

d <sub>1</sub> R <sub>h8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	MK	e-code		USD
22.00	0.8661	345	515	2	A95222.0	2)	597.00
23.00	0.9055	345	515	2	A95223.0	2)	422.00
24.00	0.9449	365	555	3	A95224.0	2)	600.00
25.00	0.9843	365	555	3	A95225.0	2)	626.00
26.00	1.0236	365	555	3	A95226.0	2)	744.00
27.00	1.0630	385	580	3	A95227.0	2)	744.00
28.00	1.1024	385	580	3	A95228.0	2)	766.00
29.00	1.1417	385	580	3	A95229.0	2)	811.00
30.00	1.1811	385	580	3	A95230.0	2)	1,140.00
31.00	1.2205	410	610	3	A95231.0	2)	1,156.00
32.00	1.2598	410	635	4	A95232.0	2)	1,233.00
33.00	1.2992	410	635	4	A95233.0	2)	1,261.00
34.00	1.3386	430	665	4	A95234.0	2)	1,394.00
35.00	1.3780	430	665	4	A95235.0	2)	1,620.00
38.00	1.4961	460	695	4	A95238.0	2)	1,657.00
40.00	1.5748	460	695	4	A95240.0	2)	1,671.00

2) < 20xD