



## PFX

## A921

PFX Stub Drill



$d_1$ R <sub>h8</sub> Inch	$d_1$ R <sub>h8</sub> mm	$d_1$ decimal Inch	$l_2$ mm	$l_1$ mm	e-code	USD
	2.50	0.0984	14	43	A9212.5	11.10
	2.60	0.1024	14	43	A9212.6	11.25
	2.70	0.1063	16	46	A9212.7	11.25
7/64	2.78	0.1094	21	46	A9217/64	11.25
	2.90	0.1142	16	46	A9212.9	11.25
	3.00	0.1181	16	46	A9213.0	6.38
	3.10	0.1220	18	49	A9213.1	9.11
1/8	3.18	0.1250	22	48	A9211/8	9.11
	3.20	0.1260	18	49	A9213.2	9.11
	3.30	0.1299	18	49	A9213.3	6.30
	3.40	0.1339	20	52	A9213.4	10.85
	3.50	0.1378	20	52	A9213.5	7.44
9/64	3.57	0.1406	24	49	A9219/64	7.44
	3.60	0.1417	20	52	A9213.6	10.55
	3.70	0.1457	20	52	A9213.7	10.50
	3.80	0.1496	22	55	A9213.8	10.75
	3.90	0.1535	22	55	A9213.9	11.10
5/32	3.97	0.1563	25	52	A9215/32	11.10
	4.00	0.1575	22	55	A9214.0	8.22
	4.10	0.1614	22	55	A9214.1	8.22
	4.20	0.1654	22	55	A9214.2	9.62
	4.30	0.1693	24	58	A9214.3	13.20
11/64	4.37	0.1719	27	54	A92111/64	13.20
	4.40	0.1732	24	58	A9214.4	13.40
	4.50	0.1772	24	58	A9214.5	9.79
	4.60	0.1811	24	58	A9214.6	12.50
	4.70	0.1850	24	58	A9214.7	13.45

d <sub>1</sub> R <sub>h8</sub> Inch	d <sub>1</sub> R <sub>h8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	USD
3/16	4.76	0.1875	29	56	A9213/16	13.45
	4.80	0.1890	26	62	A9214.8	13.45
	4.90	0.1929	26	62	A9214.9	10.60
	5.00	0.1969	26	62	A9215.0	10.60
	5.10	0.2008	26	62	A9215.1	15.80
13/64	5.16	0.2031	30	57	A92113/64	15.80
	5.20	0.2047	26	62	A9215.2	15.50
	5.30	0.2087	26	62	A9215.3	15.85
	5.40	0.2126	28	66	A9215.4	17.00
	5.50	0.2165	28	66	A9215.5	12.60
7/32	5.56	0.2188	32	60	A9217/32	12.60
	5.60	0.2205	28	66	A9215.6	16.80
	5.70	0.2244	28	66	A9215.7	16.95
	5.80	0.2283	28	66	A9215.8	16.20
	5.90	0.2323	28	66	A9215.9	20.70
15/64	5.95	0.2344	33	62	A92115/64	20.70
	6.00	0.2362	28	66	A9216.0	12.40
	6.10	0.2402	31	70	A9216.1	21.35
	6.20	0.2441	31	70	A9216.2	21.40
	6.30	0.2480	31	70	A9216.3	21.65
1/4	6.35	0.2500	35	64	A9211/4	21.65
	6.40	0.2520	31	70	A9216.4	21.25
	6.50	0.2559	31	70	A9216.5	16.15
	6.60	0.2598	31	70	A9216.6	22.10
	6.70	0.2638	31	70	A9216.7	21.80
17/64	6.75	0.2656	37	67	A92117/64	21.80
	6.80	0.2677	34	74	A9216.8	23.00
	6.90	0.2717	34	74	A9216.9	26.90
	7.00	0.2756	34	74	A9217.0	17.50
	7.10	0.2795	34	74	A9217.1	29.25
9/32	7.14	0.2813	38	68	A9219/32	29.25
	7.20	0.2835	34	74	A9217.2	29.10
	7.30	0.2874	34	74	A9217.3	28.65
	7.40	0.2913	34	74	A9217.4	29.05
	7.50	0.2953	34	74	A9217.5	20.65
19/64	7.54	0.2969	40	70	A92119/64	20.65
	7.60	0.2992	37	79	A9217.6	31.40
	7.70	0.3031	37	79	A9217.7	31.90
	7.80	0.3071	37	79	A9217.8	30.70
	7.90	0.3110	37	79	A9217.9	35.15
5/16	7.94	0.3125	41	71	A9215/16	35.15
	8.00	0.3150	37	79	A9218.0	21.65
	8.10	0.3189	37	79	A9218.1	35.90
	8.20	0.3228	37	79	A9218.2	37.25
	8.30	0.3268	37	79	A9218.3	37.25
21/64	8.33	0.3281	43	75	A92121/64	37.25

d <sub>1</sub> R <sub>h8</sub> Inch	d <sub>1</sub> R <sub>h8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	USD
	8.40	0.3307	37	79	A9218.4	37.25
	8.50	0.3346	37	79	A9218.5	28.15
	8.60	0.3386	40	84	A9218.6	38.95
	8.70	0.3425	40	84	A9218.7	38.00
11/32	8.73	0.3438	43	76	A92111/32	38.00
	8.80	0.3465	40	84	A9218.8	37.25
	8.90	0.3504	40	84	A9218.9	42.45
	9.00	0.3543	40	84	A9219.0	27.80
	9.10	0.3583	40	84	A9219.1	47.30
23/64	9.13	0.3594	44	78	A92123/64	47.30
	9.20	0.3622	40	84	A9219.2	50.10
	9.30	0.3661	40	84	A9219.3	50.20
	9.40	0.3701	40	84	A9219.4	47.30
	9.50	0.3740	40	84	A9219.5	36.80
3/8	9.52	0.3750	46	79	A9213/8	36.80
	9.60	0.3780	43	89	A9219.6	48.75
	9.70	0.3819	43	89	A9219.7	47.55
	9.80	0.3858	43	89	A9219.8	51.30
	9.90	0.3898	43	89	A9219.9	52.90
25/64	9.92	0.3906	48	83	A92125/64	52.90
	10.00	0.3937	43	89	A92110.0	34.85
	10.20	0.4016	43	89	A92110.2	51.70
	10.30	0.4055	43	89	A92110.3	56.60
13/32	10.32	0.4063	49	84	A92113/32	56.60
	10.50	0.4134	43	89	A92110.5	52.40
27/64	10.72	0.4219	51	86	A92127/64	52.40
	10.80	0.4252	47	95	A92110.8	76.10
	11.00	0.4331	47	95	A92111.0	50.90
7/16	11.11	0.4375	52	87	A9217/16	50.90
	11.50	0.4528	47	95	A92111.5	62.20
29/64	11.51	0.4531	54	90	A92129/64	62.20
	11.80	0.4646	47	95	A92111.8	87.10
15/32	11.91	0.4688	54	92	A92115/32	87.10
	12.00	0.4724	51	102	A92112.0	59.50
31/64	12.30	0.4844	56	94	A92131/64	90.00
	12.50	0.4921	51	102	A92112.5	78.00
1/2	12.70	0.5000	57	95	A9211/2	78.00
	13.00	0.5118	51	102	A92113.0	69.10
33/64	13.10	0.5156	60	98	A92133/64	69.10
	13.50	0.5315	54	107	A92113.5	96.50
35/64	13.89	0.5469	64	102	A92135/64	96.50
	14.00	0.5512	54	107	A92114.0	95.90
9/16	14.29	0.5625	64	102	A9219/16	95.90
	14.50	0.5709	56	111	A92114.5	107.00
37/64	14.68	0.5781	67	105	A92137/64	107.00
	14.75	0.5807	56	111	A92114.75	107.00

d <sub>1</sub> R <sub>h8</sub> Inch	d <sub>1</sub> R <sub>h8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	USD
	15.00	0.5906	56	111	A92115.0	112.00
19/32	15.08	0.5938	67	105	A92119/32	112.00
39/64	15.48	0.6094	70	108	A92139/64	112.00
	15.50	0.6102	58	115	A92115.5	128.00
5/8	15.88	0.6250	70	108	A9215/8	128.00
	16.00	0.6299	58	115	A92116.0	127.00