



R459

Force-X Drill Oil Feed 8XD



d_1 Rm ₇ Inch	d_1 Rm ₇ mm	d_1 decimal Inch	l_2 mm	l_1 mm	l_3 mm	d_2 Rh ₆ mm	e-code	USD
	3.00	0.1181	37	79	36	6	R4593.0	133.00
	3.10	0.1220	37	79	36	6	R4593.1	133.00
1/8	3.18	0.1250	37	79	36	6	R4591/8	133.00
	3.20	0.1260	37	79	36	6	R4593.2	133.00
	3.30	0.1299	37	79	36	6	R4593.3	133.00
	3.40	0.1339	37	79	36	6	R4593.4	133.00
	3.50	0.1378	37	79	36	6	R4593.5	133.00
9/64	3.57	0.1406	37	79	36	6	R4599/64	133.00
	3.60	0.1417	37	79	36	6	R4593.6	133.00
	3.70	0.1457	37	79	36	6	R4593.7	133.00
	3.80	0.1496	48	90	36	6	R4593.8	133.00
	3.90	0.1535	48	90	36	6	R4593.9	133.00
5/32	3.97	0.1563	48	90	36	6	R4595/32	133.00
	4.00	0.1575	48	90	36	6	R4594.0	133.00
	4.10	0.1614	48	90	36	6	R4594.1	146.00
	4.20	0.1654	48	90	36	6	R4594.2	146.00
	4.30	0.1693	48	90	36	6	R4594.3	146.00
11/64	4.37	0.1719	48	90	36	6	R45911/64	146.00
	4.40	0.1732	48	90	36	6	R4594.4	146.00
	4.50	0.1772	48	90	36	6	R4594.5	146.00
	4.60	0.1811	48	90	36	6	R4594.6	146.00
	4.70	0.1850	62	104	36	6	R4594.7	146.00
3/16	4.76	0.1875	62	104	36	6	R4593/16	146.00
	4.80	0.1890	62	104	36	6	R4594.8	146.00
	4.90	0.1929	62	104	36	6	R4594.9	146.00
	5.00	0.1969	62	104	36	6	R4595.0	146.00
	5.10	0.2008	62	104	36	6	R4595.1	146.00

DORMER Product Selector



Catalogue

d ₁ Rm ₇ Inch	d ₁ Rm ₇ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	l ₃ mm	d ₂ Rh ₆ mm	e-code	USD
13/64	5.16	0.2031	62	104	36	6	R45913/64	146.00
	5.20	0.2047	62	104	36	6	R4595.2	146.00
	5.30	0.2087	62	104	36	6	R4595.3	146.00
	5.40	0.2126	62	104	36	6	R4595.4	146.00
	5.50	0.2165	62	104	36	6	R4595.5	146.00
7/32	5.56	0.2188	62	104	36	6	R4597/32	146.00
	5.60	0.2205	62	104	36	6	R4595.6	146.00
	5.70	0.2244	62	104	36	6	R4595.7	146.00
	5.80	0.2283	62	104	36	6	R4595.8	146.00
	5.90	0.2323	62	104	36	6	R4595.9	146.00
15/64	5.95	0.2344	62	104	36	6	R45915/64	146.00
	6.00	0.2362	62	104	36	6	R4596.0	146.00
	6.10	0.2402	84	126	36	8	R4596.1	172.00
	6.20	0.2441	84	126	36	8	R4596.2	172.00
	6.30	0.2480	84	126	36	8	R4596.3	172.00
1/4	6.35	0.2500	84	126	36	8	R4591/4	172.00
	6.40	0.2520	84	126	36	8	R4596.4	172.00
	6.50	0.2559	84	126	36	8	R4596.5	172.00
	6.60	0.2598	84	126	36	8	R4596.6	172.00
	6.70	0.2638	84	126	36	8	R4596.7	172.00
17/64	6.75	0.2656	84	126	36	8	R45917/64	172.00
	6.80	0.2677	84	126	36	8	R4596.8	172.00
	6.90	0.2717	84	126	36	8	R4596.9	172.00
	7.00	0.2756	84	126	36	8	R4597.0	172.00
	7.10	0.2795	84	126	36	8	R4597.1	172.00
9/32	7.14	0.2813	84	126	36	8	R4599/32	172.00
	7.20	0.2835	84	126	36	8	R4597.2	172.00
	7.30	0.2874	84	126	36	8	R4597.3	172.00
	7.40	0.2913	84	126	36	8	R4597.4	172.00
	7.50	0.2953	84	126	36	8	R4597.5	172.00
19/64	7.54	0.2969	84	126	36	8	R45919/64	172.00
	7.60	0.2992	84	126	36	8	R4597.6	172.00
	7.70	0.3031	84	126	36	8	R4597.7	172.00
	7.80	0.3071	84	126	36	8	R4597.8	172.00
	7.90	0.3110	84	126	36	8	R4597.9	172.00
5/16	7.94	0.3125	84	126	36	8	R4595/16	172.00
	8.00	0.3150	84	126	36	8	R4598.0	172.00
	8.10	0.3189	106	152	40	10	R4598.1	208.00
	8.20	0.3228	106	152	40	10	R4598.2	208.00
	8.30	0.3268	106	152	40	10	R4598.3	208.00
21/64	8.33	0.3281	106	152	40	10	R45921/64	208.00
	8.40	0.3307	106	152	40	10	R4598.4	208.00
	8.50	0.3346	106	152	40	10	R4598.5	208.00
	8.60	0.3386	106	152	40	10	R4598.6	208.00
	8.70	0.3425	106	152	40	10	R4598.7	208.00
11/32	8.73	0.3438	106	152	40	10	R45911/32	208.00

d ₁ R _{m7} Inch	d ₁ R _{m7} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	l ₃ mm	d ₂ R _{h6} mm	e-code	USD
	8.80	0.3465	106	152	40	10	R4598.8	208.00
	8.90	0.3504	106	152	40	10	R4598.9	208.00
	9.00	0.3543	106	152	40	10	R4599.0	208.00
	9.10	0.3583	106	152	40	10	R4599.1	208.00
23/64	9.13	0.3594	106	152	40	10	R45923/64	208.00
	9.20	0.3622	106	152	40	10	R4599.2	208.00
	9.30	0.3661	106	152	40	10	R4599.3	208.00
	9.40	0.3701	106	152	40	10	R4599.4	208.00
	9.50	0.3740	106	152	40	10	R4599.5	208.00
3/8	9.53	0.3750	106	152	40	10	R4593/8	208.00
	9.60	0.3780	106	152	40	10	R4599.6	208.00
	9.70	0.3819	106	152	40	10	R4599.7	208.00
	9.80	0.3858	106	152	40	10	R4599.8	208.00
	9.90	0.3898	106	152	40	10	R4599.9	208.00
25/64	9.92	0.3906	106	152	40	10	R45925/64	208.00
	10.00	0.3937	106	152	40	10	R45910.0	208.00
	10.20	0.4016	128	180	45	12	R45910.2	284.00
	10.30	0.4055	128	180	45	12	R45910.3	284.00
13/32	10.32	0.4063	128	180	45	12	R45913/32	284.00
	10.40	0.4094	128	180	45	12	R45910.4	284.00
	10.50	0.4134	128	180	45	12	R45910.5	284.00
27/64	10.72	0.4219	128	180	45	12	R45927/64	284.00
	10.80	0.4252	128	180	45	12	R45910.8	284.00
	11.00	0.4331	128	180	45	12	R45911.0	284.00
7/16	11.11	0.4375	128	180	45	12	R4597/16	284.00
	11.20	0.4409	128	180	45	12	R45911.2	284.00
	11.30	0.4449	128	180	45	12	R45911.3	284.00
	11.50	0.4528	128	180	45	12	R45911.5	284.00
29/64	11.51	0.4531	128	180	45	12	R45929/64	284.00
	11.80	0.4646	128	180	45	12	R45911.8	284.00
15/32	11.91	0.4688	128	180	45	12	R45915/32	284.00
	12.00	0.4724	128	180	45	12	R45912.0	284.00
	12.20	0.4803	151	202	48	14	R45912.2	364.00
31/64	12.30	0.4844	151	202	48	14	R45931/64	364.00
	12.50	0.4921	151	202	48	14	R45912.5	364.00
1/2	12.70	0.5000	151	202	48	14	R4591/2	364.00
	12.80	0.5039	151	202	48	14	R45912.8	364.00
	13.00	0.5118	151	202	48	14	R45913.0	364.00
33/64	13.10	0.5156	151	202	48	14	R45933/64	364.00
17/32	13.49	0.5313	151	202	48	14	R45917/32	364.00
	13.50	0.5315	151	202	48	14	R45913.5	364.00
35/64	13.89	0.5469	151	202	48	14	R45935/64	364.00
	14.00	0.5512	151	202	48	14	R45914.0	364.00
	14.25	0.5610	172	227	48	16	R45914.25	521.00
9/16	14.29	0.5625	172	227	48	16	R4599/16	521.00
	14.50	0.5709	172	227	48	16	R45914.5	521.00



d ₁ Rm ₇ Inch	d ₁ Rm ₇ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	l ₃ mm	d ₂ Rh ₆ mm	e-code	USD
37/64	14.68	0.5781	172	227	48	16	R45937/64	521.00
	15.00	0.5906	172	227	48	16	R45915.0	521.00
19/32	15.08	0.5938	172	227	48	16	R45919/32	521.00
	15.10	0.5945	172	227	48	16	R45915.1	521.00
39/64	15.48	0.6094	172	227	48	16	R45939/64	521.00
	15.50	0.6102	172	227	48	16	R45915.5	521.00
5/8	15.88	0.6250	172	227	48	16	R4595/8	521.00
	16.00	0.6299	172	227	48	16	R45916.0	521.00