Dynafile® III

Air-Powered Abrasive Belt Tool



CONTACT ARMS
PAGE 22

COUPLER/PLUG PAGE 228 ACCESSORIES PAGE 222

BENCH MOUNT PAGE 255

Excellent for Grinding Welds, Blending and Deburring

Model 15300 For 18" Long Belts

 Dynafile[®] III Abrasive Belt Tool offers all the versatility of our world-famous Dynafile[®] II, while serving up more power (.7 hp / 522 W) for faster material removal.

 Tool includes high-efficiency Rubber Drive Wheel, ideal for use with all abrasive belts.

 Includes 15350 Contact Arm for 1" wide x 18" long belts (see page 23).

Tool grinding head pivots 360°.

 Soft grip handle assembly allows operator to apply additional force to contact wheel. Handle also offers enhanced control and maneuverability.

 Optional safety-lock throttle lever is available.





Several Dynafile® III Contact Arms serve a dual purpose. These Arms are REVERSIBLE to allow for platen sanding OR strap polishing. (See page 22.)



Dynafile® II Contact Arms may also be used with Dynafile® III. (See page 16.)



Utilized for blending scratch patterns and grinding right angle welds.



15350 Contact Arm with serrated wheel allows aggressive removal.

15302 Versatility Kit

 Includes 15300 Dynafile® III with 15321, 15350 and 15357 Contact Arms (see page 23), plus assortment of abrasive belts, spare 15336 Drive Wheel, wrenches and hex keys, all in durable carrying case.



Dynaswivel® air line connector is ideal for use with most air tools. It improves tool maneuverability, minimizes operator fatigue and extends hose life. (See page 223.)





Model	Motor	Motor	Sound	Abrasive Belt Size	Max. Air Flow	Max. SFPM	Weight	Length	Height
Number	hp (W)	RPM	Level	Inch (mm)	SCFM (L/Min)	(SM/Min)	Pound (kg)	Inch (mm)	Inch (mm)
15300	.7 (522)	20,000	87 dB(A)	1/4-1 (6-25) W x 18 (457) L	32 (906)	4,550 (1,382)	3.5 (1.6)	14-1/4 (362)	4-7/8 (124)

Additional Specifications: Air Inlet Thread 1/4" NPT • Hose I.D. Size 3/8" (10 mm) • Air Pressure 90 PSIG (6.2 Bar)