



# Eye and Face Protection





***DSI SAFETY INC. KNOWN AS DYNAMIC SAFETY INTERNATIONAL  
IS A CANADIAN OWNED AND OPERATED COMPANY.***

Dynamic Safety International, well known for its Dynamic brand of products is a fast growing company due to its highly motivated, knowledgeable and experienced team of employees, combined with its offering of innovative safety products covering the fields of Head protection, Eye & Face Protection, Hearing Protection, Respiratory Protection, Fall Protection, and without forgetting First Aid and Traffic Safety Products. In 2019, a new line of Identification Products will be available (barricade tape, signage, lockout station, etc).

Dynamic products are proudly made to meet all safety regulations and/or standards required in North and South America and in Europe. All of the Dynamic safety products are certified by a multitude of certification bodies when needed, such as CSA, ANSI, NIOSH and CE. We proudly apply their Logos when permitted. Thus proving you our dedication to protect you in the best possible way and showing you our efforts to provide you with the highest quality products that you can trust at all times.



Our team of Product Managers, the best in their fields of experience, cumulate over 100 years of experience and expertise in their respective areas of knowledge. Whether it is for your needs in Head Protection, Eye & Face Protection, Hearing Protection, Respiratory Protection, Fall Protection, First Aid or Traffic Safety, we have skillful people that can help you with training sessions, risk assessment surveys and can even help your safety committee to select the proper product for a specific situation.

Our Goal at Dynamic Safety International is to design and produce the best and safest safety products, and ensure that all your employees come home everyday safe and sound.





## 4A and 3A Lens Coatings

There are many different lens coatings to choose from in the marketplace. We hope this section will give you a good overview of the coatings available and what they can offer you. Some are better for certain kinds of applications; we recommend you take into account your overall vision requirements when selecting a lens coating.

Most of Dynamic's protective eyewear is treated with either a 3A multicoating (Anti-Scratch, Anti-UV and Anti-Static), 4A multicoating (Anti-Scratch, Anti-UV, Anti-Static and Anti-Fog) or the new Dyna-Shield revolution (Anti-Fog re-invented). Such coatings will provide most workers with proper coating for their protective eyewear.

## INTRODUCING Dyna Shield

### THE NEW DYNA-SHIELD REVOLUTION (ANTI-FOG RE-INVENTED)

This new Anti-Fog coating make sure your lens stay clearer, last longer and are safer to use. With "DYNA-SHIELD" workers are going to be working safely for a much longer period of time. This coating is not new, it as been around for a while, it work better than the actual treatment but it is slightly more expensive, you want better protection here it is.

#### DYNAMIC 4A COATING

A permanently bonded coating that offers excellent anti-fog, antiscratch, anti-static and anti-UV properties.

**4A** REVÊTEMENT  
COATING

**Anti-Fog:** Resists fogging and improves vision in humid environments

**Anti-Scratch:** Extends lens life in abrasive environments

**Anti-UV:** Absorbs more than 99.9% of harmful ultraviolet radiation

**Anti-Static:** Reduces dust and particulate attraction

#### DYNAMIC 3A COATING

A permanently bonded hardcoat that reduces surface lens scratching. The Dynamic 3A coating will extend the life of the lens.

**3A** REVÊTEMENT  
COATING

**Anti-Scratch:** Extends lens life in abrasive environments

**Anti-UV:** Absorbs more than 99.9% of harmful ultraviolet radiation

**Anti-Static:** Reduces dust and particulate attraction



## LENS SELECTION CHART

**Light Transmission:** Is the amount of light reaching the eye after passing through a filter.










**Light Absorption:** Is the amount of light which light is absorbed or eliminated by passing through a lens.

**Filters:** Are lenses that reduce or eliminate light intensity. The light spectrum covers ultraviolet, visible and infra-red radiation.

**Visible Light:** Is radiant energy that is visible to the human eye and having a wavelength between 380 nm to 760 nm.

**Infrared Radiation:** Is radiant energy or electromagnetic radiation of large wavelengths between 760 nm to 1000 nm.

**Ultraviolet Radiation:** Is radiant energy or electromagnetic radiation of short wavelengths between 100 nm to 380 nm.

Lens Colour	Description	Visible Light Transmission %	UV Light Transmission %
 <b>CLEAR</b>	For indoor or outdoor applications where light filtration is not required	90% ±1%	0.005%
 <b>AMBER</b>	For low light applications where contrast enhancement is required. Also reduces low energy blue light	99% ± 0.05%	0.05%
 <b>BLUE</b>	For work areas with high levels of yellow light is present such as sodium vapor lighting	47% ± 1%	0.05%
 <b>SMOKE</b>	For outdoor applications where sunlight and glare cause eye strain and fatigue. Not for use when infrared protection is required	11% ± 1%	0.05%
 <b>I/O MIRROR</b>	For indoor/outdoor applications. Reduces glare from scattered light or low energy visible light	54% ± 1%	0.05%
 <b>MIRROR</b>	For outdoor applications. Reduces glare from scattered high energy visible light	12% ± 1%	0.05%
 <b>POLARIZED SMOKE</b>	For outdoor applications. Reduces extreme glare from excessive scattered high energy visible light	12% ± 1%	0.05%
 <b>POLARIZED COPPER</b>	When facing high energy sun-light producing high levels of glare from scattered sun-light while driving vehicles or mobile equipment. Also reduces blue light to increase contrast	13%± 1%	0.05%
 <b>POLARIZED BLUE-MIRROR</b>	For outdoor applications. Reduces extreme glare from highly reflective surfaces such as lakes, rivers, snow	11% ± 1%	0.05%

# “Dyna-Sun” EPDS12 Series

HIGH PERFORMANCE SUNGLASSES



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



*High performance dual 8.0 base lens sunglasses for optimum optical quality. Contemporary design with soft nosepiece co-injected TPR temples. Lenses coated with our exclusive 4A anti-fog coating. Filters out blue light that causes eye fatigue.*



EPDS12A

FEATURES & BENEFITS




- Lightweight contemporary design with soft foam on the nosepiece for added comfort and stability
- Lenses are treated with our exclusive 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- Co-injected non-slip TPR temples for added comfort
- Double lens system with 8.0 base curve for superior optical quality
- Microfiber cleaning pouch supplied with each spectacle
- Offers great protection against dangerous the sun’s UV rays
- Also filters out blue light that causes eye fatigue



EPDS12B



EPDS12C

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
 EPDS12A	SMOKE ANTI-FOG	BLACK FRAME / GREY TPR SOFT FOAM ON THE NOSEPIECE, ANTI-SLIP TPR ON THE TEMPLES	MICRO-FIBER CLEANING POUCH
 EPDS12B	COPPER ANTI-FOG	TRANSLUCENT BROWN FRAME / BLACK TPR SOFT FOAM ON THE NOSEPIECE, ANTI-SLIP TPR ON THE TEMPLES	MICRO-FIBER CLEANING POUCH
 EPDS12C	BLUE-MIRROR ANTI-FOG	TRANSLUCENT GREY FRAME / BLACK TPR SOFT FOAM ON THE NOSEPIECE, ANTI-SLIP TPR ON THE TEMPLES	MICRO-FIBER CLEANING POUCH

**4A** REVÊTEMENT  
COATING



EPDSM15



EPDSW14

**4A** REVÊTEMENT  
COATING



EPDP11A



EPDP11C

## “Dyna-Sun Signature” EPDS Series

HIGH PERFORMANCE SUNGLASSES



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

High performance dual 8.0 base lens sunglasses for optimum optical quality. Contemporary design with unique artistic graphic on temples, soft nosepiece and TPR temple pads. Lenses coated with our exclusive 4A anti-fog coating. Filters out blue light that causes eye fatigue.

FEATURES & BENEFITS

- Stylish but robust design with unique artistic graphics on temples. “Diamond Plate” with black front and “Antique Maya” with white front
- Smoke sunglass lenses are treated with our exclusive 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- Comfort cushions on nose bridge for extra comfort and increased stability
- A micro-fiber cleaning pouch is supplied with each spectacle
- Offers great protection against the sun’s dangerous UV rays
- Also filters out blue light that causes eye fatigue

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
● EPDSM15	SMOKE ANTI-FOG	BLACK FRONT / <b>DIAMOND PLATE</b> TEMPLE GRAPHIC	MICRO-FIBER CLEANING POUCH
● EPDSW14	SMOKE ANTI-FOG	WHITE FRONT / <b>ANTIQUÉ MAYA</b> TEMPLE GRAPHIC	MICRO-FIBER CLEANING POUCH

## “Dyna-Ray” Polarized EPDP11 Series

EXTREME GLARE POLARIZED SUNGLASSES



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Lightweight half frame design with polarized lenses that eliminate glare and eye fatigue while increase visual acuity and more contrast of objects and surroundings. Lenses coated with our exclusive 4A anti-fog coating. Filters out blue light that causes eye fatigue.

FEATURES & BENEFITS

- Lightweight half frame design
- Lenses are treated with our exclusive 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- Polarized lenses eliminate glare from scattered light that reduces visual acuity and causes eye fatigue
- Dual injection TPR temples for Maximum comfort and stability
- Soft Brownguard foam for extra protection
- Omni-Fit bridge for more comfort and better fit

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
● EPDP11A	POLARIZED SMOKE ANTI-FOG	BLACK FRAME / GREY TPR	MICRO-FIBER CLEANING POUCH
● EPDP11B	POLARIZED COPPER ANTI-FOG	TRANSLUCENT BROWN FRAME / BLACK TPR	MICRO-FIBER CLEANING POUCH
● EPDP11C	POLARIZED BLUE-MIRROR ANTI-FOG	TRANSLUCENT GREY / BLACK TPR	MICRO-FIBER CLEANING POUCH

# Dyna Shield

## “The Falcon” EP810 Series

EXCLUSIVE 3 POSITIONS ADJUSTMENT FLEXI-FIT SOFT NOSE BRIDGE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



# Dyna Shield

FEATURES & BENEFITS

- Wrap around 9 base lightweight lens
- “DYNA-SHIELD” anti fog coating
- Nose bridge with 3 positions adjustment
- Ratchet temples
- Dual shot temples
- Ultra soft silicone nose pad
- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP810C

PART NO	LENS COLOR	FRAME COLOR
EP810C	CLEAR	RED & BLACK
EP810S	SMOKE	RED & BLACK
EP810A	AMBER	RED & BLACK
EP810I0	I/O MIRROR	RED & BLACK

## “The Hawk” EP825 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



# Dyna Shield

FEATURES & BENEFITS

- Beautiful Base 9 Lens
- “DYNA-SHIELD” anti fog coating
- Flexi -Fit Adjustable nose bridge system
- Dual shot temples
- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP825C

PART NO	LENS COLOR	FRAME COLOR
EP825C	CLEAR	RED & BLACK
EP825S	SMOKE	RED & BLACK
EP825A	AMBER	RED & BLACK
EP825I0	I/O MIRROR	RED & BLACK



**Dyna Shield**



EP845C



## “The Osprey” EP845 Series

ADJUSTABLE LENS ANGLE FOR INCREASED FRONTAL COVERAGE

Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- 9 Base curved lens with Black & Red frame
- “DYNA-SHIELD” anti fog coating
- Flexi-Fit Adjustable nose bridge system
- Adjustable lens angle for increased frontal coverage
- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	FRAME COLOR
EP845C	CLEAR	RED & BLACK
EP845S	SMOKE	RED & BLACK
EP845A	AMBER	RED & BLACK
EP845IO	I/O MIRROR	RED & BLACK



**Dyna Shield**



EP875C



## “The Spider” EP875 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Lightweight Base 9 Wrap Around Lens
- “DYNA-SHIELD” anti fog coating
- Flexi -Fit Adjustable nose bridge system
- Famous EZ-ON temple system
- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	FRAME COLOR
EP875C	CLEAR	RED & BLACK
EP875S	SMOKE	RED & BLACK
EP875A	AMBER	RED & BLACK
EP875IO	I/O MIRROR	RED & BLACK



**Dyna Shield**

# “The Hummingbird” EP895 Series

SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- 9.5 base curve wrap around lens
- Very lightweight - as if it flies over the face of the user
- “DYNA-SHIELD” anti fog coating
- Contemporary dual-lens design
- Double injection temple arms and soft nose piece to prevent slipping
- Fits a wide variety of different faces
- Lenses available in: Clear, Smoke, Amber, and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP895C



EP895IO

PART NO	LENS COLOR	FRAME COLOR
EP895C	CLEAR	BLACK & WHITE
EP895S	SMOKE	BLACK & WHITE
EP895A	AMBER	BLACK & WHITE
EP895IO	I/O MIRROR	BLACK & WHITE

**4A** REVÊTEMENT  
COATING

# “The Warrior” EP100 Series

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

*Great looking eyewear, highly comfortable, incomparable fit, unique design. Made to please the most demanding user.*

FEATURES & BENEFITS

- Adjustable swivel nose pads to fit all faces
- Modern ergonomic design for comfort and fit
- Frame made of new Elasto LT chemical resistant material
- Comfortable curved temple ends
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP100BC



EP100MGS

METALLIC GRAY FRAME	BLACK FRAME	LENS COLOR
EP100MGC	EP100BC	CLEAR
EP100MGS	EP100BS	SMOKE
EP100MGA	EP100BA	AMBER
EP100MGIO*	EP100BIO*	I/O MIRROR

*\*Indoor/Outdoor Mirror lenses are not anti-fog*



## “The Shooting Star” EP150 Series

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

*Great looking Eyewear similar to model EP100. Comfortable, incomparable fit and ultra modern design. The only difference with the EP100 is the frame made out of ultra resistant polycarbonate made of the same resin as the lenses.*

FEATURES & BENEFITS

- Easy lens replacement system
- Modern ergonomic design for comfort and fit
- Frame made out of ultra resistant polycarbonate
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP150C

PART NO	LENS COLOR	FRAME COLOR
EP150C	CLEAR	SMOKE
EP150S	SMOKE	SMOKE
EP150A	AMBER	SMOKE
EP150IO	I/O MIRROR	SMOKE

*\*Indoor/Outdoor Mirror lenses are not anti-fog*

## “The Thunder” EP250 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

*Setting a new standard in eye protection, the spectacles that was engineered for safety officers but designed for users.*

FEATURES & BENEFITS

- 9 base curve panoramic lens for a wide unobstructed field of view
- Frame made of new Elasto LT chemical resistant material
- New Soft-Touch comfort pads on temples that insure a comfortable fit
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP250BA

PART NO	LENS COLOR	FRAME COLOR
EP250BC	CLEAR	BLACK
EP250BS	SMOKE	BLACK
EP250BA	AMBER	BLACK
EP250BIO*	I/O MIRROR	BLACK

*\*Indoor/Outdoor Mirror lenses are not anti-fog*

# “The Cyclone II” EP310 Series



UNIVERSAL COMFORT BRIDGE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Great looking eyewear with the right comfort and fit to please your most demanding worker. A unique dual lens styling in a single-piece lens design.

FEATURES & BENEFITS

- Frames are available in 2 outstanding colors: Blue and Black
- EP310 series with stylish straight temples with soft rubber for extra comfort
- Lenses available in: Clear, Amber, Smoke and I/O Mirror
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

**4A** REVÊTEMENT  
COATING



EP310BIO

	LENS COLOR	BLACK FRAME	BLUE FRAME
	CLEAR	EP310BC	EP310BLC
	SMOKE	EP310BS	EP310BLS
	AMBER	EP310BA	EP310BLA
	I/O MIRROR*	EP310BIO	EP310BLIO

\*Indoor/Outdoor Mirror lenses are not anti-fog

# “The Techno” EP850 Series



FLEXI-FIT SOFT NOSE-PIECE SYSTEM

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Wraparound lightweight, frameless spectacles
- One piece lens with soft rubber temple ends
- Soft silicone nose piece for non-slip
- Lenses available in: Clear, Smoke, Amber, I/O Mirror and Blue Tint
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

**4A** REVÊTEMENT  
COATING



EP850S

	PART NO	LENS COLOR	FRAME COLOR
	EP850C	CLEAR	CLEAR
	EP850S	SMOKE	SMOKE
	EP850A	AMBER	AMBER
	EP850IO*	I/O MIRROR	INDOOR/OUTDOOR
	EP850BT	BLUE TINT	BLUE TINT

\*Indoor/Outdoor Mirror lenses are not anti-fog



**4A** REVÊTEMENT  
COATING



EP855A



EP855S

**4A** REVÊTEMENT  
COATING



EP350GC



EP350RS



EP350BS

## “Mini-Tech” EP855 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Wraparound lightweight, frameless spectacles for women
- One piece lens with soft rubber temple ends
- Soft silicone nose piece for non-slip
- Lenses available in: Clear, Smoke, Amber and I/O Mirror
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP855C	CLEAR	CLEAR
EP855S	SMOKE	SMOKE
EP855A	AMBER	AMBER
EP855IO*	I/O MIRROR	INDOOR/OUTDOOR

\*Indoor/Outdoor Mirror lenses are not anti-fog

## “The Racer” EP350 Series

SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Modern design with excellent comfort and adjustability
- Dual lens design
- Dual injection temple arms and soft nose piece to prevent slipping
- Angle adjustment temple for better coverage and fit
- Adjustable/removeable temple retaining strap
- Choice of three contemporary frame colors: Red/Black, Blue/Black & Lime-Green/Black
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

LENS COLOR	RED & BLACK FRAME	BLUE & BLACK FRAME	LIME-GREEN & BLACK FRAME
CLEAR	EP350RC	EP350BC	EP350GC
SMOKE	EP350RS	EP350BS	EP350GS
AMBER	EP350RA	EP350BA	EP350GA
MIRROR I/O	EP350RIO	EP350BIO	EP350GIO

\*Indoor/Outdoor Mirror lenses are not anti-fog



**3A** REVÊTEMENT  
COATING



EP500C

EP500IO

# “The Curve” EP500 & EP505 Series

UNIVERSAL COMFORT BRIDGE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Popular low profile shape
- High 9 base curve for better coverage and wide field of view
- Made of lightweight non-conductive high impact polycarbonate material
- Absorbs more than 99.9% of harmful UV light
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
<b>EP500 SERIES</b> 3A COATING		
EP500C	CLEAR	SMOKE
EP500S	SMOKE	SMOKE
EP500A	AMBER	AMBER
EP500IO	MIRROR I/O	SMOKE
<b>EP505 SERIES</b> 4A COATING		
EP505C	CLEAR	CLEAR

**4A** REVÊTEMENT  
COATING



EP505C

# “The Solus” EP550 Series

UNIVERSAL COMFORT BRIDGE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Wide field uni-lens design offering unobstructed vision
- Made of very lightweight high impact resistant Polycarbonate
- Lenses available in: Clear, Smoke, Amber and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP550C	CLEAR	SMOKE
EP550S	SMOKE	SMOKE
EP550A	AMBER	AMBER
EP550IO	I/O MIRROR	SMOKE

**3A** REVÊTEMENT  
COATING



EP550S



**3A** REVÊTEMENT  
COATING



**EP600BC**

## “The Defender” EP600 Series

UNIVERSAL COMFORT BRIDGE SYSTEM



**Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS**

FEATURES & BENEFITS

- Lightweight materials for more comfort
- High impact resistant Polycarbonate lens offering a wide field of view
- Available in clear and smoke lens tints
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP600BC	CLEAR	CLEAR
EP600BS	SMOKE	BLACK

www.dsafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789

**3A** REVÊTEMENT  
COATING



**EP800BT**

## “The Firebird” EP800 Series

UNIVERSAL COMFORT BRIDGE SYSTEM



**Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS**

FEATURES & BENEFITS

- Wraparound lightweight, frameless spectacles
- One piece lens with soft rubber temple ends
- Hard nose piece
- Lenses available in: Clear, Smoke, Amber, I/O Mirror and Blue Tint
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP800C	CLEAR	CLEAR
EP800S	SMOKE	SMOKE
EP800A	AMBER	AMBER
EP800IO	I/O MIRROR	INDOOR/OUTDOOR
EP800BT	BLUE TINT	BLUE TINT

**3A** REVÊTEMENT  
COATING

## “The Ladies Mini” EP325 Series

UNIVERSAL COMFORT BRIDGE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

*Made for ladies with narrow face that are looking for a tight fit cool looking spectacle.*

FEATURES & BENEFITS

- Stylish cool design with narrow and tight fitting
- Frames are available in 3 outstanding colors: Orange, Pink and Neon Green
- Lens available in: Clear, Smoke, Amber and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

LENS COLOR	PINK TEMPLE	GREEN TEMPLE	ORANGE TEMPLE
CLEAR	EP325PC	EP325GC	EP325OC
SMOKE	EP325PS	EP325GS	EP325OS
AMBER	EP325PA	EP325GA	EP325OA
I/O MIRROR*	EP325PIO	EP325GIO	EP325OIO



EP325OC



EP325PC



EP325GC

## “The Renegade” Readers EP400 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

*Trendsetting eyewear that will please the most demanding user.*

FEATURES & BENEFITS

- Stylish European design
- 8.50 base curve dual lens design for wrap-around coverage
- Adjustable soft nosepiece for increased comfort
- Adjustable length temple arms
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirement

PART NO	LENS COLOR	FRAME COLOR	DIOPTR
EP400TGC1.5	CLEAR	TRANSLUCENT GREY	1.5
EP400TGC2.0	CLEAR	TRANSLUCENT GREY	2.0
EP400TGC2.5	CLEAR	TRANSLUCENT GREY	2.5

**3A** REVÊTEMENT  
COATING



EP400TCGC1.5

**3A** REVÊTEMENT  
COATING



**EP700C**



## “The Visitor” EP700 Series

UNIVERSAL COMFORT BRIDGE SYSTEM

**Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS**

FEATURES & BENEFITS

- These spectacles offer premium protection to plant visitors
- Large lens that provide a wide viewing field
- Fits over most prescription eyewear
- The exclusive interlocking sideshield system offers all-around protection from flying particles
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	SIDESHIELDS COLOR
EP700C	CLEAR	CLEAR



**4A** REVÊTEMENT  
COATING



**EP750I**



## “The OTG Extra” EP750 Series

FLEXI-FIT SOFT NOSE-PIECE SYSTEM

**Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS**

*A great looking OTG, over the glass spectacles. Extra large size to fit over all sizes of prescription spectacles. It offers the softest adjustable nose piece that exists, an adjustable mechanism to flip the lens up or down combined with a new, unique and highly comfortable temple system.*

FEATURES & BENEFITS

- Extra large size lens to fit over the largest prescription spectacles
- Extra soft nose piece that will accommodate all kinds of nose configurations
- Adjustable temples giving you the possibility to adjust the lens up and down for better vision
- New unique highly comfortable EZ-ON temple system
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP750C	CLEAR	BLACK
EP750S	SMOKE	BLACK
EP750A	AMBER	BLACK
EP750I	I/O MIRROR	BLACK



**Exclusive and unique  
“EZ-ON” temple system**



## “The Bushman” EP775 Series

WIRE MESH SPECTACLES - NOT CERTIFIED BY CSA



EP775W

FEATURES & BENEFITS

- Wrap around nylon frame offering very good fit and comfort
- Wire mesh screen prevents large flying debris and does not fog

PART NO	LENS COLOR	FRAME COLOR
EP775W	BLACK WIRE MESH	BLACK



## “Opti-Seal” EPD6 Series

MULTI-FIT ADJUSTABLE NOSE PIECE



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS





*Robust yet stylish design with soft cushioned sealing gasket for increased protection and comfort.*



EPD6C17

FEATURES & BENEFITS

- Multi-Fit adjustable nose piece for all facial features and sizes and provides a perfect fit all the time for optimal comfort and coverage
- Dual injection temples with non-slip soft TPR cushions for extra comfort and fit
- Lenses are treated with our exclusive 4A coating: anti scratch, anti-UV, anti-static and anti-fog
- Comfort TPR on nose bridge for extra comfort and increased stability
- Certified CSA Z94.3-15 & meets or exceeds ANSI Z87.1-2015

PART NO	DESCRIPTION
 EPD6C17	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND CLEAR ANTI-FOG LENS
 EPD6S17	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND SMOKE ANTI-FOG LENS
 EPD6A17	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND AMBER ANTI-FOG LENS
 EPD6IO17	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND MIRROR/IO LENS

*\*Indoor/Outdoor Mirror lenses are not anti-fog*



EPD6S17



**4A** REVÊTEMENT  
COATING



EPDGC18C



EPDGC18C &  
EPDGC18STR

**4A** REVÊTEMENT  
COATING



EP65010

## “Dyna-Seal” EPDGC18 Series

CONVERTS INTO AN INDIRECT VENTED GOGGLE



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Full coverage sealed eyewear with soft rubber gasket on the front and removable adjustable length stability strap with clip on the temples. Converts into an indirect vented goggle with **Quick-Change** Elastic Neoprene strap (sold separately).

### FEATURES & BENEFITS

- Designed to block out dust, particles and chemicals
- Front angle adjustment for a precise and tight fit. Angle clip made of strong polycarbonate
- 4A+ anti-fog coating “N” rated EN168 AF
- New Lens geometry for superior optical quality
- Certified CSA Z94.3-15 & meets or exceeds ANSI Z87.1-2015

PART NO	DESCRIPTION
EPDGC18C	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK-CHANGE ADJUSTABLE ELASTIC STRAP, CLEAR ANTI-FOG “N”
EPDGC18S	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK-CHANGE ADJUSTABLE ELASTIC STRAP, SMOKE ANTI-FOG “N”
EPDGC18A	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK-CHANGE ADJUSTABLE ELASTIC STRAP, AMBER ANTI-FOG “N”
EPDGC18IO	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, TEMPLE STRAP AND QUICK-CHANGE ADJUSTABLE ELASTIC STRAP, MIRROR I/O
EPDGC18STR	EPDGC18 ADJUSTABLE BLACK FR HEADBAND

\*Indoor/Outdoor Mirror lenses are not anti-fog

## “The Fusion” EP650 Series

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

Specialty spectacles with “EZ-ON” temples offering incomparable comfort and fit. Put them on and feel no pressure at all from the temple. These spectacles will hold in place on your nose at all times even in the most humid environment. They will please the most demanding user.

### FEATURES & BENEFITS

- These spectacles offer maximum protection to the users
- Large 9° base curved double lens design molded in one piece
- Offers full protection coverage and extra wide viewing field
- High impact resistant polycarbonate lens
- Available in clear, smoke, amber and indoor/outdoor lens colors
- Exclusive and unique highly comfortable “EZ-ON” temple system that redistributes the pressure on your temples evenly
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	FRAME COLOR
EP650C	CLEAR	BLACK
EP650S	SMOKE	BLACK
EP650A	AMBER	BLACK
EP650IO*	I/O MIRROR	BLACK

\*Indoor/Outdoor Mirror lenses are not anti-fog

# “The Fusion Plus” EP650G Series

FLEXI-FIT ADJUSTABLE SOFT NOSE-PIECE SYSTEM



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

*Specialty spectacles with “EZ-ON” temples offering incomparable comfort and fit. Put them on and feel no pressure at all from the temple. These spectacles will hold in place on your nose at all times even in the most humid environment. They will please the most demanding user. EP650G series comes with a foam band forming a joint that protect against dust and particles.*



### FEATURES & BENEFITS





- These spectacles offer maximum protection to the users
- Large 9° base curved double lens design molded in one piece
- Offers full protection coverage and extra wide viewing field
- High impact resistant polycarbonate lens
- Available in clear, smoke, amber and indoor/outdoor lens colors
- Exclusive and unique highly comfortable “EZ-ON” temple system that redistributes the pressure on your temples evenly
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP650GA



**Exclusive and unique  
“EZ-ON” temple system**

PART NO WITH FOAM SEAL	LENS COLOR	TEMPLE COLOR
 EP650GC	CLEAR	BLACK
 EP650GS	SMOKE	BLACK
 EP650GA	AMBER	BLACK
 EP650GI0*	I/O MIRROR	BLACK

*\*Indoor/Outdoor Mirror lenses are not anti-fog*



**4A** REVÊTEMENT  
COATING



**EP675C**



## “The Volcano” EP675 Series

UNIVERSAL COMFORT BRIDGE

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- A contemporary, single lens design
- Frameless design with a wide field of vision
- Dual injection, wide temple arms for better protection and comfort
- 4A Anti-Fog coating (Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static)
- Available in 4 lens colors: Clear, Smoke, Amber and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP675C	CLEAR	BLACK & RED
EP675S	SMOKE	BLACK & RED
EP675A	AMBER	BLACK & RED
EP675IO*	I/O MIRROR	BLACK & RED

*\*Indoor/Outdoor Mirror lenses are not anti-fog*

www.dsafety.com / T: 450-687-7374 - 1-877-446-3278 / F: 450-687-2243 - 1-877-463-2789

**4A** REVÊTEMENT  
COATING



**EP675GS**



## “The Volcano Plus” EP675G Series

UNIVERSAL COMFORT BRIDGE

Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- A contemporary, single lens design
- Frameless design with a wide field of vision
- Dual injection, wide temple arms for better protection and comfort
- 4A Anti-Fog coating (Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static)
- Removeable foam padding for better protection against dust and debris
- Available in 4 lens colors: Clear, Smoke, Amber and I/O Mirror
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

PART NO	LENS COLOR	TEMPLE COLOR
EP675GC	CLEAR	BLACK & RED
EP675GS	SMOKE	BLACK & RED
EP675GA	AMBER	BLACK & RED
EP675GIO*	I/O MIRROR	BLACK & RED

*\*Indoor/Outdoor Mirror lenses are not anti-fog*



# “The SpectaGoggle” EP900 Series

HEAVY DUTY PERFORMANCE



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- “FR” Foam padding forms a seal to keep out dust and air born particles
- Interchangeable temple/strap included with each pair
- Strap has quick fit retainer for easy on/off
- Designed to allow air to flow freely to reduce heat
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

**4A** REVÊTEMENT  
COATING



EP900S



PART NO	LENS COLOR	FRAME COLOR
---------	------------	-------------

EP900C	CLEAR	BLACK
EP900S	SMOKE	BLACK
EP900A	AMBER	BLACK
EP900M*	MIRROR	BLACK

\*I/O Mirror lenses are not anti-fog

# “The Mini SpectaGoggle” EP950 Series

LIGHT & MEDIUM DUTY PERFORMANCE



Z94.3-15 CERTIFIED BY CSA CANADA

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Easily removable foam padding forms a seal to keep dust and air born particles out.
- Fast and easy interchangeable temples/straps included with each pair
- Available in a kit format with 4 easy replaceable lenses
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9% and Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

**4A** REVÊTEMENT  
COATING



EP950A



PART NO	LENS COLOR	FRAME COLOR
---------	------------	-------------

<b>SAFETY GLASSES</b>		
EP950C	CLEAR	CLEAR
EP950S	SMOKE	SMOKE
EP950A	AMBER	AMBER
EP950IO*	I/O MIRROR	SMOKE

**COMPLETE KIT**

EP950K	CLEAR, SMOKE, AMBER, I/O MIRROR	SMOKE
--------	---------------------------------	-------

\*I/O Mirror lenses are not anti-fog

# “The Phantom OTG” EPMK01 Series



Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



*This modern design offers the highest levels of comfort, performance, look and protection. This comfortable goggle comes complete with an Anti-Fog coated polycarbonate lens and a soft TPR shroud in a nylon outer rim frame with hidden indirect ventilation holes. This “OTG” style can be used over prescription glasses. The EPMK01 Phantom OTG Safety Goggle comes with a FR fabric strap and lenses of various shades. An optional shield may be attached to the EPMK01 goggle for splash protection.*

FEATURES & BENEFITS

- Large comfortable soft frame
- Wide one piece lens
- Anti-Fog protection
- Indirect ventilation providing maximum protection against chemical splashes
- Lens available in Clear, Smoke, Amber and I/O Mirror
- Strap made of “FR” material
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EPMK01A







EPMK0110



EPMK01SHIELD

“THE PHANTOM OTG” EPMK01 SERIES

PART NO	LENS COLOR	FRAME COLOR
 EPMK01C	CLEAR	BLACK
 EPMK01S	SMOKE	BLACK
 EPMK01A	AMBER	BLACK
 EPMK0110	I/O MIRROR	BLACK

COMBO AND REPLACEMENT SHIELD

PART NO	DESCRIPTION
EPMK01SHIELD	PHANTOM OTG CLEAR GOGGLE WITH CLEAR SHIELD AND FR FABRIC HEADBAND
EPMK01RS	REPLACEMENT SHIELD, CLEAR FOR EPMK01SHIELD COMBO



EPMK01SHIELD  
shown with EPMK01C

**3A** REVÊTEMENT  
COATING

## The “Chem Splash” EP20 Series



Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

- Large comfortable soft frame
- Indirect ventilation
- Wide one piece lens
- Clear Lens
- Chemical splash protection
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements



EP20

PART NO	LENS COLOR	FRAME COLOR
EP20	CLEAR	GREEN

**4A** REVÊTEMENT  
COATING

## The “Chem Pro” EP30 Series The “Ultra-Tek” EP40 Series



Z94.3-15 CERTIFIED BY CSA CANADA  
MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

FEATURES & BENEFITS

**EP30 Series**

- Soft, lightweight PVC frame
- 4 cap vents provide indirect ventilation
- Neoprene strap for better resistance to solvents and chemicals
- The lenses are protected with 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static
- CSA Z94.3-15 certified and meets and/or exceeds ANSI Z87.1 requirements

**EP40 Series**

- Same as EP30 Series, plus;
- Maximum panoramic and peripheral field of vision
- Large frame designed to fit over prescription eyewear



EP30



EP40

PART NO	LENS COLOR	FRAME COLOR
EP30	CLEAR	GREEN
EP40	CLEAR	GREEN



**EPRACK1**



**EPRACK2**

## Counter Displays

*Eyewear displays have been carefully designed and manufactured to address the needs of our distributors and clients. Their unique multi frame capacity make them the ideal tool to present any of Dynamic's safety glasses.*

### FEATURES & BENEFITS

- EPRACK1 holds 10 pairs of safety glasses
- EPRACK2 holds 24 pairs of safety glasses
- Revolves for easy selection
- Mirror on top for viewing
- Lightweight

PART NO	DESCRIPTION
EPRACK1	10 pair revolving eyewear display
EPRACK2	24 pair revolving eyewear display



**EP11**



**EP12**



**EPPMFB**



**EP14**

## Spectacles Cases

PART NO	DESCRIPTION
EP11	Vinyl case with spring pocket clip and fastening snap
EP12	Large nylon spectacles case with double belt loop and zipper closure
EPPMFB	Micro-fiber cleaning pouch black

## Spectacles Cord

PART NO	DESCRIPTION
EP14	Spectacles cord holder



## Lens Cleaning Stations

ANTI-FOG • ANTI-STATIC • SILICONE FREE • FAST DRYING

PART NO	DESCRIPTION
EP16	Metal lens cleaning station - Complete with 2 bottles of 16 oz (500 ml) #EP22/16 of anti-fog cleaning liquid and 2 boxes of cleaning tissues #EP21
EP17	Disposable lens Cleaning station - Complete with 1 bottle of 16 oz (500 ml) #EP22/16 of anti-fog liquid cleaning liquid and 4 boxes of cleaning tissues #EP21
EP18	Disposable lens Cleaning station - Complete with 1 bottle of 8 oz (250 ml) #EP22/8 of anti-fog cleaning liquid and 2 boxes of cleaning tissues #EP21

## Lens Cleaning Products

ANTI-FOG • ANTI-STATIC • SILICONE FREE • FAST DRYING

PART NO	DESCRIPTION
EP19	Cleaning towelettes - 100 per disposable box
EP21	Lens cleaning tissues - 300 per box
EP22/8	Lens cleaning solution 8 oz (250 ml) bottle
EP22/16	Lens cleaning solution 16 oz (500 ml) bottle
EP22/160	Lens cleaning solution 1 gallon (4 L) bottle



EP16



EP17



EP18



EP21



EP19



EP22/8



EP22/16



EP22/160

## High Performance Headgears

TO USE WITHOUT PROTECTIVE CAP



### FEATURES & BENEFITS

- Accepts a wide range of faceshield styles
- Large sparkguard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- Comes with pinlock or ratchet adjustment for quick, easy and perfect fit
- Noryl is a very tough material which is resistant to sparks and heat
- The EPHG300 and EPHG300R are not compatible with the EP919 faceshield series

PART NO	ADJUSTMENT	MATERIAL	USE
EPHG200	Pinlock	HDPE	Regular
EPHG200R	Ratchet	HDPE	Regular
EPHG300	Pinlock	HDPE	Regular
EPHG300R	Ratchet	HDPE	Regular
EPHG400R	Ratchet	NORYL	Sparks / high heat
EPHG700R	Ratchet	NORYL	Sparks / high heat

## High Performance Cap Mounted Headgears

TO USE WITH HARD HATS



### FEATURES & BENEFITS

- Accepts a wide range of faceshield styles
- Large sparkguard provides excellent protection
- Includes (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- Noryl is a very tough material which is resistant to sparks and heat

PART NO	MATERIAL	USE
EPHG401R	NORYL	Sparks / high heat
EPHG701R	NORYL	Sparks / high heat

## Chin Protector

TO USE WITH ALL TYPES OF HEADGEARS

PART NO	MATERIAL	USE
EPHGC500	NORYL	Sparks / high heat

EPHGC500 shown with EPHG401R headgear and EP919PFT40 visor

EPHGC500



EPB101



EPB101VD

# High Performance Faceshield Brackets

TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS

- Accepts a wide range of faceshield styles
- Attachment system designed to accommodate many competitor's faceshields
- Swivel system to raise or lower faceshield

PART NO	DESCRIPTION
EPB101	Plastic bracket, totally dielectric and blades for slotted hard hats. Available September 2019
EPB101VD	Plastic bracket, totally dielectric and blades for slotted hard hats with debris control rubber cover
EPB101VDV	Plastic bracket, totally dielectric and comes with a rubber band to fit any hard hat with debris control rubber cover
EPB102	High Performance Face Shield Bracket Plastic, Totally Dielectric To be used with Full Brim Hats
EPB103	High Performance Face Shield Bracket to be used with THE ROCKY climbing hat Model HP141R and HP142R
EPB201	Aluminum bracket, heat resistant, with Cam lock system
EPB201VD	Aluminum bracket, heat resistant, with Cam lock system with debris control rubber cover
EPB301	High Performance Face Shield Bracket, heat resistant, aluminum cam lock system, fit most wide brim hard hats



EPB102



EPB103



EPB201



EPB201VD



EPB301

# Cap-Lock Adapter Kit

TO USE WITH HEADGEAR, BRACKETS & WELDING HELMET

FEATURES & BENEFITS

- To attach welding helmets, headgears or brackets to a hard hat
- Fits easily on to most hard hats with slots
- Quick & Easy snap on and off feature
- Will accommodate narrow welding helmet if used with the extension

PART NO	DESCRIPTION
EPHC01	Cap lock adaptor kit with extension pieces
EPHC02	Cap lock blades only



EPHC01




EPHC02

# High Performance Faceshield Visors Windows


## DIE CUT WINDOWS - FLAT

### FEATURES & BENEFITS


- All the visors, faceshields and windows offer the multi-fit attachment pattern (or universal fit). This pattern consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- 2 types of materials are available: PETG and Polycarbonate
- 2 thicknesses of material are available .040 in / 1.0mm and .060 in / 1.5 mm
- Clear and green colors of materials are available on certain products




**EP615**




**EP815**



**EP1015PG**



**EP816**



**EP919PG**


PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP615/40	6 x 15 ½	PETG	Clear	0.040 in /1.0 mm
EP811/40	8 x 11	PETG	Clear	0.040 in /1.0 mm
EP811/60	8 x 11	PETG	Clear	0.060 in /1.5 mm
EP811P/60	8 x 11	Polycarbonate	Clear	0.060 in /1.5 mm
EP815/40	8 x 15 ½	PETG	Clear	0.040 in /1.0 mm
EP815/60	8 x 15 ½	PETG	Clear	0.060 in /1.5 mm
EP815P/40	8 x 15 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP815PG/40	8 x 15 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP815P/60	8 x 15 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP1015/40	10 x 15 ½	PETG	clear	0.040 in /1.0 mm
EP1015/60	10 x 15 ½	PETG	Clear	0.060 in /1.5 mm
EP1015P/40	10 x 15 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP1015PG/40	10 x 15 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP1015P/60	10 x 15 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP816/40	8 x 16 ½	PETG	Clear	0.040 in /1.0 mm
EP816/60	8 x 16 ½	PETG	Clear	0.060 in /1.5 mm
EP816P/40	8 x 16 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP816PG/40	8 x 16 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP816P/60	8 x 16 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP919/40	9 ½ x 20	PETG	Clear	0.040 in /1.0 mm
EP919/60	9 ½ x 20	PETG	Clear	0.060 in /1.5 mm
EP919P/40	9 ½ x 20	Polycarbonate	Clear	0.040 in /1.0 mm
EP919PG/40	9 ½ x 20	Polycarbonate	Green	0.040 in /1.0 mm
EP919P/60	9 ½ x 20	Polycarbonate	Clear	0.060 in /1.5 mm

# High Performance Faceshield Visors Windows


## FORMED WINDOWS

### FEATURES & BENEFITS


- All the visors and faceshields offer the multi-fit attachment pattern (or universal fit). This pattern consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- Made of Polycarbonate material
- 2 thicknesses of material are available .040 in/1.0mm and .060 in/ 1.5 mm
- 2 colors of material available, Green and Clear



**EP815PF**



**EP816PFG**



**EP919PF**

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP811PF/60	8 x 11	Polycarbonate	Clear	0.060 in /1.5 mm
EP811F/60	8 x 11	PETG	Clear	0.060 in /1.5 mm
EP815PF/40	8 x 15 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP815PFG/40	8 x 15 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP815PF/60	8 x 15 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP815F/60	8 x 15 ½	PETG	Clear	0.060 in /1.5 mm
EP816PF/40	8 x 16 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP816PFG/40	8 x 16 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP816PF/60	8 x 16 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP816PFG/60	8 x 16 ½	Polycarbonate	Green	0.060 in /1.5 mm
EP816F/60	8 x 16 ½	PETG	Clear	0.060 in /1.5 mm
EP919PF/40	9 ½ x 20	Polycarbonate	Clear	0.040 in /1.0 mm
EP919PFG/40	9 ½ x 20	Polycarbonate	Green	0.040 in /1.0 mm
EP919PF/60	9 ½ x 20	Polycarbonate	Clear	0.060 in /1.5 mm
EP919F/60	9 ½ x 20	PETG	Clear	0.060 in /1.5 mm
EP919PFG/60	9 ½ x 20	Polycarbonate	Green	0.060 in /1.5 mm



# High Performance Faceshield Visors Windows

## FORMED WINDOWS (SPECIALITIES)

### FEATURES & BENEFITS

- All the visors and faceshields offer the multi-fit attachment pattern (or universal fit). This pattern consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- Made of Polycarbonate material
- All molded faceshields are made of Polycarbonate
- 2 colors of material available, Green and Clear



**EP815PFGT/40**



**EP919PFGT/40**

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
<b>With Holes at the Bottom Fitting to the Chin Guard EPHGC500</b>				
EP815PFT/40	8 x 15 ½	Polycarbonate	Clear	0.040 in /1.0 mm
EP815PFT/60	8 x 15 ½	Polycarbonate	Clear	0.060 in /1.5 mm
EP815PFGT/40	8 x 15 ½	Polycarbonate	Green	0.040 in /1.0 mm
EP815PFGT/60	8 x 15 ½	Polycarbonate	Green	0.060 in /1.5 mm



# High Performance Faceshield Visors Windows

## MOLDED WINDOWS

### FEATURES & BENEFITS

- All visors and faceshields offer the multi-fit attachment pattern (or universal fit)
- All molded faceshields are made of PETG or Polycarbonate of .060 in / 1.5mm thickness
- PETG has the same physical properties as Proprionate and reacts the same way when scratched (the scratches stay clear and do not affect your vision)



EP815M/60



EP919MG5/60



EP919MG/60



EP919M/60

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP815M/60	8 x 15 ½	PETG	Clear	0.060 in /1.5 mm
EP815MG/60	8 x 15 ½	PETG	Green	0.060 in /1.5mm
EP815MG3/60	8 x 15 ½	PETG	Green Shade 3	0.060 in /1.5mm
EP815MG5/60	8 x 15 ½	PETG	Green Shade 5	0.060 in /1.5mm
EP919M/60	9 ½ x 20	Polycarbonate	Clear	0.060 in /1.5 mm
EP919MG/60	9 ½ x 20	Polycarbonate	Green	0.060 in /1.5 mm
EP919MG3/60	9 ½ x 20	Polycarbonate	Green Shade 3	0.060 in /1.5 mm
EP919MG5/60	9 ½ x 20	Polycarbonate	Green Shade 5	0.060 in /1.5 mm

# High Performance Faceshield Visors Windows

## ARC FLASH WINDOW



**EP919MGAF/60**

Protect yourself against hazards from glares of light produced by electric arcs by using Dynamic protection system. Electric arcs are produced by an electric shock that result in an electromagnetic explosion of energy from fragments of fused metal being able to cause serious wounds. "Arc Flash" faceshield from Dynamic are conceived in order to provide to the user best possible vision and protection at work.

### FEATURES & BENEFITS

- 9.9 Cal/Cm<sup>2</sup> et 12 Cal/Cm<sup>2</sup>
- Special formulation
- Complete panoramic vision
- Molded faceshield that offers a clear vision without any distortion
- Perfect definition of colors
- Made of Polycarbonate highly resistant to the impacts and chemical splashes
- Curved faceshield to cover the entire face and chin ensuring you of a total protection
- Meets CSA Z94.3-15 standards and ANSI Z87.1 requirements
- Meets ASTM F-2178-6 and NFPA 70E standards

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP919MGAF/60	9 1/2" x 20"	Polycarbonate	Green	0.060/1.5MM 12 CAL

# High Performance Faceshield Visors Windows

## ARC FLASH WINDOWS AND ACCESSORIES KITS

PART NO	DESCRIPTION
EPAFK01	"ARC FLASH" kit including: (1) headgear #EPHG700R and (1) visor #EP919MGAF/60 12 CAL
EPAFK04	"ARC FLASH" kit including: (1) hard hat #HP841R, (1) headgear #EPHG701R and (1) visor #EP919MGAF/60 12 CAL



EPAFK01

## WIRE MESH VISOR

*Faceshield for landscaping, forestry workers, pruners etc. Can be worn with any brackets or in combination with our hearing protectors.*

PART NO	DESCRIPTION
EPWM815	Wire mesh visor of 8" x 15 1/2"
EPPM815	Plastic mesh visor of 8" x 15 1/2"



**EPWM815**  
shown with EPB103  
on HP141R/02 hard hat

# Dyna-Star Full Graphic Welding Helmet

WITH DYNAMIC "SURE-LOCK" RATCHET SUSPENSION TO USE WITHOUT PROTECTIVE CAP



**EP209G10AD/C**

**FEATURES & BENEFITS**

- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Ratchet headgear suspension
- Choice of 3 different graphic styles: (A) Flame, (B) Face Off or (C) Volcano

PART NO	FRONT	LENS SHADE	LENS SIZE
EP209G10AD	Fixed	ADF, Shade #10	5.25" x 4.5"
EP209G913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"

# Dyna-Star Full Graphic Welding Helmet

TO USE WITH PROTECTIVE CAP



**EP4209G10AD/A**

**FEATURES & BENEFITS**

- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Include (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- Choice of 3 different graphic styles: (A) Flame, (B) Face Off or (C) Volcano

PART NO	FRONT	LENS SHADE	LENS SIZE
EP4209G10AD	Fixed	ADF, Shade #10	5.25" x 4.5"
EP4209G913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"



**EP4209G10AD/B**



# Dyna-Star Classic Welding Helmet

WITH DYNAMIC “SURE-LOCK” RATCHET SUSPENSION  
TO USE WITHOUT PROTECTIVE CAP



**EP209B10AD**

**FEATURES & BENEFITS**

- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Ratchet headgear suspension
- Available in black or silver color

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP209B10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Black
EP209S10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Silver
EP209B913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Black
EP209S913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Silver

# Dyna-Star Classic Welding Helmet

TO USE WITH PROTECTIVE CAP



**EP4209S10AD**

**FEATURES & BENEFITS**

- Thermoplastic welding helmet
- 5.25" x 4.5" fixed front
- Wide vision impulse auto darkening filter plus cover plate
- Include (1) EPHC01 “Cap Lock” kit complete with blades for slotted cap
- Available in black or silver color

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP4209B10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Black
EP4209S10AD	Fixed	ADF, Shade #10	5.25" x 4.5"	Silver
EP4209B913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Black
EP4209S913AD	Fixed	Variable, Shade #9 to 13	5.25" x 4.5"	Silver

# SuperTuff Black Basic Welding Helmet

WITH DYNAMIC "SURE-LOCK" RATCHET SUSPENSION TO USE WITHOUT PROTECTIVE CAP



**EP101**

**FEATURES & BENEFITS**

- Black thermoplastic welding helmet
- Ratchet headgear suspension
- 2" x 4.25" lift or fixed front or 4.5" x 5.25" fixed front
- Available in black color only

PART NO	FRONT	LENS SHADE	LENS SIZE
EP101	Fixed	Polycarbonate Shade #10	2" x 4.25"
EP101AD	Fixed	ADF, Shade #10	2" x 4.25"
EP106	Lift	Polycarbonate Shade #10	2" x 4.25"
EP109	Fixed	Polycarbonate Shade #10	4.5" x 5.25"



**EP109**

# SuperTuff Black Basic Welding Helmet

TO USE WITH PROTECTIVE CAP



**EP4106**

**FEATURES & BENEFITS**

- Black thermoplastic welding helmet
- Include (1) EPHC01 "Cap Lock" kit complete with blades for slotted cap
- 2" x 4.25" lift or fixed front or 4.5" x 5.25" fixed front
- Available in black color only

PART NO	FRONT	LENS SHADE	LENS SIZE
EP4101	Fixed	Polycarbonate Shade #10	2" x 4.25"
EP4101AD	Fixed	ADF, Shade #10	2" x 4.25"
EP4106	Lift	Polycarbonate Shade #10	2" x 4.25"
EP4109	Fixed	Polycarbonate Shade #10	4.5" x 5.25"

# Dyna-Weld Class II Welding Helmet

WITH DYNAMIC “SURE-LOCK” RATCHET SUSPENSION  
TO USE WITHOUT PROTECTIVE CAP



EP509

FEATURES & BENEFITS

- The only class II welding helmet on the market
- Made of black thermoplastic
- 2” x 4.25” lift or fixed front OR
- 5.25” x 4.5” lift or fixed front
- Also available with ADF filter plate
- Ratchet headgear suspension
- Available in black color only

PART NO	FRONT	LENS SHADE	LENS SIZE
EP501	Fixed	Polycarbonate Shade #10	2” x 4.25”
EP501AD	Fixed	ADF Shade #10	2” x 4.25”
EP506	Lift	Polycarbonate Shade #10	2” x 4.25”
EP509	Fixed	Polycarbonate Shade #10	4.5” x 5.25”
EP509AD	Fixed	ADF Shade #10	4.5” x 5.25”
EP509AD13	Fixed	ADF Shade #9-13	4.5” x 5.25”



# Dyna-Weld Class II Welding Helmet

TO USE WITH PROTECTIVE CAP

FEATURES & BENEFITS

- The only class II welding helmet on the market
- Made of black thermoplastic
- 2” x 4.25” lift or fixed front OR
- 5.25” x 4.5” lift or fixed front
- Also available with ADF filter plate
- Include (1) EPHC01 “Cap Lock” kit complete with blades for slotted cap
- Available in black color only



EP7101


PART NO	FRONT	LENS SHADE	LENS SIZE
EP7101	Fixed	Polycarbonate Shade #10	2” x 4.25”
EP7101AD	Fixed	ADF Shade #10	2” x 4.25”
EP7106	Lift	Polycarbonate Shade #10	2” x 4.25”
EP7109	Fixed	Polycarbonate Shade #10	4.5” x 5.25”
EP7109AD	Fixed	ADF Shade #10	4.5” x 5.25”
EP7109AD13	Fixed	ADF Shade #9-13	4.5” x 5.25”

# Welding Filter Lens and Cover Plates

Full line of filters, lens, cover plates and magnifiers. Includes top quality glass or plastic plates and lenses for virtually every metal fabrication application.



EP189



EP45P50




EP24P100



EP45CP50



EP24CP100



EP160



EP190

## MAGNIFIERS GLASS

PART NO	SIZE	DIOPTER
EP189/150	2" x 4.25"	1.5
EP189/175	2" x 4.25"	1.75
EP189/200	2" x 4.25"	2.00

## MAGNIFIERS POLYCARBONATE

PART NO	SIZE	DIOPTER
EP182/150	2" x 4.25"	1.5
EP182/175	2" x 4.25"	1.75
EP182/200	2" x 4.25"	2.00

## REPLACEMENT POLYCARBONATE FILTER PLATES

PART NO	SIZE	SHADE
EP24P100	2" x 4.25"	9, 10, 11 or 12
EP45P50	4.5" x 5.25"	9, 10, 11 or 12

## SAFETY COVER PLATES

PART NO	SIZE	MATERIAL TYPE
EP24CP100	2" x 4.25"	Polycarbonate
EP45CP50	4.5" x 5.25"	Polycarbonate

## AUTO DARKENING FILTER (ADF) CASSETTES

PART NO	SIZE	SHADE
EP160	2" x 4.25"	10
EP170	4.5" x 5.25"	10
EP190	4.5" x 5.25"	Variable, shade 9 to 13

# Faceshields / Headgear Compatibility

HEADGEAR MODELS	COMPATIBLE FACESHIELD VISORS
EPHG300 & EPHG300R	EP615/40, EP815/40, EP815/60, EP815P/40, EP815PG/40, EP815P/60, EP1015/40, EP1015/60, EP1015P/40, EP1015PG/40, EP1015P/60, EP816/40, EP816/60, EP816P/40, EP816PG/40, EP816P/60, EP815PF/40, EP815PFG/40, EP815PF/60, EP816PF/40, EP816PFG/40, EP816PF/60, EP815M/60, EP815MG/60, EP815MG3/60, EP815MG5/60, EP615PF/40, EP615PFG/40, EP815PFT/40, EP815PFT/60, EP815PFGT/40, EP815PFGT/60 & EP815MGAFT/60
EPHG400R, EPHG700R, EPHG401R & EPHG701R	EP615/40, EP815/40, EP815/60, EP815P/40, EP815PG/40, EP815P/60, EP1015/40, EP1015/60, EP1015P/40, EP1015PG/40, EP1015P/60, EP816/40, EP816/60, EP816P/40, EP816PG/40, EP816P/60, EP919/40, EP919/60, EP919P/40, EP919PG/40, EP919P/60, EP815PF/40, EP815PFG/40, EP815PF/60, EP816PF/40, EP816PFG/40, EP816PF/60, EP919PF/40, EP919PFG/40, EP919F/60, EP815M/60, EP815MG/60, EP815MG3/60, EP815MG5/60, EP919M/60, EP919MG/60, EP919MG3/60, EP919MG5/60, EP615PF/40, EP615PFG/40, EP815PFT/40, EP815PFT/60, EP815PFGT/40, EP815PFGT/60, EP919PFT/40, EP919PFT/60, EP919PFGT/40, EP919PFGT/60, EP919MGAF/60, EP919MGAFT/60 & EP815MGAFT/60
EPB101, EPB101VD, EPB101VDV, EPB102, EPB103, EPB201, EPB201VD & EPB301	EP615/40, EP815/40, EP815/60, EP815P/40, EP815PG/40, EP815P/60, EP1015/40, EP1015/60, EP1015P/40, EP1015PG/40, EP1015P/60, EP816/40, EP816/60, EP816P/40, EP816PG/40, EP816P/60, EP919/40, EP919/60, EP919P/40, EP919PG/40, EP919P/60, EP815PF/40, EP815PFG/40, EP815PF/60, EP816PF/40, EP816PFG/40, EP816PF/60, EP919PF/40, EP919PFG/40, EP919F/60, EP815M/60, EP815MG/60, EP815MG3/60, EP815MG5/60, EP919M/60, EP919MG/60, EP919MG3/60, EP919MG5/60, EP615PF/40, EP615PFG/40, EP815PFT/40, EP815PFT/60, EP815PFGT/40, EP815PFGT/60, EP919PFT/40, EP919PFT/60, EP919PFGT/40, EP919PFGT/60, EP919MGAF/60, EP919MGAFT/60 & EP815MGAFT/60
Earmuffs with EPB101, EPB101VD, EPB102 & EPB103	EP615/40, EP815/40, EP815/60, EP815P/40, EP815PG/40, EP815P/60, EP1015/40, EP1015/60, EP1015P/40, EP1015PG/40, EP1015P/60, EP816/40, EP816/60, EP816P/40, EP816PG/40, EP816P/60, EP815PF/40, EP815PFG/40, EP815PF/60, EP816PF/40, EP816PFG/40, EP816PF/60, EP815M/60, EP815MG/60, EP815MG3/60, EP815MG5/60, EP615PF/40, EP615PFG/40, EP815PFT/40, EP815PFT/60, EP815PFGT/40 & EP815PFGT/60



## SEE OUR OTHER SAFETY PRODUCTS



**Head Protection**



**Eye and Face Protection**



**Hearing Protection**



**Respiratory Protection**



**Fall Protection**



**First Aid Products**



**Traffic and High Visibility Products**



**Welding Face Shield**



**Product Identification**



### CANADA AND USA

**DSI Safety Inc. / Sécurité DSI Inc.**  
2477 Michelin Street, Laval, QC H7L 5B9  
T. (450) 687-7374 • F. (450) 687-2243  
[www.dsisafety.com](http://www.dsisafety.com)

### EUROPE

**Dynamic Safety Europe B.V.**  
Anodeweg 52 4338RA Middelburg, The Netherlands  
T+31 (0) 118 745760 • F+31 (0) 118 745769  
[www.dynamicsafety.eu](http://www.dynamicsafety.eu)

