



List 3770

WXL-CR-EDS, 2 Flute, Regular Length, Corner Radius

SPEED FEED P1174	CARBIDE	WXL	REG	30°	SHANK h6
---------------------	---------	-----	-----	-----	-------------

Milling Diameter Tolerance	
0.6≤D≤12	+0 / -0.02mm





Units: mm

EDP Number	Mill Dia.	Corner Radius	Overall Length	Length of Cut	Neck Length	Neck Dia.	Shank Dia.	Type
	D	R	L	Lc	L1	d2	d	
37700000	0.6	0.1	50	0.9	2.0	0.55	6	1
37700001	0.8	0.1	50	1.2	2.6	0.75	6	1
37700002	1.0	0.1	50	1.5	2.7	0.95	6	1
37700003	1.2	0.1	50	1.8	3.2	1.15	6	1
37700004	1.4	0.1	50	2.1	3.7	1.35	6	1
37700005	1.5	0.1	50	2.3	4.0	1.45	6	1
37700006	1.6	0.1	50	2.4	4.2	1.55	6	1
37700007	1.8	0.1	50	2.7	4.7	1.75	6	1
37700008	2.0	0.1	50	3.0	5.2	1.95	6	1
37700009	2.5	0.1	50	3.7	5.2	2.40	6	1
37700010	3.0	0.2	60	8.0	-	-	6	2
37700011	3.0	0.5	60	8.0	-	-	6	2
37700012	4.0	0.2	70	11.0	-	-	6	2
37700013	4.0	0.5	70	11.0	-	-	6	2
37700014	4.0	1.0	70	11.0	-	-	6	2
37700015	5.0	0.2	80	13.0	-	-	6	2
37700016	5.0	0.5	80	13.0	-	-	6	2
37700017	5.0	1.0	80	13.0	-	-	6	2
37700018	6.0	0.2	90	13.0	-	-	6	2

EDP Number	Mill Dia.	Corner Radius	Overall Length	Length of Cut	Neck Length	Neck Dia.	Shank Dia.	Type
	D	R	L	Lc	L1	d2	d	
37700019	6.0	0.5	90	13.0	-	-	6	2
37700020	6.0	1.0	90	13.0	-	-	6	2
37700021	6.0	1.5	90	13.0	-	-	6	2
37700022	6.0	2.0	90	13.0	-	-	6	2
37700023	8.0	0.5	100	19.0	-	-	8	2
37700024	8.0	1.0	100	19.0	-	-	8	2
37700025	8.0	1.5	100	19.0	-	-	8	2
37700026	8.0	2.0	100	19.0	-	-	8	2
37700027	10.0	0.5	100	22.0	-	-	10	2
37700028	10.0	1.0	100	22.0	-	-	10	2
37700029	10.0	1.5	100	22.0	-	-	10	2
37700030	10.0	2.0	100	22.0	-	-	10	2
37700031	10.0	3.0	100	22.0	-	-	10	2
37700032	12.0	0.5	110	26.0	-	-	12	2
37700033	12.0	1.0	110	26.0	-	-	12	2
37700034	12.0	1.5	110	26.0	-	-	12	2
37700035	12.0	2.0	110	26.0	-	-	12	2
37700036	12.0	3.0	110	26.0	-	-	12	2

Packed: 1 pc.
Available WXL® coating only.



OSG's Performance & Savings

Don't require ultra-high performance? Try HY-PRO® CARB - List HP432 or HP433 (p. 987-988 or 989)

List No.	Work Material																
	P					M			K	N		S		H			
	Carbon Steels			Alloy Steels	Die Steels	Stainless Steels			Cast Iron	Aluminum	Nickel Alloy	Titanium	Hardened Steels				
	Low	Med.	High	4140		300	400	17-4 PH		6061	Casting	Inconel	6Al4V (30 HRC)	~35 HRC	35-45 HRC	45-50 HRC	50-70 HRC
3770	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

good best

