



EXOCARB® WXS®

Ultra Premium Performance Carbide End Mills with OSG's Proprietary WXS® Coating

List 4590 WHILE SUPPLIES LAST

WXS-LN-EBD, 2 Flute, Stub Length, Long Neck, Ball End, Rib Processing

SPEED FEED P1190-1192	CARBIDE	WXS		STUB	30°	SHANK h6
--------------------------	---------	-----	--	------	-----	-------------

Milling Diameter Tolerance	
0.1 ≤ D < 6	+0 / -0.005mm
D = 6	+0 / -0.007mm



Units: mm

EDP Number	Mill Dia.	Overall Length	Length of Cut	Neck Length	Neck Dia.	Shank Dia.	Type
	D	L	Lc	L1	d2	d	
3050100	0.1	45	0.08	0.30	0.09	4	1
3050101	0.1	45	0.08	0.50	0.09	4	1
3050201	0.2	45	0.16	0.50	0.18	4	1
3049921	0.2	45	0.16	0.75	0.18	4	1
3050202	0.2	45	0.16	1.00	0.18	4	1
3049922	0.2	45	0.16	1.25	0.18	4	1
3050203	0.2	45	0.16	1.50	0.18	4	1
3049923	0.2	45	0.16	1.75	0.18	4	1
3050204	0.2	45	0.16	2.00	0.18	4	1
3050205	0.2	45	0.16	2.50	0.18	4	1
3050206	0.2	45	0.16	3.00	0.18	4	1
3050301	0.3	45	0.16	0.60	0.28	4	1
3050302	0.3	45	0.24	1.00	0.28	4	1
3049932	0.3	45	0.24	1.25	0.28	4	1
3050303	0.3	45	0.24	1.50	0.28	4	1
3049933	0.3	45	0.24	1.75	0.28	4	1
3050304	0.3	45	0.24	2.00	0.28	4	1
3049934	0.3	45	0.24	2.25	0.28	4	1
3050305	0.3	45	0.24	2.50	0.28	4	1
3050306	0.3	45	0.24	3.00	0.28	4	1
3050307	0.3	45	0.24	3.50	0.28	4	1
3050308	0.3	45	0.24	4.00	0.28	4	1
3050309	0.3	45	0.24	4.50	0.28	4	1
3050310	0.3	45	0.24	5.00	0.28	4	1
3050401	0.4	45	0.30	0.80	0.37	4	1
3050402	0.4	45	0.30	1.00	0.37	4	1
3050403	0.4	45	0.30	1.50	0.37	4	1
3050404	0.4	45	0.30	2.00	0.37	4	1
3050405	0.4	45	0.30	2.50	0.37	4	1
3050406	0.4	45	0.30	3.00	0.37	4	1
3050407	0.4	45	0.30	3.50	0.37	4	1
3050408	0.4	45	0.30	4.00	0.37	4	1
3050409	0.4	45	0.30	4.50	0.37	4	1
3050410	0.4	45	0.30	5.00	0.37	4	1
3050411	0.4	45	0.30	5.50	0.37	4	1
3050412	0.4	45	0.30	6.00	0.37	4	1
3050500	0.5	45	0.40	1.00	0.45	4	1
3050501	0.5	45	0.40	1.50	0.45	4	1
3050502	0.5	45	0.40	2.00	0.45	4	1
3049952	0.5	45	0.40	2.50	0.45	4	1
3050503	0.5	45	0.40	3.00	0.45	4	1
3049953	0.5	45	0.40	3.50	0.45	4	1
3050504	0.5	45	0.40	4.00	0.45	4	1
3049954	0.5	45	0.40	4.50	0.45	4	1
3050505	0.5	45	0.40	5.00	0.45	4	1
3049955	0.5	45	0.40	5.50	0.45	4	1
3050506	0.5	45	0.40	6.00	0.45	4	1
3050507	0.5	45	0.40	7.00	0.45	4	1
3050508	0.5	45	0.40	8.00	0.45	4	1
3050509	0.5	45	0.40	9.00	0.45	4	1

EDP Number	Mill Dia.	Overall Length	Length of Cut	Neck Length	Neck Dia.	Shank Dia.	Type
	D	L	Lc	L1	d2	d	
3050510	0.5	45	0.40	10.00	0.45	4	1
3050601	0.6	45	0.50	1.20	0.55	4	1
3050602	0.6	45	0.50	2.00	0.55	4	1
3049962	0.6	45	0.50	2.50	0.55	4	1
3050603	0.6	45	0.50	3.00	0.55	4	1
3049963	0.6	45	0.50	3.50	0.55	4	1
3050604	0.6	45	0.50	4.00	0.55	4	1
3049964	0.6	45	0.50	4.50	0.55	4	1
3050605	0.6	45	0.50	5.00	0.55	4	1
3049965	0.6	45	0.50	5.50	0.55	4	1
3050606	0.6	45	0.50	6.00	0.55	4	1
3049966	0.6	45	0.50	6.50	0.55	4	1
3050607	0.6	45	0.50	7.00	0.55	4	1
3049967	0.6	45	0.50	7.50	0.55	4	1
3050608	0.6	45	0.50	8.00	0.55	4	1
3049968	0.6	45	0.50	8.50	0.55	4	1
3050609	0.6	45	0.50	9.00	0.55	4	1
3049969	0.6	45	0.50	9.50	0.55	4	1
3050610	0.6	45	0.50	10.00	0.55	4	1
3050611	0.6	50	0.50	11.00	0.55	4	1
3050612	0.6	50	0.50	12.00	0.55	4	1
3050802	0.8	45	0.60	2.00	0.75	4	1
3050803	0.8	45	0.60	3.00	0.75	4	1
3050804	0.8	45	0.60	4.00	0.75	4	1
3050805	0.8	45	0.60	5.00	0.75	4	1
3050806	0.8	45	0.60	6.00	0.75	4	1
3050807	0.8	45	0.60	7.00	0.75	4	1
3050808	0.8	45	0.60	8.00	0.75	4	1
3050810	0.8	45	0.60	10.00	0.75	4	1
3050812	0.8	50	0.60	12.00	0.75	4	1
3051002	1.0	45	0.80	2.00	0.95	4	1
3051003	1.0	45	0.80	3.00	0.95	4	1
3051004	1.0	45	0.80	4.00	0.95	4	1
3051005	1.0	45	0.80	5.00	0.95	4	1
3051006	1.0	45	0.80	6.00	0.95	4	1
3051007	1.0	45	0.80	7.00	0.95	4	1
3051008	1.0	45	0.80	8.00	0.95	4	1
3051009	1.0	45	0.80	9.00	0.95	4	1
3051010	1.0	45	0.80	10.00	0.95	4	1
3051012	1.0	45	0.80	12.00	0.95	4	1
3051014	1.0	50	0.80	14.00	0.95	4	1
3051016	1.0	50	0.80	16.00	0.95	4	1
3051018	1.0	55	0.80	18.00	0.95	4	1
3051020	1.0	55	0.80	20.00	0.95	4	1
3051022	1.0	60	0.80	22.00	0.95	4	1
3051202	1.2	45	1.00	2.40	1.15	4	1
3051204	1.2	45	1.00	4.00	1.15	4	1
3051206	1.2	45	1.00	6.00	1.15	4	1
3051208	1.2	45	1.00	8.00	1.15	4	1
3051210	1.2	45	1.00	10.00	1.15	4	1

Packed: 1 pc.
Available WXS® coating only.

