

# Hearing Conservation Products

## Disposable Foam Earplugs

### 3M™ E-A-R™ Classic™

Product #	Abbreviated Description	NRR
310-1001	Uncorded, Pillow Pack	29 dB
310-1060	Uncorded, Pillow Pack, Retail Pack	
311-1101	Corded, Poly Bag	
312-1201	Uncorded, Poly Bag	
311-1081	Corded, Dispenser Box	
312-1082	Uncorded, Dispenser Box	



### 3M™ E-A-R™ Classic™ Small

Product #	Abbreviated Description	NRR
310-1103	Uncorded, Pillow Pack, Small	29 dB
311-1106	Corded, Poly Bag, Small	



### 3M™ E-A-Rsoft™ Grippers™

Product #	Abbreviated Description	NRR
312-6001	Corded, Poly Bag	31 dB



### 3M™ E-A-Rsoft™ SuperFit™

Product #	Abbreviated Description	NRR
312-1256	Uncorded, Poly Bag	33 dB
311-1254	Corded, Poly Bag	



### 3M™ E-A-Rsoft™ FX™

Product #	Abbreviated Description	NRR
312-1260, 312-1274	Corded, Poly Bag	33 dB
312-1261	Uncorded, Poly Bag	



### 3M™ E-A-R™ Classic™ Plus

Product #	Abbreviated Description	NRR
310-1101	Uncorded, Pillow Pack	33 dB
311-1105	Corded, Poly Bag	



### 3M™ E-A-Rsoft™ Yellow Neons™

Product #	Abbreviated Description	NRR
310-1250	Uncorded, Pillow Pack, Regular	33 dB
311-1251	Corded, Poly Bag, Large	
311-1250	Corded, Poly Bag, Regular	



### 3M™ E-A-Rsoft™ Yellow Neon Blasts™

Product #	Abbreviated Description	NRR
312-1252	Uncorded, Poly Bag	33 dB
311-1252, 311-1257	Corded, Poly Bag	



### 3M™ E-A-R™ E-Z-Fit™

Product #	Abbreviated Description	NRR
312-1208	Uncorded, Poly Bag	28 dB
312-1222	Corded, Poly Bag	



### 3M™ E-A-R™ TaperFit™ 2

Product #	Abbreviated Description	NRR
312-1219	Uncorded, Poly Bag, Regular	32 dB
312-1221	Uncorded, Poly Bag, Large	
312-1223	Corded, Poly Bag, Regular	
312-1224	Corded, Poly Bag, Large	



### 3M™ Foam Earplugs

Product #	Abbreviated Description	NRR
1100	Uncorded, Poly Bag	29 dB
1110	Corded, Poly Bag	



NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations. 3M PSD products are for occupational use only.

To learn more about managing a Hearing Conservation Program, visit [3M.com/CHC](http://3M.com/CHC)

## Push-to-Fit Earplugs

### 3M™ E-A-R™ Push-Ins™

Product #	Abbreviated Description	NRR
318-1000, 318-1002	Uncorded, Poly Bag	28 dB
318-1001, 318-1003	Corded, Poly Bag	
318-1004	Uncorded, Econopack	
318-1005	Corded, Econopack	



### 3M™ E-A-R™ Express™ Pod Plugs™

Product #	Abbreviated Description	NRR
311-1114	Corded, Pillow Pack, Blue Grips	25 dB
311-1115	Corded, Pillow Pack, Assorted Grips	
321-2200	Uncorded, Pillow Pack, Assorted Grips	
321-2100	Uncorded, Pillow Pack, Blue Grips	



### 3M™ E-A-R™ Push-Ins™ with Grip Rings

Product #	Abbreviated Description	NRR
318-1008	Uncorded, Poly Bag	30 dB
318-1009	Corded, Poly Bag	



### 3M™ Pistonz™

Product #	Abbreviated Description	NRR
P1400	Uncorded, Poly Bag	29 dB
P1401	Corded, Poly Bag	



### 3M™ E-A-R™ Push-Ins™ SofTouch™

Product #	Abbreviated Description	NRR
318-4001	Corded, Poly Bag	



### 3M™ No-Touch™

Product #	Abbreviated Description	NRR
P2000	Uncorded, Poly Bag	29 dB
P2001	Corded, Poly Bag	



### 3M™ E-A-R™ Flexible Fit

Product #	Abbreviated Description	NRR
328-1000	Uncorded, Poly bag	25 dB* or 30 dB*
328-1001	Corded, Poly bag	25 dB* or 30 dB*

\*Noise Reduction Rating (NRR) 25 dB for one-hand insertion and 30 dB for two-hand insertion.

### 3M™ Skull Screws™

Product #	Abbreviated Description	NRR
P1300	Uncorded, Poly Bag	32 dB
P1301	Corded, Poly Bag	



## Reusable Earplugs

### 3M™ E-A-R™ UltraFit™

Product #	Abbreviated Description	NRR
340-4001	Uncorded, Carrying Case	25 dB
340-4002	Corded, Carrying Case	
340-4003	Uncorded, Poly Bag	
340-4004	Corded, Poly Bag	
340-4014	Corded, Econopack	
340-4036	Natural Cotton Cord, Poly Bag	
VP340-4004	Corded, Vending Pack	



### 3M™ UltraFit™ Silicone

Product #	Abbreviated Description	NRR
340-3002	Corded, Carrying Case	25 dB



### 3M™ E-A-R™ UltraFit™ 27

Product #	Abbreviated Description	NRR
340-8001	Uncorded, Poly Bag	27 dB
340-8002	Corded, Poly Bag	



### 3M™ Tri-Flange™

Product #	Abbreviated Description	NRR
P3000	Vinyl Cord	26 dB
P3001	Cloth Cord	



## Metal Detectable Earplugs

### 3M™ E-A-Rsoft™ Yellow Neons™

Product #	Abbreviated Description	NRR
311-4106	Corded, Metal Detectable	32 dB
311-4110	Corded, Metal Detectable AV	
311-4109	SuperFit™, Corded, Metal Detectable	



### 3M™ E-A-R™ Express™ Pod Plugs™

Product #	Abbreviated Description	NRR
311-1127	Corded, Metal Detectable	25 dB



### 3M™ E-A-R™ Push-Ins™

Product #	Abbreviated Description	NRR
318-3000	Corded, Metal Detectable	28 dB



### 3M™ E-A-R™ UltraFit™

Product #	Abbreviated Description	NRR
340-4007	Corded, Metal Detectable	25 dB
340-4017	Corded, Metal Detectable, Econopack	



### 3M™ E-A-R™ Classic™ Plus

Product #	Abbreviated Description	NRR
311-4101	Corded, Metal Detectable	33 dB



NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations. 3M PSD products are for occupational use only.

# Earmuffs

## 3M™ PELTOR™ X1

Product #	Abbreviated Description	NRR
X1A	Over-the-Head Electrically Insulated	22 dB
X1P3E	Standard Hard Hat Attached	21 dB
X1P5E	Standard Hard Hat Attached Electrically Insulated	
X1P51E	Full Brim Hard Hat Attached Electrically Insulated	20 dB
X1B*	Behind-the-Head	22 dB



## 3M™ PELTOR™ Optime™ 101

Product #	Abbreviated Description	NRR
H7A	Over-the-Head	27 dB
H7B	Behind-the-Head	26 dB
H7P3E	Hard Hat Attached	24 dB



## 3M™ PELTOR™ X2

Product #	Abbreviated Description	NRR
X2A	Over-the-Head Electrically Insulated	24 dB
X2P3E	Standard Hard Hat Attached	
X2P5E	Standard Hard Hat Attached Electrically Insulated	
X2B*	Behind-the-Head	



## 3M™ PELTOR™ Optime™ 105

Product #	Abbreviated Description	NRR
H10A	Over-the-Head	30 dB
H10A HV	Over-the-Head, High-Viz	30 dB
H10B	Behind-the-Head	29 dB
H10P3E	Hard Hat Attached	27 dB



## 3M™ PELTOR™ X3

Product #	Abbreviated Description	NRR
X3A	Over-the-Head Electrically Insulated	28 dB
X3P3E	Standard Hard Hat Attached	25 dB
X3P5E	Standard Hard Hat Attached Electrically Insulated	25 dB
X3B*	Behind-the-Head	28 dB



## 3M™ PELTOR™ H31 Hi-Viz

Product #	Abbreviated Description	NRR
H31A	Over-the-Head	24 dB
H31P3E	Hard Hat Attached	23 dB



## 3M™ PELTOR™ Welding Earmuff

Product #	Abbreviated Description	NRR
H505B	Behind-the-Head	17 dB



## 3M™ PELTOR™ X4

Product #	Abbreviated Description	NRR
X4A	Over-the-Head Electrically Insulated	27 dB
X4P3E	Standard Hard Hat Attached	25 dB
X4P5E	Standard Hard Hat Attached Electrically Insulated	
X4P51E	Full Brim Hard Hat Attached Electrically Insulated	26 dB
X4B*	Behind-the-Head	27 dB



## 3M™ PELTOR™ X Series Hygiene Kits

Product #	Abbreviated Description
HYX1	For X1 Models
HYX2	For X2 Models
HYX3	For X3 Models
HYX4	For X4 Models
HYX5	For X5 Models



## 3M™ PELTOR™ X5

Product #	Abbreviated Description	NRR
X5A	Over-the-Head Electrically Insulated	31 dB
X5P3E	Standard Hard Hat Attached	
X5P5E	Standard Hard Hat Attached Electrically Insulated	
X5B*	Behind-the-Head	



## 3M™ PELTOR™ Optime™ Hygiene Kits

Product #	Abbreviated Description
HY52	For H9 and H31 Earmuffs
HY51	For H6 Earmuffs
HY7	For H7 Earmuffs
HY54	For H10 Earmuffs
HY505	For H505B Earmuffs



## 3M™ PELTOR™ Optime™ 95

Product #	Abbreviated Description	NRR
H6A/V	Over-the-Head	21 dB
H6B/V	Behind-the-Head	
H6F/V	Folding	
H6P3E/V	Hard Hat Attached	



## 3M™ PELTOR™ Optime™ 98

Product #	Abbreviated Description	NRR
H9A	Over-the-Head	25 dB
H9P3E	Hard Hat Attached	23 dB



\*Only available with some options

**WARNING:** These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

**NOTE:** 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations. 3M PSD products are for occupational use only.

## Banded Hearing Protectors

### 3M™ E-A-Rcaps™

Product #	Abbreviated Description	NRR
321-2101	Model 200	17 dB



### 3M™ E-A-R™ Caboflex™

Product #	Abbreviated Description
320-2001	Model 600 NRR 20 dB band worn under the chin NRR 17 dB band worn behind the head



### 3M™ E-A-Rflex™ 28 Pod Tips

Product #	Abbreviated Description
320-1001	Replacement tips for E-A-Rflex™ 28 and E-A-R™ Swerve™



### 3M™ E-A-Rflex™

Product #	Abbreviated Description	NRR
320-1000	E-A-Rflex™ 28	28 dB
350-1001	E-A-Rflex™ Foam Tips	25 dB
350-1100	E-A-Rflex™ Premolded Tips	27 dB*



\* NRR 24 dB when band worn over the head or behind the head (model 350-1100 only)

### 3M™ E-A-Rcaps™ Tips

Product #	Abbreviated Description
321-2103	Replacement tips for E-A-Rcaps™



### 3M™ E-A-R™ Caboflex™ Tips

Product #	Abbreviated Description
320-2004	Replacement tips for Caboflex™ Model 600



## Validation System

### 3M™ E-A-Rfit™ Dual-Ear Validation System

Product #	Abbreviated Description
393-1100	E-A-Rfit™ Dual-Ear Validation Kit



### 3M™ E-A-Rfit™ Dual-Ear Probed Test Plugs

Product #	Abbreviated Description
393-2000-50	E-A-Rsoft™ Yellow Neons™, Regular Size
393-2001-50	E-A-R™ UltraFit™
393-2002-50	E-A-R™ Push-Ins™
393-2003-50	E-A-R™ Classic™
393-2004-50	E-A-Rsoft™ FX™
393-2005-50	E-A-R™ E-Z-Fit™
393-2006-50	E-A-R™ TaperFit™ 2, Regular Size
393-2007-50	E-A-R™ Classic™ Small
393-2008-50	E-A-R™ Express™ Pod Plugs
393-2009-50	E-A-R™ Classic™ Plus
393-2010-50	3M™ Foam Earplug 1100

### 3M™ E-A-Rfit™ Dual-Ear Probed Test Cushions

Product #	Abbreviated Description
393-3001-2	PELTOR™ Earmuffs X1/X2 Probed Test Cushions
393-3003-2	PELTOR™ Earmuffs X3 Probed Test Cushions
393-3004-2	PELTOR™ Earmuff H10 Probed Test cushion
393-3005-2	PELTOR™ Earmuffs X4/X5 Probed Test Cushions

Product #	Abbreviated Description
393-2011-50	Tri-Flange™
393-2012-50	Skull Screws™
393-2013-50	No-Touch™
393-2014-50	E-A-Rsoft™ Yellow Neons™, Large Size
393-2015-50	E-A-R™ Push-Ins™ with Grip Rings
393-2017-50	UltraFit™ Silicone
393-2018S-50	Combat Arms™ 4.0 Small
393-2018M-50	Combat Arms™ 4.0 Medium
393-2018L-50	Combat Arms™ 4.0 Large
393-2020-50	E-A-Rcaps™
393-2021-50	E-A-Rsoft™ Grippers™
393-2026-50	E-A-R™ Flexible Fit

## Dispensers and Refills

### 3M™ One Touch™ Pro Earplug Dispenser & Refill Bottles

Product #	Abbreviated Description
391-0000	One Touch™ Pro Earplug Dispenser
391-1001	Classic™ Refill Bottle (NRR 29 dB)
391-1004	E-A-Rsoft™ Yellow Neons™, Regular Refill Bottle (NRR 33 dB)
391-1005	E-A-Rsoft™ Yellow Neons™, Large Refill Bottle (NRR 33 dB)



Product #	Abbreviated Description
391-1010	E-A-Rsoft™ Yellow Neon Blasts™ Refill Bottle (NRR 33 dB)
391-1254	E-A-Rsoft™ SuperFit™ Refill Bottle (NRR 33 dB)
391-1100	1100 Foam Earplug, Refill Bottle (NRR 29 dB)
391-1012	E-A-Rsoft™ FX™ One Touch™ Refill Bottle (NRR 33 dB)
391-0010	One Touch™ Pro Adapter Plate
391-0011	One Touch™ Replacement Mechanism

## Rapid Release Dispensing Boxes

Product #	Abbreviated Description
390-1250	E-A-Rsoft™ Yellow Neons™, Regular, Earplug Rapid Release Dispensing Box (NRR 33 dB)



Product #	Abbreviated Description
390-1262	E-A-Rsoft™ FX™ Earplug Rapid Release Dispensing Box (NRR 33 dB)



**3M Personal Safety Division**  
3M Center, Building 235-2NW-70  
St. Paul, MN 55144-1000  
3M.com/Hearing

#### For More Information

Technical Support 1-800-243-4630  
Customer Service 1-800-328-1667

**NOTE:** 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations. 3M PSD products are for occupational use only.

To learn more about managing a Hearing Conservation Program, visit [3M.com/CHC](http://3M.com/CHC)

© 3M 2021. 3M, the color yellow for earplugs, and all other trademarks used herein or hereon are trademarks of 3M Company used under license in Canada. PELTOR is a trademark of 3M Svenska AB, used under license in Canada.

Please recycle. Printed in USA.