

Use this number when searching for this item:

9057460095000

Drill, 9.5mm 7xD, RT 100 US, Carbide, nano-A, Coolant through



>> Item Info

>> Features

>> Suggested Materials

- Ti and Ti-alloys
- Magnesium
- Special Alloys

EDP #9057460095000Series5746Order Code9.500Coatingnano-ACoolant ThroughYesCutting DirectionRHDrilling Depth7xDMaterialCarbidePoint Angle140°ShankHATypeRT 100 USTolerancem7		
Order Code 9.500 Coating nano-A Coolant Through Yes Cutting Direction RH Drilling Depth 7xD Material Carbide Point Angle Shank HA Type RT 100 US	EDP#	9057460095000
Coating nano-A Coolant Through Yes Cutting Direction RH Drilling Depth 7xD Material Carbide Point Angle 140° Shank HA Type RT 100 US	Series	5746
Coolant Through Cutting Direction RH Drilling Depth 7xD Material Carbide Point Angle Shank HA Type RT 100 US	Order Code	9.500
Cutting DirectionRHDrilling Depth7xDMaterialCarbidePoint Angle140°ShankHATypeRT 100 US	Coating	nano-A
Drilling Depth7xDMaterialCarbidePoint Angle140°ShankHATypeRT 100 US	Coolant Through	Yes
Material Carbide Point Angle 140° Shank HA Type RT 100 US	Cutting Direction	RH
Point Angle Shank HA Type RT 100 US	Drilling Depth	7xD
Shank HA Type RT 100 US	Material	Carbide
Type RT 100 US	Point Angle	140°
71	Shank	HA
Tolerance m7	Туре	RT 100 US
	Tolerance	m7

>> Technical Specs



		Cut Ø	Cut Ø	Cut Ø	Cut Ø	Shank Ø	OAL	Flute Length	Drilling Depth	Drilling Depth	Shank Length		
EDP#	Code No.	d1	d1	d1	d1	d2	I1	12	tmax	tmax	13	Shank Type	Flutes
		mm	inch	frac.	wire / letter	mm	mm	mm	mm	inch	mm		
9057460095 000	9.500	9.500	0.3740			10.00	139.00	95.00	80.75	3.179	40.00	Straight	2



*** **DISCLAIMER:** Data on this PDF is subject to change at any time without notice.