




# List 574

CC-EMS, Multiple Flute, Regular Length

SPEED FEED P1295-1296	HSSE	TiCN	BR	REG	30°
--------------------------	------	------	----	-----	-----

Milling Diameter Tolerance	
1/8 ≤ D ≤ 1	+0.0011" / -0



Units: Inch

EDP Number		Mill Diameter	Overall Length	Length of Cut	Shank Diameter	Number of Flutes
Bright	TiCN	D	L	Lc	d	
5740100	5740108	1/8	2-5/16	3/8	3/8	4
5740200	5740208	5/32	2-3/8	7/16	3/8	4
5740300	5740308	3/16	2-3/8	1/2	3/8	4
5740400	5740408	7/32	2-7/16	9/16	3/8	4
5740500	5740508	1/4	2-7/16	5/8	3/8	4
5740600	5740608	9/32	2-1/2	11/16	3/8	4
5740700	5740708	5/16	2-1/2	3/4	3/8	4
5740800	5740808	11/32	2-1/2	3/4	3/8	4
5740900	5740908	3/8	2-1/2	3/4	3/8	4
5741000	5741008	13/32	2-11/16	1	3/8	4
5741100	5741108	7/16	2-11/16	1	3/8	4
5741200	5741208	15/32	3-1/4	1-1/4	1/2	4
5741400	5741408	1/2	3-1/4	1-1/4	1/2	4
5741500	5741508	17/32	3-3/8	1-3/8	1/2	4
5741600	5741608	9/16	3-3/8	1-3/8	1/2	4
5741700	5741708	19/32	3-3/8	1-3/8	1/2	4
5742300	5742308	5/8	3-3/4	1-5/8	5/8	4
5741900	5741908	21/32	3-5/8	1-5/8	1/2	4
5742000	5742008	11/16	3-5/8	1-5/8	1/2	4
5742400	5742408	11/16	3-3/4	1-5/8	5/8	4
5742100	5742108	23/32	3-5/8	1-5/8	1/2	4
5743200	5743208	3/4	3-7/8	1-5/8	3/4	4
5742600	5742608	25/32	4	1-7/8	5/8	6
5742700	5742708	13/16	4	1-7/8	5/8	6
5742800	5742808	27/32	4	1-7/8	5/8	6
5743700	5743708	7/8	4-1/8	1-7/8	7/8	6
5743400	5743408	29/32	4-1/8	1-7/8	3/4	4
5743000	5743008	15/16	4	1-7/8	5/8	4
5743500	5743508	31/32	4-1/8	1-7/8	3/4	4
5743900	5743908	1	4-1/2	2	1	4

Packed: 1 pc.  
EDP's listed above are stocked standard, other coatings available upon request.  
Specify treatment at time of order.



### HY-PRO® V ADVANTAGE

HY-PRO® V End Mills are made from premium HSSE-V3 (3% Vanadium) high speed steel for increased toughness and tool life. Available with TiCN coating for increased wear resistance when machining abrasive materials. With no cobalt content, HY-PRO® V End Mills are environmentally safe when reground.

### Work Material

List No.	P						M			K	N		S	H				
	Carbon Steels			Alloy Steels	Die Steels	Stainless Steels			Cast Iron	Aluminum		Nickel Alloy	Titanium	Hardened Steels				
	Low	Med.	High			300	400	17-4 PH		6061 7075	Casting			Inconel	6Al4V (30 HRC)	~35 HRC	35-45 HRC	45-50 HRC
574	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

good  best

