
Mats & Rugs

BradyID.com/s35



SIR Sorbent Industrial Rug

- Designed for moderate traffic areas and workstations where there's a need for clean and safe work floors and walkways.
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Durable, needle-punched polypropylene fibers for moderate traffic areas (1-ply)
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Gray Color: Masks spills reducing the urge to replace absorbents before fully saturated

Features:

- Oils, Coolants, Solvents and Water-based Fluids • Needle-punched polypropylene (1-Ply)
- Low Linting · Heavy Weight
- Cost: \$ \$

Recommended For:

High Durability

- · Vehicles repair and service
- · Warehouse and container terminal
- Surface protection during renovation
- Marine spills/wildlife preservation

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Rolls								
SIR36	Heavy Wt. Rug	36"x300'	No	8.5	59	50	12	1/bale
SIR36150	Heavy Wt. Rug	36"x150'	No	12.5	45	25	18	1/bale



Rag Rug Matting

- Eco-friendly absorbent matting made from recycled cotton and polyester fibers
- Universal absorbency to handle most fluids (water-based and petroleum-based)
- · Economy rug provides good footing, masks dirt and absorbs spills
- Ideal for maintenance, repair and industrial environments
- Eco-Friendly: Supports corporate sustainability and LEED initiatives

Features:

Medium Durability

Recommended For:

- Oils, Coolants, Solvents and Water-based Fluids • Recycled fibers (1-Ply)
- High Linting
 - Cost: \$

 - Heavy Weight



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RAG1818	Heavy Wt. Pads	18"x18"	No	9	38	32	24	50/case
Rolls								
RAG36150	Heavy Wt. Rug	36"x150'	No	9	55	47	6	1/bale
RAG24150	Heavy Wt. Rug	24"X150	No	9	37	52	12	1/bale

· Ideal for high traffic industrial applications and in workstations · Premium surface protection during renovation work