



Exceptional
Workplaces

Product Data Sheet for JACKSON SAFETY* G35 Nylon Gloves - 24cm Ambidextrous / White

Product Information

Customer Facing Code	38716 - 38720
Description	JACKSON SAFETY* G35 Nylon Gloves - 24cm Ambidextrous / White
PDS Reference	14/10/2015
Status	On Sale



Packaging Configuration

Case Contents	10 Bags x 12 Pairs = 240 Gloves
Outer Pack Material	Paper
Commodity Code	61169300

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet
38716-XS	05027375046629	036000387162	48.3 x 25.4 x 25.4	2.7/3.26	E5	1.20 x 0.80 x 1.17	6 x 4 =24
38717-S	05027375046636	036000387179	29.5275 x 29.5275 x 22.86	2.7/3.34	E5	1.20 x 0.80 x 1.29	8 x 5 =40
38718-M	05027375046643	036000387186	29.5275 x 29.5275 x 22.86	2.7/3.34	E5	1.20 x 0.80 x 1.29	8 x 5 =40
38719-L	05027375046650	036000387193	29.5275 x 29.5275 x 22.86	2.7/3.27	E5	1.20 x 0.80 x 1.29	8 x 5 =40
38720-XL	05027375046667	036000387209	28.3 x 25.4 x 25.4	2.7/3.27	E5	1.20 x 0.80 x 1.17	6 x 4 =24

Product Description

General purpose 100% white nylon glove, PPE Category I.

Ideal for Automotive and Aerospace Segments for tasks requiring low linting and silicone free features to avoid reworking. It is also ideal for other segments where product and process protection is needed. The seamless knit shell eliminates the risk of skin irritations and increases breathability and comfort.

Available as : ambidextrous to increase efficiency, five sizes with different coloured yarn on cuffs to help size identification; double bagged to avoid silicone contamination.

Product Data Sheet for JACKSON SAFETY* G35 Nylon Gloves - 24cm Ambidextrous / White

Features and Benefits

Features	Benefits
100% White Nylon	Linting reduction and increased comfort for the worker
Ambidextrous	Cost in use
Coloured yarn on cuff	Colour coding for different sizes
Low Linting	Product and process protection avoiding rework costs
PPE Cat 1 CE Simple	Consistency and reliability
Seamless knit shell	Eliminates irritations due to the presence of seams and increases breathability
Silicone free on product contact area	Product and process protection avoiding rework costs especially in Automotive and Aviation Segments

Product Configuration

Sterile	No	Latex Free	Yes
Silicone Free	Yes, on product contact area	Main Protection Type	CE Simple
Application	Industrial	Ambidextrous	Yes
Powdered	No	Material	100% White Nylon
Coated	No	Liner	Seamless Knit Shell
Coating	No	Colour	White
Gauge	15	Length	210 - 250 mm

International Standards and Symbols

Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III



Trade

ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



ISO 9001:2008

Packaging

Unit Of Sale	Case	Max Weight(kg)	3.6
Case Dimension(LXWXH)(cm)	28.3 x 25.4 x 25.4	Inner Pack Material	Paper

Product Data Sheet for JACKSON SAFETY* G35 Nylon Gloves - 24cm Ambidextrous / White

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.



Protect from heat and radioactive sources.



Keep Dry. Store in a cool, dry place.



Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Infobox Details

infofax@kcc.com

Websites

www.kcprofessional.co.uk

Storage conditions

Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.

Durability

This product has a five years shelf life from the date of manufacture.

Customer Service Number

For more information please contact Customer Service during regular office hours-0870 551 044

Country of Origin

SRI LANKA