# LPS

# SAFETY DATA SHEET

## 1. Identification

Product identifier LPS® Belt Dressing

Other means of identification

Part Number 02216

**Recommended use**A non-chlorinated, non-drying, water resistant spray dressing for extending the life of rubber drive

belts by improving traction and allowing runs under reduced belt tension.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer

Company name ITW Pro Brands
Address 4647 Hugh Howell Rd.
Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300 (inside U.S.)

+001 703-527-3887 (outside U.S.)

Website www.lpslabs.com

E-mail lpssds@itwprobrands.com

## 2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Gases under pressure Liquefied gas

Skin corrosion/irritation Category 2

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

**Health hazards** 



Signal word Danger

Hazard statement Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin

irritation. May cause drowsiness or dizziness.

**Precautionary statement** 

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or

in a well-ventilated area. Wear protective gloves.

**Response** IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it

before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/doctor if you feel unwell.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a

well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** Not applicable.

Material name: LPS® Belt Dressing
02216 Version #: 01 Issue date: 08-10-2015

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name                             | Common name and synonyms | CAS number | %       |
|-------------------------------------------|--------------------------|------------|---------|
| Heptane                                   |                          | 142-82-5   | 40 - 50 |
| Petroleum Gases, Liquefied,<br>Sweetened  |                          | 68476-86-8 | 40 - 50 |
| Polybutene (Isobutylene/butene copolymer) |                          | 9003-29-6  | 1 - 10  |

## 4. First-aid measures

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, Inhalation

give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.

Wash off immediately with soap and plenty of water while removing all contaminated clothes and Skin contact

shoes. If skin irritation occurs: Get medical advice/attention.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause drowsiness or symptoms/effects, acute and delayed

dizziness. Narcosis. Decrease in motor functions. Behavioral changes. Irritant effects. May cause redness and pain. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

General information IF exposed or concerned: Get medical advice/attention.

## 5. Fire-fighting measures

Suitable extinguishing media Dry chemical powder, Water Spray or Fog. Foam, Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Pressurized container may explode when exposed to heat or flame.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Containers should be cooled with water to prevent vapor pressure build up.

Specific methods Move containers from fire area if you can do so without risk.

General fire hazards Extremely flammable aerosol.

## Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. Do not touch or walk through spilled material. Avoid breathing gas. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop the flow of material, if this is without risk. Isolate area until gas has dispersed. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Collect spillage.

**Environmental precautions** 

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment.

Material name: LPS® Belt Dressing 02216 Version #: 01 Issue date: 08-10-2015

## 7. Handling and storage

#### Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Use non-sparking tools and explosion-proof equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Provide adequate ventilation. Avoid contact with skin. Avoid contact with eyes. Avoid contact with clothing. Wear appropriate personal protective equipment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Keep in an area equipped with sprinklers. Store in a place accessible by authorized persons only. Keep away from heat, sparks and open flame. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

V-1--

# 8. Exposure controls/personal protection

## Occupational exposure limits

| Components                             | Туре          | Value      |   |
|----------------------------------------|---------------|------------|---|
| Heptane (CAS 142-82-5)                 | PEL           | 2000 mg/m3 |   |
|                                        |               | 500 ppm    |   |
| <b>US. ACGIH Threshold Limit Value</b> | es            |            |   |
| Components                             | Туре          | Value      |   |
| Heptane (CAS 142-82-5)                 | STEL          | 500 ppm    |   |
|                                        | TWA           | 400 ppm    |   |
| US. NIOSH: Pocket Guide to Che         | mical Hazards |            |   |
| Components                             | Туре          | Value      |   |
| Heptane (CAS 142-82-5)                 | Ceiling       | 1800 mg/m3 | _ |
|                                        |               | 440 ppm    |   |
|                                        | TWA           | 350 mg/m3  |   |
|                                        |               | 85 ppm     |   |

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Hand protection Chemical resistant gloves are recommended. Glove selection must take into account any solvents

and other hazards present.

Other Chemical resistant gloves.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards None known.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance Liquid.
Physical state Gas.
Form Aerosol.

Color Clear, Colorless
Odor Hydrocarbon-like.
Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling

195.8 °F (91 °C) (concentrate)

range

Flash point 19.4 °F (-7.0 °C) Tag Closed Cup

Evaporation rate > 1 BuAc
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

0.6 % estimated

(%)

Flammability limit - upper

7 % estimated

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 0 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 5.74 lbs/gal
Heat of combustion > 30 kJ/g
Percent volatile 90 %

**Specific gravity** 0.67 - 0.69 @ 20 °C

VOC (Weight %) 90 % per U.S. State and Federal Consumer Product Regulations

**CARB** 

10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid high temperatures. Aerosol containers are unstable at temperatures above 50°C. Contact

with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition At

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Direct contact with eyes may cause temporary irritation.

Material name: LPS® Belt Dressing

**Ingestion** May be harmful if swallowed and enters airways. However, ingestion is not likely to be a primary

route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Behavioral changes. Decrease in motor functions. Irritant effects. Symptoms may include stinging,

tearing, redness, swelling, and blurred vision. Defatting of the skin.

#### Information on toxicological effects

| Acute toxicity | Narcotic effects. |
|----------------|-------------------|
|----------------|-------------------|

| Components                        | Species                                               | Test Results           |
|-----------------------------------|-------------------------------------------------------|------------------------|
| Heptane (CAS 142-82-5)            |                                                       |                        |
| Acute                             |                                                       |                        |
| Dermal                            |                                                       |                        |
| LD50                              | Rabbit                                                | > 2000 mg/kg, 24 Hours |
| Inhalation                        |                                                       |                        |
| LC50                              | Rat                                                   | > 29.29 mg/l, 4 Hours  |
| LD50                              | Mouse                                                 | 75 mg/l, 2 Hours       |
| Oral                              |                                                       |                        |
| LD50                              | Rat                                                   | > 5000 mg/kg           |
| Petroleum Gases, Liquefied, Swee  | tened (CAS 68476-86-8)                                |                        |
| Acute                             |                                                       |                        |
| Inhalation                        |                                                       |                        |
| LC50                              | Mouse                                                 | 1237 mg/l, 120 Minutes |
|                                   |                                                       | 52 %, 120 Minutes      |
|                                   | Rat                                                   | 1355 mg/l              |
| Polybutene (Isobutylene/butene co | polymer) (CAS 9003-29-6)                              |                        |
| Acute                             |                                                       |                        |
| Dermal                            |                                                       |                        |
| LD50                              | Rat                                                   | > 2000 mg/kg, 24 Hours |
| Inhalation                        |                                                       |                        |
| LC50                              | Rat                                                   | > 19171 mg/m3          |
|                                   |                                                       | > 4185 ppm             |
|                                   |                                                       | > 3.8 mg/l, 7 Hours    |
| Oral                              |                                                       |                        |
| LD50                              | Rat                                                   | > 2000 mg/kg           |
| Skin corrosion/irritation         | Causes skin irritation.                               |                        |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritati | on.                    |
| Respiratory or skin sensitization |                                                       |                        |

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Narcotic effects.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** May be harmful if swallowed and enters airways. Not likely, due to the form of the product.

**Chronic effects** May cause damage to organs through prolonged or repeated exposure.

Further information None known.

Material name: LPS® Belt Dressing
02216 Version #: 01 Issue date: 08-10-2015

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Components Species Test Results

Heptane (CAS 142-82-5)

Aquatic

Fish LC50 Mozambique tilapia (Tilapia 375 mg/l, 96 hours

mossambica)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

LPS® Belt Dressing 3.2 Heptane 4.66

Mobility in soil No data available.

Other adverse effects None known.

## 13. Disposal considerations

**Disposal instructions**Dispose of this material and its container to hazardous or special waste collection point. Incinerate

the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not discharge into drains, water courses or onto the ground. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code D001: Waste Flammable material with a flash point <140 F

D003: Waste Reactive material

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. Avoid discharge into water courses or onto the ground. Dispose

of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

UN number UN1950

**UN proper shipping name** Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging exceptions306Packaging non bulkNonePackaging bulkNone

**IATA** 

**UN number** UN1950

**UN proper shipping name** Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -

Packing group Not applicable.

**Environmental hazards** No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only Allowed.

## **IMDG**

UN number UN1950

**UN proper shipping name** AEROSOLS, flammable, (Heptane)

Transport hazard class(es)

Class 2 Subsidiary risk -

Packing group Not applicable.

**Environmental hazards** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA; IMDG



Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

## SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

#### **US - California Candidate Chemicals: Listed**

Petroleum Gases, Liquefied, Sweetened (CAS 68476-86-8)

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

Heptane (CAS 142-82-5)

## US. New Jersey Worker and Community Right-to-Know Act

Heptane (CAS 142-82-5)

## US. Pennsylvania Worker and Community Right-to-Know Law

Heptane (CAS 142-82-5)

## **US. Rhode Island RTK**

Not regulated.

## **US.** California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

| Country(s) or region        | Inventory name On in                                                   | ventory (yes/no)* |
|-----------------------------|------------------------------------------------------------------------|-------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes               |
| Canada                      | Domestic Substances List (DSL)                                         | Yes               |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes               |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                |
| Korea                       | Existing Chemicals List (ECL)                                          | Yes               |
| New Zealand                 | New Zealand Inventory                                                  | Yes               |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes               |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes               |
|                             |                                                                        |                   |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 08-10-2015

Version # 01

Further information HMIS® is a registered trade and service mark of the NPCA.

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision Information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: LPS® Belt Dressing