

Revision Number: 002.1 Issue date: 06/26/2015

### 1. PRODUCT AND COMPANY IDENTIFICATION

246 Threadlocker Medium Strength IDH number: Product name: Product type: Anaerobic Adhesive Item number:

Restriction of Use: None identified Company address: Henkel Corporation

One Henkel Way

Rocky Hill, Connecticut 06067

196508 29513 Region: **United States** 

**Contact information:** Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

### 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER: COMBUSTIBLE LIQUID.

CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

TOXIC IF INHALED.

| HAZARD CLASS              | HAZARD CATEGORY |
|---------------------------|-----------------|
| FLAMMABLE LIQUID          | 4               |
| ACUTE TOXICITY INHALATION | 3               |
| SKIN IRRITATION           | 2               |
| EYE IRRITATION            | 2A              |
| SKIN SENSITIZATION        | 1               |





#### **Precautionary Statements**

Prevention: Keep away from heat, sparks, open flames, hot surfaces - no smoking. Avoid breathing vapors,

mist, or spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective

gloves, eye protection, and face protection.

Response: IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing. In case of fire: Use foam, dry chemical or carbon dioxide to

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Storage:

Keep cool. Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)            | CAS Number  | Percentage* |  |
|-----------------------------------|-------------|-------------|--|
| Silsesquioxanes                   | Proprietary | 30 - 60     |  |
| Hydroxyalkyl methacrylate         | 27813-02-1  | 5 - 10      |  |
| Resin                             | Proprietary | 5 - 10      |  |
| Dimethacrylate ester              | Proprietary | 1 - 5       |  |
| Silica, amorphous, treated        | 68909-20-6  | 1 - 5       |  |
| Ethene, tetrafluoro-, homopolymer | 9002-84-0   | 1 - 5       |  |
| Cumene hydroperoxide              | 80-15-9     | 1 - 5       |  |
| Saccharin                         | 81-07-2     | 1 - 5       |  |
| Polyglycol dimethacrylate         | Proprietary | 1 - 5       |  |
| Propane-1,2-diol                  | 57-55-6     | 0.1 - 1     |  |
| 1-Acetyl-2-phenylhydrazine        | 114-83-0    | 0.1 - 1     |  |
| Cumene                            | 98-82-8     | 0.1 - 1     |  |
| Methacrylic acid                  | 79-41-4     | 0.1 - 1     |  |

<sup>\*</sup> Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

# 4. FIRST AID MEASURES

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove

contaminated clothing and footwear. Wash clothing before reuse. Get medical

attention.

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person. Get medical

attention.

Symptoms: See Section 11.

### 5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. In case of fire, keep containers cool with water spray.

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in

explosions or rupture of storage containers.

Hazardous combustion products: Oxides of nitrogen. Oxides of carbon. Irritating organic vapours.

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Do not allow product to enter sewer or waterways.

Clean-up methods: Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to

prevent entry into water system; wear full protective equipment during cleanup. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up as much material as possible. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure

Controls / Personal Protection" prior to clean up.

## 7. HANDLING AND STORAGE

Handling: Use only with adequate ventilation. Prevent contact with eyes, skin and

clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Keep container closed. Refer to Section 8.

Storage: For safe storage, store at or below 38 °C (100.4 °F)

Keep in a cool, well ventilated area away from heat, sparks and open flame.

Keep container tightly closed until ready for use.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)            | ACGIH TLV                       | OSHA PEL                            | AIHA WEEL                        | OTHER   |
|-----------------------------------|---------------------------------|-------------------------------------|----------------------------------|---|
| Silsesquioxanes                   | None                            | None                                | None                             | None  |
| Hydroxyalkyl methacrylate         | None                            | None                                | None                             | 1 ppm TWA<br>3 ppm STEL                                   |
| Resin                             | None                            | None                                | None                             | None  |
| Dimethacrylate ester              | None                            | None                                | None                             | None  |
| Silica, amorphous, treated        | 10 mg/m3 TWA<br>Inhalable dust. | 6 mg/m3 TWA                         | None                             | None  |
| Ethene, tetrafluoro-, homopolymer | None                            | None                                | None                             | 10 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction. |
| Cumene hydroperoxide              | None                            | None                                | 1 ppm (6 mg/m3)<br>TWA<br>(SKIN) | None  |
| Saccharin                         | None                            | None                                | None                             | None  |
| Polyglycol dimethacrylate         | None                            | None                                | None                             | None  |
| Propane-1,2-diol                  | None                            | None                                | 10 mg/m3 TWA<br>Aerosol.         | None  |
| 1-Acetyl-2-phenylhydrazine        | None                            | None                                | None                             | None  |
| Cumene                            | 50 ppm TWA                      | 50 ppm (245 mg/m3)<br>PEL<br>(SKIN) | None                             | None  |
| Methacrylic acid                  | 20 ppm TWA                      | None                                | None                             | None  |

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

IDH number: 196508 Product name: 246 Threadlocker Medium Strength

Eye/face protection: Safety goggles or safety glasses with side shields. Full face protection should

be used if the potential for splashing or spraying of product exists. Safety

showers and eye wash stations should be available.

**Skin protection:**Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact. Neoprene gloves. Nitrile gloves.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Color: Blue
Odor: Mild

Odor threshold: Not available. pH: Not applicable

 Vapor pressure:
 < 5 mm hg (80 °F (26.7 °C))</td>

 Boiling point/range:
 > 300 °F (> 148.9 °C) None

Melting point/ range: Not available.

Specific gravity: 1.1

Vapor density: Not available. Flash point: 80 °C (176°F) Flammable/Explosive limits - lower: Not available. Flammable/Explosive limits - upper: Not available. Autoignition temperature: Not available. Evaporation rate: Not available. Solubility in water: Slight Partition coefficient (n-octanol/water): Not available.

VOC content: 2.11 % (California SCAQMD Method 316B) (Estimated)

 Viscosity:
 Not available.

 Decomposition temperature:
 Not available.

### 10. STABILITY AND REACTIVITY

**Stability**: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing. Polymerization may occur at elevated temperature or in the

presence of incompatible materials.

Hazardous decomposition

products:

Oxides of nitrogen. Oxides of carbon. Irritating organic vapours.

Incompatible materials: Strong oxidizing agents.

Reactivity: Not available.

Conditions to avoid: Elevated temperatures. Heat, flames, sparks and other sources of ignition. Store away from

incompatible materials.

### 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

## Potential Health Effects/Symptoms

Inhalation: Toxic by inhalation. Inhalation of vapors or mists of the product may be irritating to the

respiratory system.

Causes skin irritation. May cause allergic skin reaction. Causes serious eye irritation. Skin contact:

Eye contact:

May cause gastrointestinal tract irritation if swallowed. Ingestion:

| Hazardous Component(s)            | LD50s and LC50s   | Immediate and Delayed Health Effects                               |  |
|-----------------------------------|---|--|--|
| Silsesquioxanes                   | None  | Allergen, Irritant   |  |
| Hydroxyalkyl methacrylate         | None  | Irritant, Allergen   |  |
| Resin                             | None  | No Target Organs   |  |
| Dimethacrylate ester              | None  | Irritant, Allergen   |  |
| Silica, amorphous, treated        | None  | No Target Organs   |  |
| Ethene, tetrafluoro-, homopolymer | None  | No Target Organs   |  |
| Cumene hydroperoxide              | None  | Allergen, Central nervous system, Corrosive<br>Irritant, Mutagen   |  |
| Saccharin                         | None  | No Target Organs   |  |
| Polyglycol dimethacrylate         | None  | Allergen, Irritant   |  |
| Propane-1,2-diol                  | Oral LD50 (RABBIT) = 18 g/kg<br>Oral LD50 (RAT) = 30 g/kg   | Irritant   |  |
| 1-Acetyl-2-phenylhydrazine        | None  | Allergen, Blood, Kidney, Mutagen, Some evidence of carcinogenicity |  |
| Cumene                            | Oral LD50 (RAT) = 2.91 g/kg<br>Oral LD50 (RAT) = 1,400 mg/kg<br>Inhalation LC50 (RAT, 4 h) = 8000 ppm   | Central nervous system, Irritant, Lung                             |  |
| Methacrylic acid                  | Oral LD50 (RABBIT) = 1,200 mg/kg Oral LD50 (RAT) = 1,060 mg/kg Oral LD50 (RAT) = 2,224 mg/kg Dermal LD50 (RABBIT) = 500 mg/kg Inhalation LC50 (RAT, 4 h) = 7.1 mg/l | Corrosive, Irritant, Allergen                                      |  |

| Hazardous Component(s)            | NTP Carcinogen                                   | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|-----------------------------------|--|-----------------|--|
| Silsesquioxanes                   | No   | No              | No                                       |
| Hydroxyalkyl methacrylate         | No   | No              | No                                       |
| Resin                             | No   | No              | No                                       |
| Dimethacrylate ester              | No   | No              | No                                       |
| Silica, amorphous, treated        | No   | No              | No                                       |
| Ethene, tetrafluoro-, homopolymer | No   | No              | No                                       |
| Cumene hydroperoxide              | No   | No              | No                                       |
| Saccharin                         | No   | No              | No                                       |
| Polyglycol dimethacrylate         | No   | No              | No                                       |
| Propane-1,2-diol                  | No   | No              | No                                       |
| 1-Acetyl-2-phenylhydrazine        | No   | No              | No                                       |
| Cumene                            | Reasonably Anticipated to be a Human Carcinogen. | Group 2B        | No                                       |
| Methacrylic acid                  | No   | No              | No                                       |

# 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number: Not a RCRA hazardous waste.

#### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: RQ, Environmentally hazardous substances, liquid, n.o.s.

Hazard class or division: 9
Identification number: UN 3082
Packing group: III

**DOT Hazardous Substance(s):** alpha,alpha-Dimethylbenzylhydroperoxide

International Air Transportation (ICAO/IATA)

**Proper shipping name:** Environmentally hazardous substance, liquid, n.o.s.

Hazard class or division: 9
Identification number: UN 3082
Packing group: III

Water Transportation (IMO/IMDG)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard class or division: 9
Identification number: UN 3082

Packing group:

### 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

**TSCA 12 (b) Export Notification:** Ethene, tetrafluoro-, homopolymer (CAS# 9002-84-0).

CERCLA/SARA Section 302 EHS: None above reporting de minimis CERCLA/SARA Section 311/312: Delayed Health, Immediate Health

CERCLA/SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Cumene hydroperoxide (CAS# 80-15-9). Saccharin (CAS# 81-07-2).

CERCLA Reportable quantity: Cumene hydroperoxide (CAS# 80-15-9) 10 lbs. (4.54 kg)

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

**Canada Regulatory Information** 

CEPA DSL/NDSL Status: Contains one or more components listed on the Non-Domestic Substances List. All other

components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities.

Please contact Regulatory Affairs for additional details.

### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format. 11

Prepared by: Sheila Gines, Regulatory Affairs Specialist

**Issue date:** 06/26/2015

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 196508 Product name: 246 Threadlocker Medium Strength