



**MCR
SAFETY**

**CCIT
FR Gear**

Specification Sheet

PRODUCT DESCRIPTION:

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The CC1 Coverall features a comfortable 100% cotton material that meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee. **Available in Regular and Tall Sizing, Tan, Navy, Royal Blue, Red & Gray.**



FEATURES:

- Available in Regular and Tall Sizing, Tan, Navy, Royal Blue, Red & Gray.
- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard/Risk Cat HRC2/9.3 cal/cm²
- Max Comfort™ 7 oz. 100% cotton FR twill fabric
- Two needle reinforced stitching on major seams for durability
- Heavy needle reinforced stitching on major seams for durability
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets, left pocket with pen tunnel
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets
- Bi-swing action back gussets for ease of movement and comfort
- Tool pocket on right leg
- Adjustable snap closure on cuff of sleeves and legs
- All snaps have reinforcement strips

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2018 MCR Safety - All Rights Reserved



MCR
SAFETY

CC1T
FR Gear

Specification Sheet

APPLICATIONS:

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking,
Mining

TECHNICAL DATA FOR: CC1T38

| | | | |
|------------------------|---|-----------------------------|--------------------------------|
| Series | Max Comfort | Front Closure | YKK 2-Way Zipper & Triple Snap |
| Category | FR Gear | NFPA 2112 Cert. | Yes |
| Color | Tan | NFPA 70E Cert. | Yes |
| Material | Flame Resistant, 100% Cotton - Max Comfort | ASTM 1930 Cert. | Yes |
| Material Weight | 7.0 oz. | ASTM F1506 Cert. | Yes |
| Components | 1 pc Coverall | Hazard Risk Category | HRC2 |
| Flame Resistant | Flame Resistant | | |

| Item No: | Chest | Sleeve | Back Length | Waist | Inseam | Color | Case Weight |
|----------|-------|--------|-------------|-------|--------|-------|-------------|
| CC1T34 | 34 | N/A | N/A | N/A | 30 | Tan | 18.660 |
| CC1T36T | 36 | N/A | N/A | N/A | 32 | Tan | 19.890 |
| CC1T36 | 36 | N/A | N/A | N/A | 30 | Tan | 19.370 |
| CC1T38 | 38 | N/A | N/A | N/A | 30 | Tan | 19.790 |
| CC1T38T | 38 | N/A | N/A | N/A | 32 | Tan | 20.250 |
| CC1T40 | 40 | N/A | N/A | N/A | 30 | Tan | 20.250 |
| CC1T42T | 42 | N/A | N/A | N/A | 32 | Tan | 21.180 |
| CC1T42 | 42 | N/A | N/A | N/A | 30 | Tan | 23.610 |
| CC1T44 | 44 | N/A | N/A | N/A | 30 | Tan | 21.300 |
| CC1T46 | 46 | N/A | N/A | N/A | 30 | Tan | 21.740 |
| CC1T46T | 46 | N/A | N/A | N/A | 32 | Tan | 22.520 |
| CC1T50T | 50 | N/A | N/A | N/A | 32 | Tan | 23.620 |
| CC1T52 | 52 | N/A | N/A | N/A | 30 | Tan | 23.610 |
| CC1T52T | 52 | N/A | N/A | N/A | 32 | Tan | 25.500 |
| CC1T54T | 54 | N/A | N/A | N/A | 32 | Tan | 25.500 |
| CC1T54 | 54 | N/A | N/A | N/A | 30 | Tan | 25.000 |
| CC1T56T | 56 | N/A | N/A | N/A | 32 | Tan | 25.080 |
| CC1T56 | 56 | N/A | N/A | N/A | 30 | Tan | 25.700 |
| CC1T58 | 58 | N/A | N/A | N/A | 30 | Tan | 26.000 |
| CC1T58T | 58 | N/A | N/A | N/A | 32 | Tan | 26.080 |
| CC1T60T | 60 | N/A | N/A | N/A | 32 | Tan | 27.000 |
| CC1T60 | 60 | N/A | N/A | N/A | 30 | Tan | 25.000 |
| CC1T62T | 62 | N/A | N/A | N/A | 32 | Tan | 25.700 |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2018 MCR Safety - All Rights Reserved



MCR
SAFETY

CCIT FR Gear

Specification Sheet

| Item No: | Chest | Sleeve | Back Length | Waist | Inseam | Color | Case Weight |
|----------|-------|--------|-------------|-------|--------|-------|-------------|
| CC1T64T | 64 | N/A | N/A | N/A | 32 | Tan | 25.700 |
| CC1T66T | 66 | N/A | N/A | N/A | 32 | Tan | 25.700 |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2018 MCR Safety - All Rights Reserved