



**MCR  
SAFETY**

**CCIT  
FR Gear**

**Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The CC1 Coverall features a comfortable 100% cotton material that meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee. **Available in Regular and Tall Sizing, Tan, Navy, Royal Blue, Red & Gray.**



**FEATURES:**

- Available in Regular and Tall Sizing, Tan, Navy, Royal Blue, Red & Gray.
- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard/Risk Cat HRC2/9.3 cal/cm<sup>2</sup>
- Max Comfort™ 7 oz. 100% cotton FR twill fabric
- Two needle reinforced stitching on major seams for durability
- Heavy needle reinforced stitching on major seams for durability
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets, left pocket with pen tunnel
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets
- Bi-swing action back gussets for ease of movement and comfort
- Tool pocket on right leg
- Adjustable snap closure on cuff of sleeves and legs
- All snaps have reinforcement strips

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**CC1T**  
FR Gear

Specification Sheet

**APPLICATIONS:**

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking,  
Mining

**TECHNICAL DATA FOR: CC1T50T**

<b>Series</b>	Max Comfort	<b>Front Closure</b>	YKK 2-Way Zipper & Triple Snap
<b>Category</b>	FR Gear	<b>NFPA 2112 Cert.</b>	Yes
<b>Color</b>	Tan	<b>NFPA 70E Cert.</b>	Yes
<b>Material</b>	Flame Resistant, 100% Cotton	<b>ASTM 1930 Cert.</b>	Yes
	- Max Comfort	<b>ASTM F1506 Cert.</b>	Yes
<b>Material Weight</b>	7.0 oz.	<b>Hazard Risk Category</b>	HRC2
<b>Components</b>	1 pc Coverall		
<b>Flame Resistant</b>	Flame Resistant		

Item No:	Chest	Sleeve	Back Length	Waist	Inseam	Color	Case Weight
CC1T34	34	N/A	N/A	N/A	30	Tan	18.660
CC1T36T	36	N/A	N/A	N/A	32	Tan	19.890
CC1T36	36	N/A	N/A	N/A	30	Tan	19.370
CC1T38	38	N/A	N/A	N/A	30	Tan	19.790
CC1T38T	38	N/A	N/A	N/A	32	Tan	20.250
CC1T40	40	N/A	N/A	N/A	30	Tan	20.250
CC1T42T	42	N/A	N/A	N/A	32	Tan	21.180
CC1T42	42	N/A	N/A	N/A	30	Tan	23.610
CC1T44	44	N/A	N/A	N/A	30	Tan	21.300
CC1T46	46	N/A	N/A	N/A	30	Tan	21.740
CC1T46T	46	N/A	N/A	N/A	32	Tan	22.520
CC1T50T	50	N/A	N/A	N/A	32	Tan	23.620
CC1T52	52	N/A	N/A	N/A	30	Tan	23.610
CC1T52T	52	N/A	N/A	N/A	32	Tan	25.500
CC1T54T	54	N/A	N/A	N/A	32	Tan	25.500
CC1T54	54	N/A	N/A	N/A	30	Tan	25.000
CC1T56T	56	N/A	N/A	N/A	32	Tan	25.080
CC1T56	56	N/A	N/A	N/A	30	Tan	25.700
CC1T58	58	N/A	N/A	N/A	30	Tan	26.000
CC1T58T	58	N/A	N/A	N/A	32	Tan	26.080
CC1T60T	60	N/A	N/A	N/A	32	Tan	27.000
CC1T60	60	N/A	N/A	N/A	30	Tan	25.000
CC1T62T	62	N/A	N/A	N/A	32	Tan	25.700

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

**CCIT**  
**FR Gear**

**Specification Sheet**

<b>Item No:</b>	<b>Chest</b>	<b>Sleeve</b>	<b>Back Length</b>	<b>Waist</b>	<b>Inseam</b>	<b>Color</b>	<b>Case Weight</b>
CC1T64T	64	N/A	N/A	N/A	32	Tan	25.700
CC1T66T	66	N/A	N/A	N/A	32	Tan	25.700

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved