



**MCR  
SAFETY**

**DC1N  
FR Gear**

**Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The DC1 coveralls feature a comfortable 88% cotton 12% Nylon twill material that meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

**Available in Regular or Tall Sizes, Red, Gray, Navy, Royal Blue, & Tan**

**Sizes available: 34-66**



**FEATURES:**

- Available in Red, Gray, Navy, Royal Blue and Tan
- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard/Risk Cat HRC2/ATPV ASTM 1959 9.3 cal/cm<sup>2</sup>
- Max Comfort™ 7 oz. 88% cotton / 12% nylon FR twill fabric
- Sewn with Nomex® Flame Resistant thread
- Three needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Nomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets with mitered flaps, snap closure, plus pen pocket
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets – left pocket with flap and snap closure
- Bi-swing action back gussets for ease of movement and comfort
- Pen pocket on left arm
- Tool pocket on right leg

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**DC1N**  
**FR Gear**

**Specification Sheet**

- Adjustable snap closure on cuffs of sleeves and legs
- All snaps have reinforcement strips

**APPLICATIONS:**

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking,  
Mining

**TECHNICAL DATA FOR: DC1N50T**

<b>Series</b>	Max Comfort	<b>Front Closure</b>	YKK 2-Way Zipper & Triple
<b>Category</b>	FR Gear		Snap
<b>Color</b>	Navy Blue	<b>NFPA 2112 Cert.</b>	Yes
<b>Material</b>	Flame Resistant, 88% Cotton / 12% Nylon - Max Comf	<b>NFPA 70E Cert.</b>	Yes
<b>Material Weight</b>	7.0 oz.	<b>ASTM 1930 Cert.</b>	Yes
<b>Components</b>	1 pc Coverall	<b>ASTM F1506 Cert.</b>	Yes
<b>Flame Resistant</b>	Flame Resistant	<b>Hazard Risk Category</b>	HRC2

Item No:	Chest	Sleeve	Back Length	Waist	Inseam	Color	Case Weight
DC1N34	34	N/A	N/A	N/A	30	Navy Blue	25.700
DC1N36	36	N/A	N/A	N/A	30	Navy Blue	19.920
DC1N36T	36	N/A	N/A	N/A	32	Navy Blue	25.700
DC1N38	38	N/A	N/A	N/A	30	Navy Blue	20.540
DC1N38T	38	N/A	N/A	N/A	32	Navy Blue	20.900
DC1N40	40	N/A	N/A	N/A	30	Navy Blue	21.130
DC1N40T	40	N/A	N/A	N/A	32	Navy Blue	21.640
DC1N42T	42	N/A	N/A	N/A	32	Navy Blue	21.510
DC1N42	42	N/A	N/A	N/A	30	Navy Blue	21.620
DC1N44T	44	N/A	N/A	N/A	32	Navy Blue	21.900
DC1N46T	46	N/A	N/A	N/A	32	Navy Blue	25.700
DC1N48	48	N/A	N/A	N/A	30	Navy Blue	23.660
DC1N48T	48	N/A	N/A	N/A	32	Navy Blue	23.420
DC1N50	50	N/A	N/A	N/A	30	Navy Blue	24.220
DC1N50T	50	N/A	N/A	N/A	32	Navy Blue	23.860
DC1N52T	52	N/A	N/A	N/A	32	Navy Blue	24.420
DC1N52	52	N/A	N/A	N/A	30	Navy Blue	24.650
DC1N54	54	N/A	N/A	N/A	30	Navy Blue	25.100
DC1N54T	54	N/A	N/A	N/A	32	Navy Blue	25.240
DC1N56	56	N/A	N/A	N/A	30	Navy Blue	25.760

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

**DC1N**  
**FR Gear**

**Specification Sheet**

<b>Item No:</b>	<b>Chest</b>	<b>Sleeve</b>	<b>Back Length</b>	<b>Waist</b>	<b>Inseam</b>	<b>Color</b>	<b>Case Weight</b>
DC1N56T	56	N/A	N/A	N/A	32	Navy Blue	25.910
DC1N58	58	N/A	N/A	N/A	30	Navy Blue	25.960
DC1N58T	58	N/A	N/A	N/A	32	Navy Blue	27.300
DC1N60	60	N/A	N/A	N/A	30	Navy Blue	27.010
DC1N60T	60	N/A	N/A	N/A	32	Navy Blue	27.760
DC1N62T	62	N/A	N/A	N/A	32	Navy Blue	27.920
DC1N64T	64	N/A	N/A	N/A	32	Navy Blue	19.410
DC1N66T	66	N/A	N/A	N/A	32	Navy Blue	29.310

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved