



**MCR  
SAFETY**

**DC1 R  
FR Gear**

**Specification Sheet**

**PRODUCT DESCRIPTION:**

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The DC1 coveralls feature a comfortable 88% cotton 12% Nylon twill material that meets the NFPA 2112-2012 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

**Available in Regular or Tall Sizes, Red, Gray, Navy, Royal Blue, & Tan**

**Sizes available: 34-66**



**FEATURES:**

- **Available in Regular or Tall Sizes, Red, Gray, Navy, Royal Blue, & Tan**
- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard/Risk Cat HRC2 / ATPV 9.3 cal/cm<sup>2</sup>
- Max Comfort™ 7 oz. 88% cotton / 12% nylon FR twill fabric
- Sewn with Nomex® Flame Resistant thread
- Three needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Nomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets with mitered flaps, snap closure, plus pen pocket
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets – left pocket with flap and snap closure
- Bi-swing action back gussets for ease of movement and comfort
- Pen pocket on left arm
- Tool pocket on right leg

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**DC1R**  
**FR Gear**

**Specification Sheet**

- Adjustable snap closure on cuffs of sleeves and legs
- All snaps have reinforcement strips

**APPLICATIONS:**

Oil and Gas Industry, Electronic Assembly, Fracking, Mining, Utilities

**TECHNICAL DATA FOR: DC1R48T**

|                        |  |                             |                                |
|------------------------|--|-----------------------------|--------------------------------|
| <b>Series</b>          | Max Comfort  | <b>Front Closure</b>        | YKK 2-Way Zipper & Triple Snap |
| <b>Category</b>        | FR Gear  | <b>NFPA 2112 Cert.</b>      | Yes                            |
| <b>Color</b>           | Red  | <b>NFPA 70E Cert.</b>       | Yes                            |
| <b>Material</b>        | Flame Resistant, 88% Cotton / 12% Nylon - Max Comf | <b>ASTM 1930 Cert.</b>      | Yes                            |
| <b>Material Weight</b> | 7.0 oz.  | <b>ASTM F1506 Cert.</b>     | Yes                            |
| <b>Components</b>      | 1 pc Coverall                                      | <b>Hazard Risk Category</b> | HRC2                           |
| <b>Flame Resistant</b> | Flame Resistant                                    |                             |                                |

| Item No: | Chest | Sleeve | Back Length | Waist | Inseam | Color | Case Weight |
|----------|-------|--------|-------------|-------|--------|-------|-------------|
| DC1R34   | 34    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R36T  | 36    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R36   | 36    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R38   | 38    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R38T  | 38    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R40   | 40    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R40T  | 40    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R42   | 42    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R42T  | 42    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R44   | 44    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R44T  | 44    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R46T  | 46    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R48T  | 48    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R50   | 50    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R50T  | 50    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R52T  | 52    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R52   | 52    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R54   | 54    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |
| DC1R54T  | 54    | N/A    | N/A         | N/A   | 32     | Red   | 25.700      |
| DC1R56   | 56    | N/A    | N/A         | N/A   | 30     | Red   | 25.700      |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved



**MCR**  
**SAFETY**

**DC1R**  
**FR Gear**

**Specification Sheet**

| <b>Item No:</b> | <b>Chest</b> | <b>Sleeve</b> | <b>Back Length</b> | <b>Waist</b> | <b>Inseam</b> | <b>Color</b> | <b>Case Weight</b> |
|-----------------|--------------|---------------|--------------------|--------------|---------------|--------------|--------------------|
| DC1R56T         | 56           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1R58T         | 58           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1R58          | 58           | N/A           | N/A                | N/A          | 30            | Red          | 26.600             |
| DC1R60T         | 60           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1R60          | 60           | N/A           | N/A                | N/A          | 30            | Red          | 25.700             |
| DC1R62T         | 62           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1R64T         | 64           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |
| DC1R66T         | 66           | N/A           | N/A                | N/A          | 32            | Red          | 25.700             |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2018 MCR Safety - All Rights Reserved