SAFETY DATA SHEET



1. Identification

Product identifier CoolPAK™ S5406

Other means of identification None.

Recommended use Metal Working Fluids.

Recommended restrictions Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name Master Chemical Corp d/b/a Master Fluid Solutions

Address 501 West Boundary Street

Perrysburg, Ohio 43551-1200

United States

Telephone 419-874-7902

Website www.masterfluidsolutions.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash hands thoroughly after handling. Wear eye protection/face protection. Wear protective

gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	20 - < 30
TRADE SECRET*		Proprietary*	5 - < 10

Material name: CoolPAK™ S5406 sps us

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	3 - < 5
MONOETHANOLAMINE		141-43-5	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reporta	ble levels		60 - < 70

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

Most important None known.

symptoms/effects, acute and

delayed

General information Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Use personal protective equipment as required. For personal

protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Do not taste or swallow.

nanaling. Do n

Conditions for safe storage, including any incompatibilities

The product is stable and non-reactive under normal conditions of use, storage and transport.

Store in a dry place. Store in a closed container.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3		
		3 ppm		
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.	
US. ACGIH Threshold Limit Values				
Components	Туре	Value	Form	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm		
·	TWA	3 ppm		

Material name: CoolPAK™ S5406

SDS US

2/6

US. ACGIH Threshold Limit Values Form Value Components **Type SEVERELY** TWA 5 mg/m3 Inhalable fraction. **HYDROTREATED** PETROLEUM OIL (CAS 64742-52-5)

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value **Form** Type **MONOETHANOLAMINE STEL** 15 mg/m3 (CAS 141-43-5) 6 ppm **TWA** 8 mg/m3 3 ppm **SEVERELY STEL** 10 mg/m3 Mist. **HYDROTREATED** PETROLEUM OIL (CAS 64742-52-5)

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/Face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Physical state Liquid. Color Amber Odor Mild amine **Odor threshold** Not available. 10 - 10.5 14 °F (-10 °C) Melting point/freezing point Initial boiling point and boiling 208.94 °F (98.3 °C)

range

Flash point > 199.9 °F (> 93.3 °C)

Evaporation rate < 1 BuAc Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure

Vapor density Not available. Not available. Relative density

Solubility(ies)

Soluble Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

2590 Version #: 02 Revision date: 01-25-2018 Issue date: 10-13-2017

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Flash point class **ASTM D93-08** 9.4 - 10 pH in aqueous solution Specific gravity 0.996 - 1.006

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Strong acids. Powerful oxidizers. Incompatible materials

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact May be irritating to the skin. Eye contact May be irritating to eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics May be irritating to the skin. May be irritating to eyes.

Information on toxicological effects

Not classified. **Acute toxicity**

May be irritating to the skin. Skin corrosion/irritation May be irritating to eyes. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Classification not possible. Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Classification not possible.

Specific target organ toxicity -Classification not possible.

repeated exposure

Classification not possible. Not an aspiration hazard. **Aspiration hazard**

None known. **Chronic effects**

12. Ecological information

Not available. **Ecotoxicity**

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Material name: CoolPAK™ S5406 SDS US

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number UN3082

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16,

CHLORO)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III

Environmental hazards

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: CoolPAK™ S5406

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

On inventory (yes/no)* Country(s) or region Inventory name Canada Domestic Substances List (DSL) Yes Non-Domestic Substances List (NDSL) Canada No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information, including date of preparation or last revision

10-13-2017 Issue date **Revision date** 01-25-2018

Version # 02

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corp d/b/a Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to

assume liability for loss, injury, damage or expense due to improper use.

Hazard(s) identification: Hazard statement **Revision information**

2590 Version #: 02 Revision date: 01-25-2018 Issue date: 10-13-2017

Hazard(s) identification: Prevention Hazard(s) identification: Response

Composition / Information on Ingredients: Ingredients

Toxicological Information: Toxicological Data Toxicological information: Eye contact Toxicological information: Eye contact

Toxicological information: Symptoms related to the physical, chemical and toxicological

characteristics

Transport Information: Material Transportation Information

Transport information: General information HazReg Data: International Inventories

GHS: Classification

Material name: CoolPAK™ S5406 SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing