# SAFETY DATA SHEET



## 1. Identification

**Product identifier** CoolPAK™ R6350

Other means of identification None.

Recommended use Industrial use of Metal Treatment Products

Recommended restrictions Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Master Chemical Corp d/b/a Master Fluid Solutions **Company Name** 

**Address** 501 West Boundary Street

Perrysburg, Ohio 43551-1200

**United States** 

419-874-7902 **Telephone** 

Website www.masterfluidsolutions.com info@masterchemical.com E-mail

CHEMTREC 1-800-424-9300 **Emergency phone number** 

2. Hazard(s) identification

Physical hazards Flammable liquids Category 4 Health hazards Sensitization, skin Category 1B Aspiration hazard Category 1

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Combustible

liquid.

**Precautionary statement** 

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be

allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves. Keep

away from heat/sparks/open flames/hot surfaces. - No smoking.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce Response

vomiting. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use appropriate media

for extinction.

Storage Store in a well-ventilated place. Keep cool. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name        | Common name and synonyms | CAS number | %         |
|----------------------|--------------------------|------------|-----------|
| PETROLEUM DISTILLATE |                          | 64742-47-8 | 60 - < 70 |

Material name: CoolPAK™ R6350 SDS US

| Chemical name                       | Common name and synonyms | CAS number | %         |
|-------------------------------------|--------------------------|------------|-----------|
| SEVERELY HYDROTREATED PETROLEUM OIL |                          | 64742-55-8 | 30 - < 40 |
| Other components below reporta      | ble levels               |            | 5 - < 10  |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. **Eve contact** 

In the unlikely event of swallowing contact a physician or poison control center. Do not induce Ingestion

vomiting.

None known.

Most important

symptoms/effects, acute and

delayed

**General information** Get medical attention, if needed.

## 5. Fire-fighting measures

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol resistant foam. Use fire-extinguishing media appropriate for

surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

Combustible liquid and vapor.

Special protective equipment and precautions for firefighters Containers should be cooled with water to prevent vapor pressure build up. Use standard

firefighting procedures and consider the hazards of other involved materials.

#### Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Use personal protective equipment as required. For personal

protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

## 7. Handling and storage

Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow. Precautions for safe handling

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed in a dry and well-ventilated place. Static electricity and formation of sparks must be

prevented. All equipment used when handling the product must be grounded.

## 8. Exposure controls/personal protection

# Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components  | Туре | Value     | Form                |
|---|------|-----------|---------------------|
| PETROLEUM DISTILLATE<br>(CAS 64742-47-8)                      | PEL  | 400 mg/m3 |                     |
| SEVERELY<br>HYDROTREATED<br>PETROLEUM OIL (CAS<br>64742-55-8) | PEL  | 5 mg/m3   | Mist.               |
| US. ACGIH Threshold Limit Values Components                   | Туре | Value     | Form                |
| SEVERELY<br>HYDROTREATED<br>PETROLEUM OIL (CAS<br>64742-55-8) | TWA  | 5 mg/m3   | Inhalable fraction. |

SDS US

US. NIOSH: Pocket Guide to Chemical Hazards
Components Type Value Form

SEVERELY STEL 10 mg/m3 Mist.

HYDROTREATED
PETROLEUM OIL (CAS 64742-55-8) TWA 5 mg/m3 Mist.

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Physical stateLiquid.ColorLight brownOdorSlight

Odor thresholdNot available.pHNot available.Melting point/freezing point-40 °F (-40 °C)Initial boiling point and boiling377.6 °F (192 °C)

range

**Flash point** 181.4 °F (83.0 °C)

Evaporation rate < 1 BuAc
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flash point class ASTM D93-08
Kinematic viscosity 3.95 cSt
Kinematic viscosity 104 °F (40 °C)

temperature

Specific gravity 0.763 - 0.843

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known.

**Incompatible materials** Strong acids. Powerful oxidizers.

Hazardous decomposition

products

To avoid thermal decomposition, do not overheat.

### 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** May cause an allergic skin reaction.

Eye contact Not classified.

**Ingestion** May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

> 5000, mg/kg

### Information on toxicological effects

Acute toxicity Not classified.

| Product        | Species | Test Results  |  |
|----------------|---------|---------------|--|
| CoolPAK™ R6350 |         |               |  |
| <u>Acute</u>   |         |               |  |
| Dermal         |         |               |  |
| LD50           | Rabbit  | > 2000, mg/kg |  |
| Inhalation     |         |               |  |
| LC50           | Rat     | > 202, mg/l   |  |
| Oral           |         |               |  |

Skin corrosion/irritation Not classified.
Serious eye damage/eye Not classified.

irritation

Respiratory or skin sensitization

LD50

**Respiratory sensitization** Classification not possible. Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

Rat

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Classification not possible.

Specific target organ toxicity -

repeated exposure

Classification not possible.

**Aspiration hazard** May be fatal if swallowed and enters airways.

Chronic effects None known.

# 12. Ecological information

**Ecotoxicity** Not available.

Material name: CoolPAK™ R6350

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

# 14. Transport information

DOT

UN number NA1993

UN proper shipping name

COMBUSTIBLE LIQUID, N.O.S. (HYDROCARBONS)

Transport hazard class(es)

Class Combustible Liquid

Subsidiary risk - Packing group |||

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** Not regulated in contaners <119 gallons

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

DOT



# 15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Material name: CoolPAK™ R6350

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Inventory name

Not regulated

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### **US state regulations**

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region

|                             |  | , ,, |     |
|-----------------------------|--|------|-----|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     |      | No  |
| Canada                      | Domestic Substances List (DSL)   |      | No  |
| Canada                      | Non-Domestic Substances List (NDSL)                                    |      | Yes |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             |      | Yes |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) |      | No  |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 |      | No  |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               |      | No  |
| Korea                       | Existing Chemicals List (ECL)  |      | No  |
| New Zealand                 | New Zealand Inventory  |      | Yes |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      |      | No  |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          |      | Yes |
|                             |  |      |     |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 10-13-2017

Version # 01

**Disclaimer** The information provide

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corp d/b/a Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Material name: CoolPAK™ R6350

On inventory (yes/no)\*