SAFETY DATA SHEET



1. Identification

Product identifier CoolPAK™ L3250

Other means of identification None.

Recommended use Metal Working Fluids.

Recommended restrictions Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company NameMaster Fluid SolutionsAddress501 West Boundary Street

Perrysburg, Ohio 43551-1200

United States

Telephone 419-874-7902

Website www.masterfluidsolutions.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-55-8	50 - < 60
DISTILLATES, HYDROTREATED HEAVY PARAFFINIC		64742-54-7	30 - < 40
Other components below reportable	e levels		5 - < 10

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Wash affected area with mild soap and water.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Material name: CoolPAK™ L3250 SDS US

Ingestion In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

None known.

General information Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Methods and materials for

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

containment and cleaning up 7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after

handling. Do not taste or swallow.

Conditions for safe storage, including any incompatibilities The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place. Store in a closed container.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form	
DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	PEL	5 mg/m3	Mist.	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS	PEL	5 mg/m3	Mist.	

64742-55-8)

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.

IIS NIOSH: Docket Guide to Chemical Hazarde

Components	Туре	Value	Form	
DISTILLATES, HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Material name: CoolPAK™ L3250 2347 Version #: 03 Revision date: 10-10-2018 Issue date: 02-22-2017 US. NIOSH: Pocket Guide to Chemical Hazards
Components

Type

Value

Form

SEVERELY
HYDROTREATED
PETROLEUM OIL (CAS
64742-55-8)

TWA

5 mg/m3

Mist.

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are

recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Physical state Liquid.

Color Clear amber

Odor Mild

Odor threshold

pH

Not available.

Not available.

Melting point/freezing point

Initial boiling point and boiling

Not available.

Not available.

range

Flash point 329.5 °F (165.3 °C)

Evaporation rate < 1 BuAc
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Explosive limit - lower (%)

(%)

Not available.

Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flash point class ASTM D93-08
Kinematic viscosity 20.9 cSt
Kinematic viscosity 104 °F (40 °C)

temperature

Material name: CoolPAK™ L3250 sps us

Specific gravity 0.823 - 0.909

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known.

Incompatible materials Strong oxidizing agents. Strong acids. Strong alkalis. Hazardous decomposition To avoid thermal decomposition, do not overheat.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Not classified. Eye contact Not classified.

Expected to be a low ingestion hazard. Ingestion

None known.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Not classified. Acute toxicity Skin corrosion/irritation Not classified. Serious eye damage/eye Not classified.

irritation

Respiratory or skin sensitization

Not classified. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified. **Chronic effects** None known.

12. Ecological information

Ecotoxicity Not available.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal instructions**

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: CoolPAK™ L3250

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 02-22-2017

 Revision date
 10-10-2018

Version # 03

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe

conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Material name: CoolPAK™ L3250

Revision information

Fire-fighting measures: Special protective equipment and precautions for firefighters

Stability and reactivity: Incompatible materials

Toxicological information: Aspiration hazard
Toxicological information: Respiratory sensitization
Toxicological information: Specific target organ toxicity - repeated exposure
Toxicological information: Specific target organ toxicity - single exposure
Regulatory information: California Proposition 65
HazReg Data: International Inventories

Material name: CoolPAK™ L3250 SDS US