

## CP14 MCR Guard Unsupported Specification Sheet

### **PRODUCT DESCRIPTION:**

MCR Guard has been battle tested in conflicts around the world and offers excellent permeation resistance to most acids, aldehydes, alcohols, amides, bases, esters, and ketones. These gloves are produced domestically with a unique solution dipped process. No other process can achieve such a tight molecular structure, the key to chemical impermeability. MCR Guard is made with the finest Butyl rubber for outstanding protection. The CP14 is a 14 mil smooth finish glove that features a rolled cuff and is 14 inches in length for added protection.

### **FEATURES:**

- Excellent Chemical Resistance
- 14 inch Gauntlet
- 14 mil smooth finish

### **APPLICATIONS:**

First responder, Biological Hazards, HazMat, Laboratory Technician, Petrochemical industries, Aerospace, Agriculture, Biomedical



## **TECHNICAL DATA FOR:** CP14L

Series MCR Guard

Material Group Unsupported

Product Type Unsupported

Glove Size Large

Material Butyl

Grade Industrial Grade
Features Sold by pair
Lining Unlined
Thumb Style Wing


Made In USA

Overall Length 14 in.

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrsafety.com



# CP14 MCR Guard Unsupported Specification Sheet



| Item No: | Size:     | A:    | B:   | C:  | Case Weight | UOM Weight |
|----------|-----------|-------|------|-----|-------------|------------|
|          |           |       |      |     |             |            |
| CP14XL   | X - Large | 14.5  | 4.50 | N/A | 22.392 lb.  | 0.311      |
| CP14S    | Small     | 14.00 | 4.25 | N/A | 18.936 lb.  | 0.263      |
| CP14M    | Medium    | 14.00 | 4.50 | N/A | 18.720 lb.  | 0.260      |
| CP14L    | Large     | 14.5  | 4.50 | N/A | 22.248 lb.  | 0.309      |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrsafety.com