

## N9690HV Ninja Dipped Specification Sheet

## **PRODUCT DESCRIPTION:**

MCR Safety Ninja® gloves are engineered to provide the highest level of innovation. Each of the offerings in the Ninja® series include a unique shell and polymer combination incorporating the latest in hand protection technology. Our Ninja® Glove Line offers the greatest assortment of dexterity, sense of touch, and protection. The Ninja® Ice Hi Vi features a 15 gauge Hi Vis lime nylon shell with a 7 gauge acrylic terry interior liner. Hi Vis Lime HPT coated palm and fingertips. SUPPORTED HAND PROTECTION, Innovative Supported Styles with Seamless Shells, The Next Generation in Hand Protection?, ?Ninja® Ice Hi Vis?, 15 Gauge Hi Vis Lime Nylon Exterior/7 Ga Acrylic Terry Interior shell, Hi Vis Lime HPT Overthe-Knuckle Coated. Ninja Ice - Double layer glove. 07 gauge Acrylic Terry Liner on the inside and a Yellow Hi-Vis 15 gauge Nylon liner with HPT coating on the outside. Raised Ninja Ice logo with CE scoring and size. CE:3232

## **FEATURES:**

- Acrylic Terry liner for insulation / warmth.
- Hi Visibility HPT repels liquids while providing strong wet or dry grip
- Over the knuckle coating for added protection
- Coating remains soft in temperatures as low as -58 F
- CE Score 3232

## APPLICATIONS:

Cold storage applications, Commercial fishing, Frozen food packaging, Agriculture, Carpentry, Construction, Flagman, HVAC, Landscaping, Warehousing



#### **TECHNICAL DATA FOR:** N9690HVXL

Series Ninja EN 388 : CE Score - Abrasion 3 **Material Group** Strings EN 388: CE Score - Cut 2 **Product Type** Dipped EN 388: CE Score - Tear 3 **Glove Size** EN 388 : CE Score - Puncture X - Large 2

Gauge 15 / 7 Gauge ANSI Cut AN

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrsafety.com

©2018 MCR Safety - All Rights Reserved




# N9690HV Ninja Dipped Specification Sheet

Material Insulated Lining Nylon / Acrylic Insulated Acrylic ANSI Puncture ANSI Abrasion ANSI Contact Heat

ANSI Puncture 2 ANSI Abrasion 3 Level 2 (Applications less than 284 degrees F)

Made In

Pakistan



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
N9690HVM	Medium	9.843	4.134	N/A	25.998 lb.	4.333
N9690HVXL	X - Large	11.024	4.528	N/A	27.990 lb.	4.665
N9690HVXXL	XX - Large	11.417	4.764	N/A	28.752 lb.	4.792
N9690HVL	Large	10.228	4.331	N/A	25.920 lb.	4.320

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrsafety.com

©2018 MCR Safety - All Rights Reserved