



Product Family


The Matterhorn A89

All purpose lateral impact HDPE hard hat with foam liner. Rain trough and accessory slots. 4-point nylon ratchet or quick fit suspension with 3-level height adjustment. Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E



Product Numbers & Ordering Information		
	Product Numbers	Details
<u>(a)</u>	A89010000	WHITE 4 POINT SUSPENSION, HDPE SHELL, QUICK FIT ADJUSTMENT
	A89020000	YELLOW 4 POINT SUSPENSION, HDPE SHELL, QUICK FIT ADJUSTMENT
	A89030000	ORANGE 4 POINT SUSPENSION, HDPE SHELL, QUICK FIT ADJUSTMENT
	A89040000	GREEN 4 POINT SUSPENSION, HDPE SHELL, QUICK FIT ADJUSTMENT
	A89050000	HI VIZ RED 4 POINT SUSPENSION, HDPE SHELL, QUICK FIT ADJUSTMENT
0	A89070000	SKY BLUE 4 POINT SUSPENSION, HDPE SHELL, QUICK FIT ADJUSTMENT
	A89080000	NAVY BLUE 4 POINT SUSPENSION, HDPE SHELL, QUICK FIT ADJUSTMENT

The Matterhorn A89



The Matterhorn A89



The Matterhorn A89



A89R170000

ROYAL BLUE

4 POINT SUSPENSION, HDPE SHELL, RATCHET ADJUSTMENT



A89R200000

HOT PINK

4 POINT SUSPENSION, HDPE SHELL, RATCHET ADJUSTMENT



A89R440000

HI VIZ STRONG YELLOW

4 POINT SUSPENSION, HDPE SHELL, RATCHET ADJUSTMENT



A89R460000

HI VIZ STRONG ORANGE

4 POINT SUSPENSION, HDPE SHELL, RATCHET ADJUSTMENT



A89R700000

PINK

4 POINT SUSPENSION, HDPE SHELL, RATCHET ADJUSTMENT



A89R710000

BLUE

4 POINT SUSPENSION, HDPE SHELL, RATCHET ADJUSTMENT

Additional Information

Custom imprinting available

Packaging Information

12/case

Overview

Key Features

All purpose lateral impact HDPE hard hat with foam liner. HDPE outer shell is grooved for rigidity. Rain trough and accessory slots. Choice of quick fit or ratchet suspensions, both with forehead comfort band and crown pad for optimal comfort. Suspensions feature a 4-point nylon web cradle with three-level height adjustment. Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E.

Recommended Industries/Use

- Chemical
 Construction
 Food Services
 Forestry
 Government
 Manufacturing
 Minin
- Municipal Services
 Oil and Gas
 Steel and Metals
 Transportation
 Utilities
 Welding
- Wind Energy

Hazards

• Abrasion • Extreme Environment • Impact

Regulations

- Regulation ANSI Z89.1-2009 and CSA Z94.1-2005
- Regulation Type 2, Class E

Historical Brand

North by Honeywell

Specifications

Adjustment

• Ratchet or Quick Fit

Colors

• Available in a wide variety of colors

Shell Material

HDPE

Suspension

• 4 point

Additional Information

Type II / Type 2 hard hats provide both crown and lateral impact protection

© Honeywell International Inc.