SAFETY DATA SHEET

1. Identification

Product identifier OAK® 50-5

EVAPORATIVE LUBRICANT

Other means of identification

SDS number Not applicable B30139 **Product code**

Recommended use **EVAPORATIVE LUBRICANT**

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

CIMCOOL® Industrial Products LLC Company name

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier

Company name DUBOIS CHEMICAL CANADA INC dba CIMCOOL® Canada

Address B1 - 1175 Appleby Line

Burlington, ON L7L 5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard identification

Flammable liquids Category 3 Physical hazards Skin irritation **Health hazards** Category 2 Eye irritation Category 2B

> Specific target organ toxicity, single exposure Category 3 narcotic effects

Aspiration hazard Category 1

Not classified. **Environmental hazards**

Label elements



Signal word Danger

Flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation. **Hazard statement**

Causes eye irritation. May cause drowsiness or dizziness.

Material name: OAK® 50-5 SDS Canada

Version #: 07 Revision date: 02-04-2021 Issue date: 03-08-2017 **Precautionary statement**

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to

prevent static discharges. Wash thoroughly after handling. Use only outdoors or in a

well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor, Do NOT induce vomiting, IF ON Response

SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to

extinguish.

Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up. **Storage**

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ISOPARAFFINIC HYDROCARBON		68551-17-7	90 - 100
Other components below reportable levels			5 - 10

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison Inhalation

center or doctor/physician if you feel unwell. Under normal conditions of intended use, this material

is not expected to be an inhalation hazard.

Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Call a physician or poison control center immediately. Rinse mouth thoroughly. Do not give liquids. Ingestion

Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into

the lungs.

Most important

symptoms/effects, acute and

delayed

Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Nausea, vomiting. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water

Skin irritation.

Indication of immediate medical attention and special

treatment needed

General information

ambulance. Continue flushing during transport to hospital. Symptoms may be delayed. If exposed or concerned: Get medical advice/attention. Take off all contaminated clothing

immediately. While flushing, remove clothes which do not adhere to affected area. Call an

immediately. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are Suitable extinguishing media

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Flammable liquid and vapor.

Material name: OAK® 50-5 SDS Canada

Version #: 07 Revision date: 02-04-2021 Issue date: 03-08-2017

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. The product is immiscible with water and will spread on the water surface. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

When using do not smoke. Take precautionary measures against static discharges. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

ACGIH

Components
ISOPARAFFINIC
HYDROCARBON (CAS
68551-17-7)

Туре	Value
TWA	100 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is

recommended.

Skin protection

Hand protection Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Material name: OAK® 50-5 SDS Canada

Version #: 07 Revision date: 02-04-2021 Issue date: 03-08-2017

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

CLEAR Appearance Liquid. **Physical state Form** Liquid.

Not available. Color Odor **CHEMICAL Odor threshold** Not available. Not Applicable рH Melting point/freezing point Not available.

Initial boiling point and boiling

range

> 340 °F (> 171.11 °C)

124 °F (51.1 °C) Tagliabue Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Explosive limit - lower (%) 0.6 % estimated 7 % estimated Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density

Relative density 0.8

Solubility(ies)

Solubility (water) Insoluble in Water **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature**

Viscosity ≤ 20.5 mm²/s @ 40°C

7 cSt @ 100°F (38°C)

Other information

Explosive properties Not explosive. Combustible II Flash point class Oxidizing properties Not oxidizing.

Specific gravity 0.800 92 % **VOC ASTM D2369**

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Water. Acids. Bases. Oxidizing agents. Reducing agents. Do not add sodium nitrite or other Incompatible materials

nitrosating agents which may form cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

Material name: OAK® 50-5 4/8

Version #: 07 Revision date: 02-04-2021 Issue date: 03-08-2017

11. Toxicological information

Information on likely routes of exposure

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Inhalation

Causes skin irritation. Skin contact Causes eye irritation. Eye contact

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious Ingestion

chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye

tearing, redness, and discomfort. Skin irritation.

Information on toxicological effects

Acute toxicity

Test Results Components **Species**

ISOPARAFFINIC HYDROCARBON (CAS 68551-17-7)

Acute Dermal

Liquid

Rabbit LD50 > 5000 mg/kg

Inhalation

Mist

LC50

Rat 12.4 mg/l, 4 hours

Oral Liquid

LD50 Rat

Causes skin irritation. Skin corrosion/irritation Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic

> 5000 mg/kg

aromatic compound (PAC) using IP 346.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

May be fatal if swallowed and enters airways. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Material name: OAK® 50-5 SDS Canada

Revision date: 02-04-2021 Version #: 07 Issue date: 03-08-2017

Test Results Components **Species**

ISOPARAFFINIC HYDROCARBON (CAS 68551-17-7)

Aquatic

Acute

EC50 Crustacea Daphnia 1000 mg/l, 48 hours Fish LC50 Rainbow Trout 1000 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN1268 **UN** number

UN proper shipping name

Transport hazard class(es)

Petroleum products, n.o.s. (ISOPARAFFINIC HYDROCARBON)

Class 3 Subsidiary risk Ш **Packing group**

Environmental hazards Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN1268

UN proper shipping name

Transport hazard class(es)

Petroleum products, n.o.s. (ISOPARAFFINIC HYDROCARBON)

3 Class Subsidiary risk 3 Label(s) Ш Packing group **Environmental hazards** No.

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

UN number UN1268

UN proper shipping name

Transport hazard class(es)

PETROLEUM PRODUCTS, N.O.S. (ISOPARAFFINIC HYDROCARBON)

Class 3 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant No. F-E, S-E **EmS**

Material name: OAK® 50-5 SDS Canada Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

1. Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name C	on inventory or exempt (yes/no)*		
Australia	Australian Inventory of Chemical Substances (AICS)	No		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	Yes		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)				

Material name: OAK® 50-5 SDS Canada

Version #: 07 Revision date: 02-04-2021 Issue date: 03-08-2017

16. Other information

 Issue date
 03-08-2017

 Revision date
 02-04-2021

Version # 07

NFPA ratings Health: 1

Flammability: 2 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: OAK® 50-5 SDS Canada