

PIG® Battery Acid Spill Kit in 20-Gallon Overpack

KIT352 Absorbs up to 12.5 gal., Absorbs Acids, UN1H2/X66/S

Our strong UN Rated overpack spill kit lets you safely clean up and dispose of battery acid spills.

- Kit contents are formulated specifically for absorbing and neutralizing battery acid
- PIG HazMat Socks stop spreading spills; PIG HazMat Pads and Pillows absorb; PIG Acid Neutralizing Loose Absorbent handles remaining acid
- Includes PPE to guard against corrosive battery acid
- 20-gallon overpack salvage drum container meets DOT shipping specifications for overpacking hazardous materials
- Lightweight, polypropylene container resists chemicals and keeps contents clean and dry
- Temporary disposal bags help make cleanup easier
- Two broom holes 180-degrees opposite each other on the lid allow 100 positive leverage for easy opening and closing with a broom handle or bar
- Foot hold in the drum base allows you to hold the drum securely in position while opening or closing the lid
- Apply a tamperproof seal to alignment holes on lid and drum to ensure contents aren't disturbed
- Features enhanced lid and base design for added strength and security for stacking or if the drum is accidentally dropped
- For info on custom kits, just call 1-800-HOT-HOGS (468-4647)



Specifications

Kit Container	Overpack
Fluid Absorbed	Acids
Color	White
Absorbency	Up to 12.5 gal.
High Visibility	No
Product Solution	Neutralizing Spill Kit

See-Through	No
Type of Battery	Lead-Acid Battery
Sold as	1 each
Weight	30 lbs.
# per Pallet	12

Composition	Container - Injection Molded Copolymer Polypropylene Absorbent Mats & Pillows-100% Polypropylene Acid Neutralizer - Polymer, Sodium Carbonate, Alizarin Gloves - Neoprene Apron - Polyethylene Coated Tyvek
--------------------	---

Includes	36 - 15" W x 20" L PIG® HazMat Mat Pad (MAT310) 1 - 17" W x 16" L x 2" H PIG® HazMat Chemical Absorbent Pillow (HR7015) 3 - ext. dia. 3" x 46" L PIG® HazMat Chemical Absorbent Sock (124CR) 2 - PIG® Acid Encapsulating/ Neutralizing Loose Absorbent (PLP802) 1 - Apron 1 - Sperian Headgear (GLS204) 1 - 15" W x 8.5" H Sperian Faceshield Window (GLS204-0001) 1 - 13" L SHOWA Chem Master™ Neoprene Gloves (GLV213-L) 10 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 1 - Instructions
-----------------	--

UNSPSC	47131905
UV Resistant	No
Wheels	No Wheels
Pigalog® Page Number	Page 125

Metric Equivalent

Absorbency	Up to 47.3 L
Weight	13.6 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/X66/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to: AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, TR, UK.

Certifications, Approvals and Ratings

UN1H2/X66/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to: AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, TR, UK.

Technical Documents

LDPE Products

White paper – Spills Happen. 10 Things you need to know about Spill Kits

Instructions for PIG HazMat Absorbents

Guidelines for PIG Acid Encapsulating and Neutralizing Absorbents

Instructions for Overpack Containers

PIG® HAZ-MAT Absorbents

PIG® Acid Encapsulating / Neutralizing Absorbents

29 CFR 1910.120(j)(1)(vii)

29 CFR 1910.178(g)(2)

49 CFR 173.3(c)(1)

Disclaimers

HAZ-MAT Notice

To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG® HAZ-MAT products prior to purchase. If you have any questions or need samples to test, please call Technical Services.

Hydrofluoric Acid Notice

Do not use with hydrofluoric acid.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com