

PIG® Green Ham-O® Absorbent Mat Roll in Dispenser Box

MAT267 Heavyweight, 16" x 150', 1 roll

Distinctive Ham-O top conceals absorbed leaks and drips. Scuff-resistant top layer stands up to foot traffic in aisles and walkways.

- Lasts 2X longer than ordinary mats for fewer change-outs, absorbs everything, works everywhere; that's why more plants worldwide use PIG Mat than any other brand
- Absorbed leaks and drips blend right in; Exclusive "hamouflage" top layer saves on product and disposal costs; absorbed grime is invisible, so you'll leave mat in place longer and save money!
- Fast-wicking dimple pattern transfers liquids from the top layer into the absorbent inner layers; spills disappear in seconds
- Tough, scuff-resistant, spunbond top layer stands up to heavy foot traffic; won't rip, tear, fray or create a trip hazard, even when saturated
- Under the Ham-O top layer is the proven eight-layer, 100% polypropylene construction of PIG Mat, the strongest mat on the market!
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Flame-resistant material won't burn immediately like cellulose mats; melts when exposed to high heat while on the job
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Dispenser box makes it easy to take, carry and store your mat while protecting it from dirt and moisture
- Rolls are ideal for walkways and large areas to soak up leaks and overspray
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Heavy-weight construction delivers greater durability and absorbency for demanding tasks and large-volume cleanups



Specifications

| | |
|------------------------------------|---------------------------------|
| Fluid Absorbed | Oils, Coolants, Solvents, Water |
| Special Feature | Camouflage Pattern |
| Color | Green Ham-O |
| Dimensions | 16" W x 150' L |
| Recycled Content | 25% or more Recycled Content |
| Absorbency | Up to 23.7 gal. per box |
| Absorbency per | Up to 23.7 gal. per roll |
| Durability Level | Heavy Foot Traffic |
| Mat Weight/Absorbency Level | Heavyweight |
| Perforated | Perforated Every 10" Lengthwise |
| Sold as | 1 roll per box |
| Weight | 18 lbs. |
| # per Pallet | 24 |
| Composition | Polypropylene |
| UNSPSC | 47131901 |
| UV Resistant | No |
| Pigalog® Page Number | Page 27 |

Metric Equivalent

| | |
|-----------------------|-----------------------|
| Absorbency per | Up to 89.7 L per roll |
| Absorbency | Up to 89.7 L per box |
| Dimensions | 40.6cm W x 46m L |
| Weight | 8.2 kg |

Technical Information

Technical Documents

[PIG Universal Absorbent Mats](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)

Disclaimers

[HAM-O® Mat Notice](#)

Not recommended for absorbing solvents or corrosive liquids that may affect the printed pattern.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

