

# "THE ROCK" FR-TECH® HI-VIS 88/12 7 OZ FR/ARC-RATED COVERALLS - INDUSTRIAL-WASH TOUGH - HI-VIS ORANGE - 42 TALL

Product # V254095TA-42 | Model # 7708AT



The Rock ARC-rated coveralls feature FR-Tech® fabric to provide lasting FR protection for the life of the garment. Double-stitched StarTech® reflective tape delivers enhanced visibility in low-light conditions while a rugged cotton/nylon blend provides breathability, comfort, and durability.

- **Material** – Made from a blend of 88% premium cotton and 12% high-tenacity nylon, Pioneer's "The Rock" coveralls are flame resistant, guaranteed for the life of the garment. The material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 standards, certified to UL.
- **Certification** – Giving you long-lasting value, these cotton blended nylon coveralls are CSA Z96-15 Class 3 Level 2 and Class 3 Level FR certified. The coveralls have an Arc Thermal Protective (ATP) value of 10 cal/cm² and an ARC 2 rating with the Average Thermal Protective Performance (TPP) value at 9 cal/cm².
- **Visibility** – Sewn with inherently FR thread, the Pioneer coveralls are double-stitched with 2" StarTech® FR silver reflective tape. The special industrial wash-suitable reflective tape is perfect for construction and allows users to be seen in low-light environments.
- **Pockets** – These coveralls include multiple pockets with 7 total storage pockets (2 back, 2 chest, 2 side, and 1 tool) and 1 radiophone clip strap to accommodate various tools and equipment, making it the ultimate choice for prospective users.
- **Design** – Inclusive of adjustable wrists with snap adjustments and a 2-way FR brass zipper, these coveralls are designed to provide the ultimate comfort to the user, while maintaining a snug fit with elastic on the back and either side of the waistband.
- **Sizes** – Available in high-visibility orange, "The Rock" Pioneer Coveralls are sold in multiple sizes ranging from 36-66.



## TECHNICAL SPECIFICATIONS

|                    |  |
|--------------------|--|
| Adjustment Type    | Waist<br>Two-sided<br>Elastic  Snap<br>Wrist, Ankle <br>Snap Wrist <br>Waist<br>Two-sided<br>Elastic   |
| Certification      | CSA Z96-22<br>Class 3 Level 2 <br>CSA Z96-22<br>Class 3 Level<br>FR, CSA<br>Z96-15 Class 3<br>Level 2  CSA<br>Z96-15 Class 3<br>Level FR   |
| Closure Type       | 2-way FR Brass<br>Zipper   |
| Colour             | Orange, Hi-Viz<br>Orange, Bright<br>Orange   |
| FR & ARC Standards | ARC 2  ATPV<br>10 cal/cm² <br>ASTM<br>F1506-20A <br>CGSB<br>155.20-2017 <br>NFPA<br>2112-2018<br>Certified to UL <br>NFPA<br>70E-2021  TPP<br>9 cal/cm²  CSA<br>Z462-2021,<br>ARC 2  ASTM<br>F1506-20A <br>ATPV 10<br>cal/cm²  CSA<br>Z462-21 <br>NFPA-70E-21 <br>CGSB<br>155.20-2017 <br>NFPA<br>2112-2018<br>Certified to UL <br>TPP 9 cal/cm²,<br>ARC 2  ATPV<br>10 cal/cm² <br>ASTM<br>F1506-2018 <br>CGSB<br>155.20-2017 <br>NFPA<br>2112-2018<br>Certified to UL <br>NFPA<br>70E-2018  TPP<br>9 cal/cm²  CSA<br>Z462-2018,<br>ARC 2  ASTM<br>F1506-20A <br>ATPV 10<br>cal/cm²  CSA<br>Z462-24  NFPA<br>2112-2023<br>certified to UL <br>NFPA 70E-24 <br>CGSB<br>155.20-2017 <br>TPP 8.4<br>cal/cm² |
| Gender             | Men  |
| Hi-Vis Standards   | CSA Z96-22<br>Class 3 Level 2 <br>CSA Z96-22<br>Class 3 Level<br>FR  |
| Material           | 88/12  12%<br>High-Tenacity<br>Nylon  88%<br>Cotton  |
| Material           | 7 oz (240 GSM)   |

|                   |   |
|-------------------|---|
| Thickness         |   |
| Number of Pockets | 7   |
| Pocket Type       | Back  Chest  Side  Tool, Back  Chest  Pass-Through  Side  Tool  |
| Reflective Tape   | StarTech® Double-Stitched Flame Resistant  Suitable for Industrial Wash   |
| Size              | 42  |
| Special Features  | Radiophone Clip Strap  Aramid Flame Resistant Thread, Aramid Flame Resistant Thread  Industrial Wash  Multiple Pockets  Radiophone Clip Strap, Action Back  Aramid Flame Resistant Thread  Industrial Wash  Multiple Pockets  Radiophone Clip Strap |